

PM 17 4816-633

PS 1 of 3

S370446 / 18  
305

AUG 31 1988

Mr. Jan Brill  
Fairfield American Corporation  
809 Harrison Street  
Frenchtown, NJ 08825

Dear Mr. Brill:

Subject: Application for Pesticide Amendment  
Pyrenone Flea & Tick Spray  
EPA Registration No. 4816-633  
Your Letter Dated April 19, 1988

The pesticide amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you submit the following:

- The results of 1-year storage stability tests, conducted under ambient warehouse conditions, must be received by the Agency within 15 months after granting the registration.

A stamped copy of the label is enclosed for your records. Please provide an additional copy of your Confidential Statement of Formula.

Sincerely yours,



Phil Hutton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

51256:I:Bagley:L17-9:KENCO:08/23/90:09/24/90:DD:VO:JH:DD

CONCURRENCES

SYMBOL	SURNAME	DATE					

# Pyrenone<sup>®</sup> FLEA & TICK SPRAY

EPA Reg. No. 4816-633

EPA Est. No. 279-NY-1

SHAKE WELL BEFORE USE

## ON PETS

Start spraying at the tail, moving the animal's head and making sure that the animal's entire body is covered, including the legs and underbelly. After spraying, fluff the hair so that spray reaches the skin. Make sure spray wets thoroughly. Do not spray into eyes, face, or genitals. Repeat as necessary. Do not spray on nursing females under six weeks of age.

**FOR USE ON CATS AND DOGS AND ON PREMISES  
TO CONTROL FLEAS AND TICKS**

**AN AQUEOUS, STABLE, MICRO EMULSION**

### ACTIVE INGREDIENTS:

Pyrethrins..... 0.06%

\*Piperonyl Butoxide, Technical..... 0.60%

INERT INGREDIENTS:..... 99.34%

100.00%

\*Equivalent to 0.48% (butylcarbityl)(6-propylpiperonyl) ether and 0.12% related compounds.

PYRENONE - Registered Trademark of  
Fairfield American Corporation

## ON LIVESTOCK

To protect cattle, horses and hogs from house flies, mosquitoes and gnats apply sufficient to wet the surface of the hair. For stable flies, horse flies and deer flies use a rate of 2 ounces per adult animal sufficient to wet the hair thoroughly. Repeat treatment daily as necessary to give continued protection. To control blood-sucking lice, apply to the areas of the animal, using a stiff brush to spray to the base of the hair. Repeat treatment every 2 weeks if required.

To control poultry lice, spray roosts, perches or cages thoroughly. This should be followed by spraying over the birds with a fine mist. For control of bedbugs and mites in poultry quarters spray crevices of roost poles, cracks in perches and cracks in nests where the bedbugs and mites are found.

## ON PREMISES

To control Fleas and Brown Dog Ticks on premises Thoroughly spray infested areas, pet quarters, nearby cracks and crevices, a baseboards, moldings, window and door frames. In localized areas of floor and floor coverings, bedding should be placed in animal quarters for treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional precautionary statements

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



FAIRFIELD  
AMERICAN  
CORPORATION  
201 Rt. 17 North, Rutherford, NJ 07070

NET CONTENTS: \_\_\_\_\_

## STORAGE AND DISPOSAL

Store in original container in a cool dry place inaccessible to children and pets and away from heat and direct sunlight. Protect from freezing.

Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

##### CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Wash contaminated skin promptly with soap and water after use. Avoid spraying food or foodstuffs. Remove birds and cover fish aquariums before spraying.

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Contact a physician or Poison Control Center. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES OR ON SKIN:** Flush affected areas with plenty of water. Contact a physician if irritation persists.

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

443

00.234