

Reg # 4816-637

PM-12

1 of 4

CARTON INSERT ACCEPTED

(63)

MAR 10 1982

SPRAY-A-WAY

BEST AVAILABLE COPY

DIRECTIONS FOR USE

PA Reg. No. 4816-63

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, No. 27984001 registered insecticide

Premeasured Packets of Concentrate

A Residual Emulsifiable Concentrate For Dilution In Water

Controls Numerous Insect Pests In Households and on Lawns and Ornamental Plants, also Area Control of Mosquitoes and Ticks

Provides the quick knockdown and flushing of Pyrethroids and the long-term activity of Dursban

To be applied only by or under the supervision of Pest Control Operators, Public Health Organizations, Mosquito Abatement Districts, and other trained personnel responsible for insect control programs.

ACTIVE INGREDIENTS

- Pyrethrins 1.000%
- *Piperonyl Butoxide, Technical 10.000%
- Chlorpyrifos 0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate 20.000%
- **INERT INGREDIENTS 69.000%
- 100.000%

*Equivalent To 8% (butylcarbityl) (6-propylpiperonyl) ether and 2% related compounds.

**Contains Aromatic petroleum derivative solvent

PYRETHRONE - Registered Trademark of Fairfield American Corporation

DURSBAN - Registered Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN.

WARNING

See back panel for additional precautionary statements

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PESTS INDOORS:

Use this product as a spot treatment to control cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown dog ticks in and around residential areas, homes, apartment buildings and offices. Dilute one packet with one gallon of water. Apply according to directions given for the pests listed. Repeat treatment as necessary.

Cockroaches, ants, crickets, firebrats, silverfish, and spiders. Apply as a spot treatment using a sprayer adjusted to give a coarse spray or with a paint brush to localized areas where these pests are found or normally occur. Treat the dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, and cabinets and around plumbing and other utility installations. For ants, apply to ant trails. Also apply around doors and windows and wherever these pests may find entrance.

Fleas and Brown Dog Ticks: Spray infested areas such as pets' bed and resting quarters, nearby cracks and crevices, along and behind baseboards, behind window and door frames and localized areas of floors and floor coverings where these pests may be present. Old bedding of pests should be removed and replaced with clean, fresh bedding after treatment. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application to control the source of the flea infestation.

WARNING (PESTS INDOORS)

Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquaria before spraying. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils and surfaces with soap and water if they become contaminated by the application of this

Pests of Home Lawns and Other Ornamental and Recreational Grass Areas:

To control ants, brown dog ticks, chinch bugs, crickets, cutworms, earwigs, grasshoppers, and sod webworms (lawn moths), mix this product with water according to directions given in the following table and apply as a coarse low pressure spray using suitable application equipment. For best results, the lawn should be moist at time of treatment and care should be taken to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear. Retreat if needed.

DOSAGE AND DILUTIONS FOR USE ON TURF

Area To Be Treated	Amount of Concentrate	Dilute With Water To Give
500 sq. ft.	1.0 fl. oz.	15 gallons
1,000 sq. ft.	2.0 fl. oz.	30 gallons
5,000 sq. ft.	10½ fl. oz.	150 gallons
10,700 sq. ft.	23 fl. oz.	325 gallons
1 acre	3 quarts	1,000 gallons

TO CONTROL LAWN GRUBS: Of European Chafers, Masked Chafers and Japanese Beetles:

Use two to four times the amount of this product shown in the turf table, i.e. 4 to 8 fluid ounces per 1000 square feet or 6 to 12 quarts per acre. Apply in enough water to obtain uniform coverage of the area, followed by thorough wetting to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface usually during late July and August. Consult your local Agricultural Extension Service Specialist for proper time to treat in your area.

NOTE: To prevent infestation of buildings by ants, crickets, earwigs, sowbugs, pillbugs and centipedes, treat a band of soil six to ten feet wide around and adjacent to the building. Also treat the building foundation to a height of two to three feet where pests are active and may find entrance. Use the dosage and dilution recommended for control of these pests on turf as shown in the turf table. Apply as a coarse spray to thoroughly and uniformly wet the band area.

SEE REVERSE SIDE

FAIRFIELD AMERICAN

274

3/8 SEAL

3/8 SEAL

SPRAY-A-WAY

EPA Reg. No. 4816-637 EPA Est. No. 4972-FL-1

To be applied only by or under the supervision of Pest Control Operators, Public Health Organizations, Mosquito Abatement Districts, and other trained personnel responsible for insect control programs.

ACTIVE INGREDIENTS:

Pyrethrin.....	1.000Z
*Piperonyl Butoxide, Technical.....	10.000Z
Petroleum Distillate.....	4.000Z
Chlorpyrifos 0,0-Diethyl.....	
O-(3,5,6-trichloro-2-pyridyl)	
phosphorothioate.....	20.000Z
Aromatic Petroleum Derivative Solvent	13.133Z

INERT INGREDIENTS:

51.876Z
100.000Z

*Equivalent to 8Z (butylcatty) (6-propyl-piperonyl) ether and 2Z related compounds.

PYRENONE - Registered trademark of Fairfield American Corporation

DURSINAN - Registered trademark of The Dow Chemical Company

ACCEPTED

MAR 10 1982

Under the authority of the Administrator of the Environmental Protection Agency, this pesticide is registered under the Federal Insecticide, Fungicide, and Rodenticide Act.

**KEEP OUT OF REACH OF CHILDREN
WARNING**
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



**FAIRFIELD
AMERICAN
CORPORATION**
3932 SALT ROAD
MEDINA, N.Y. 14103

Printed in the U.S.A.

6 FACE

BEST AVAILABLE COPY

12 WE

3 9 4

1/16
1/2 x 1/4
WHITE EYES

Net Contents 0z.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. May be absorbed through skin. May be injurious to eyes and skin. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling, and before eating or smoking. Avoid breathing vapors and spray mist. Do not spray food crops. Keep away from food, feed-stuffs and domestic water supplies.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting, unless directed by a physician. Contains aromatic petroleum solvent, aspiration is a potential hazard. Call a physician immediately. If on Skin: In case of contact, remove contaminated clothing and immediately flush skin with soap and water. Wash contaminated clothing before reuse. If In Eyes: Flush eyes with plenty of water. Call a physician.

NOTE TO PHYSICIAN

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct residue on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CHEMICAL HAZARDS

Do not use or store near heat or open flame. See Carton Insert for directions for use. Read entire Carton Insert before using. Use only as directed. This packet is not to be sold separately.

6 BACK

12 WEB

3/8 SEAL

BEST AVAILABLE COPY

Printed in the U.S.A.
3932 SALT ROAD
MEDINA, N.Y. 14103



To control aphids, bagworms, cutworms, grasshoppers, leafhoppers, mealybugs, mites, spittlebugs, thrips, and whiteflies on flowers, shrubs, vines, shade and flowering trees and evergreens, dilute this product with water according to directions given in the following table and apply using suitable hand or power spray equipment to provide complete and uniform coverage of infested plants. Avoid over spraying to a point of excessive runoff. Treat when pests appear and repeat at seven to ten day intervals, if needed.

NOTE: Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

DOSAGE AND DILUTIONS FOR USE ON ORNAMENTAL PLANTS

Pests Controlled	Amount of Spray-A-Way In Water To Make		
	3 gals.	10 gals.	100 gals.
Aphids, bagworms, grasshoppers, mites, spittlebugs, whiteflies	1/2 fluid ounces	2 fluid ounces	20 fluid ounces*
Cutworms, mealybugs, leafhoppers, thrips	1 fluid ounce	4 fluid ounces	38 fluid ounces**

*Equivalent to 4 ounces of chlorpyrifos per 100 gallons

**Equivalent to 8 ounces of chlorpyrifos per 100 gallons

NOTE: Mosquitoes coming to rest on areas treated for control of turf and ornamental plant pests will be killed for varying periods of time after treatment depending on exposure of treated areas to weathering conditions.

WARNING: LAWN AND ORNAMENTAL PLANT PESTS

Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden fish pools and other bodies of water. Fish may be killed if their waters are contaminated with this product. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

AREA CONTROL OF TICKS

To control ticks infesting non-crop land areas, such as picnic areas, camp sites and other recreational areas where these pests are present and create a nuisance or possible public hazard, apply this product in water at the rate of 38 fluid ounces per acre (equivalent to 2 fluid ounces per 2,700 square feet). Use a hydraulic sprayer, mist applicator, knapsack sprayer or other suitable hand or power spray equipment. Treat under brush and on grassy areas, weeds, ground surfaces, and debris using enough spray volume to obtain thorough coverage, usually 40 to 100 gallons per acre.

Do not allow public use of treated areas during application or until spray has dried. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff into lakes, streams, ponds, or other bodies of water is likely to occur. Fish and crustaceans may be killed if their water is contaminated with this product.

MOSQUITOES

Apply this product to mosquito infested non-crop areas according to the conditions and rates shown in the following table. Mix it with either water or oil, using sufficient spray volume to give uniform area coverage. Apply this spray using suitable application equipment, such as hand or power ground sprayers or mist applicators.

CONDITIONS AND RATES TO USE FOR MOSQUITO CONTROL

Conditions of Area to be Treated	Amount to Use Per Acre (fl. oz.)	Chlorpyrifos (Pounds)	Number of Acres Which 1 Gal. of Concentrate Will Treat
Larval Control			
none to medium negative cover	1.0 to 2.0	0.0125 to 0.0250	130 to 60
Medium to heavy negative cover	2.0 to 3 2/3	0.025 to 0.050*	60 to 35
Adult Control			
light to medium negative cover	2.0	0.025	60
Medium to heavy negative cover	3 2/3	0.050*	35

*the higher dosage will also give faster knockdown and longer residual control where there is little or no negative cover.

WARNING (MOSQUITO CONTROL)

This product is toxic to shrimp, crabs and fish. Do not apply to water containing crustaceans and fish. Consult your state fish and game department before using this product for mosquito control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures

CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local authorities.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. May be absorbed through the skin. May be injurious to eyes and skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Avoid breathing vapors and spray mist. Do not spray food crops. Keep away from food, feed-stuffs and domestic water supplies.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting, unless directed by a physician. Contact aromatic petroleum solvent, aspiration is a potential hazard. Call physician immediately.

If On Skin: In case of contact, remove contaminated clothing and immediately flush skin with soap and water. Wash contaminated clothing before reuse.

If In Eyes: Flush eyes with plenty of water. Call a physician.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct residue on plants. Protective information may be obtained from your Cooperative Agricultural Extension Services.

CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BATCH

BEST AVAILABLE COPY

Printed in the U.S.A.