

PERMANONE®

TICK REPELLENT

EPA Reg. No. 4816-646

EPA Est. No. 10900-JH-1

- * For Clothing
- * Contains Permanone®
- * Repels and Kills Mosquitoes, Ticks, and Mites
- * Repels and Kills Ticks which may carry Lyme disease and Rocky Mountain Spotted fever
- * Provides long-lasting protection - 1 treatment lasts 2 weeks!
- * CLOTHING TREATMENT ONLY - DO NOT APPLY TO SKIN

ACTIVE INGREDIENT:

*Permethrin..... 0.5%

INERT INGREDIENTS:..... 99.5%

100.0%

*(3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate. Cis/Trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.

PERMANONE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label for additional precautions

NET CONTENTS: 6 OUNCES (170 GRAMS)

Manufactured by:



FAIRFIELD
AMERICAN
CORPORATION

201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

0416 0301810

ACCEPTED

DIRECTIONS FOR USE MAR 22 1981

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

This product should not be applied to clothing while it is being worn. Under no circumstances should bare skin or clothing on the body be treated.

GENERAL INSTRUCTIONS:

For protection against Ticks (including those which may carry Lyme disease), chiggers and mosquitoes, apply product as directed below. For further protection, use in conjunction with an insect repellent registered for direct application to the skin and utilize the following primary preventive measures; Avoid areas where the pests are found, wear appropriate protective clothing (light-colored, long-sleeved shirt and long pants tucked into socks) and inspect body daily for ticks. Pant cuffs should be worn inside the socks or footwear to ensure full protection against ticks and chiggers.

INITIAL TREATMENT INSTRUCTIONS:

1. Select a well-ventilated outdoor area protected from wind and lay out the clothing to be treated (as complete outfit; shirt, trousers and socks).
2. Hold can upright about 6 to 8 inches from surface of the clothing and spray with a slow sweeping motion to lightly moisten the surface of the fabric.
3. Continue spraying over entire outfit, until a total treatment time of 60 seconds has elapsed and the outer surface of the fabric is moist enough to cause a slight color change or darkening. Pay special attention to socks, trouser cuffs and shirt cuffs.
4. Turn the clothing over and treat the other side as described in Steps 2 & 3.
5. Hang the treated clothing and allow to dry for at least 2 hours (4 hours under humid conditions) before wearing.
6. One can will treat two complete outfits. Do not exceed recommended spraying times.

RETREATMENT INSTRUCTIONS:

This product contains an active ingredient which actually binds to the fabric being treated, providing residual protection which lasts a minimum of two weeks, and holds up through several machine washings. DO NOT RETREAT CLOTHING MORE THAN ONCE EVERY TWO WEEKS. LAUNDRY CLOTHING AT LEAST ONCE BEFORE RETREATING. For retreatment, follow instructions for initial treatment.

DISPOSAL

Replace cap, wrap container in several layers of newspaper. Discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with face, eyes or skin. Avoid breathing vapors or spray mist. Do not allow contact with treated surfaces until spray has dried. Wash thoroughly after handling and before eating or smoking. Do not allow spray to contact food, or water supplies. Do not allow use by small children without close adult supervision.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Call Physician or Poison Control Center. Get medical attention.
IF ON SKIN: Wash affected areas of skin with soap and water.
IF IN EYES: Flush eyes with plenty of water. Contact a physician if irritation persists.
IF INHALED: Remove affected person to well ventilated area, if not already done. Apply artificial respiration if indicated.

PHYSICAL OR CHEMICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.