

#71379

Ms. Christina M. Lawes
Agevo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

SEP 26 1995

Dear Ms. Lawes:

Subject: Amendment- Revise per Diazinon Registration Standard
Pyrenone Diazinon Water Based Pressurized Spray
EPA Registration Number 4816-650
Your submission dated October 15, 1993

This amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable, provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Revise the front panel claim "Ticks" to "Brown Dog Ticks".
- b. Since you apparently have applied for and received USDA authorization, you may add the front panel claim:

This product is approved by USDA for use in Federally inspected meat and poultry plants.

- c. Relocate the heading **INDOOR USE** to appear after "press the actuator button", delete "Do not use as a space spray" and then add the following heading and text:

Precautions: Do not use this product indoors as an overall surface spray or as a space spray; take care not to introduce the product into the air during application. Use only in well-ventilated areas. Do not apply where children are likely to frequently contact treated surfaces. Remove or cover fish bowls or aquariums and remove pets before application. Do not

spray plants, pets, or humans with this product. Do not allow children or pets in treated areas until spray has dried. Do not apply this product in patient rooms or any rooms occupied by the elderly or infirmed. Do not apply when classrooms are in use. In institutions (including but not limited to office buildings, museums, libraries, and sports facilities) do not apply when occupants are present in the immediate area. Do not apply directly to conduits, motor housings, or electrical switch boxes due to the possibility of shock hazard. Do not apply to areas, surfaces, or utensils which will contact food or feed. Exposed food should be covered or removed during application. All food processing surfaces and utensils should be covered during treatment or thoroughly washed with soap and water before use. Do not spray inside cabinets where food is stored. Do not use in serving areas while food is exposed or facility is in operation. If clothing becomes wet during spraying, remove clothing immediate after spraying, wash affected areas with soap and water, and launder clothes before wearing again.

- d. Revise the FOOD AND FEED HANDLING ESTABLISHMENTS section (the current text from that heading through the end of the serving areas directions) to appear in their entirety as follows:

FOOD AND FEED HANDLING ESTABLISHMENTS

Places other than private residences in which food and feed is held, processed, prepared or served (including restaurants, cafeterias, canneries, bakeries, food processing plants, mills, dairies, and meat and poultry plants). This product may be used in the food/feed areas and the non-food/non-feed areas of these establishments. Apply this product as a limited spot or crack and crevice treatment as directed below to control **Ants, Cockroaches, Crickets, Silverfish, Spiders, and Waterbugs.**

Food/Feed Areas of Food/Feed Handling Establishments

Includes areas for receiving, serving, storage (dry, cold, frozen, or raw), packaging (canning, bottling, wrapping, and boxing), preparing (cleaning, slicing, cooking, and grinding), and enclosed processing systems (mills, dairies, and systems for processing edible oils and syrups).

APPLICATION OF THIS PRODUCT IN THE FOOD/FEED AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE OR LIMITED SPOT TREATMENT IS NOT PERMITTED

Crack and Crevice Treatment

Apply spray in small amounts directly into cracks and crevices using an injection or insertion tube in points between different elements of construction, expansion joints, spaces between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases.

Limited Spot Treatment

Spray around water pipes and door frames, surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas. Limit spot treatments to floor surfaces where the insect pests listed above have been seen or where they are suspected of hiding. Limit the sum of individual spot treatments to an area no larger than 20% of the floor surface area. Any individual spot treatment must not exceed 2 square feet.

Non-Food/Non-Feed Areas of Food/Feed Handling Establishments

Includes garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets, and storage areas (after canning or bottling).

Spot Treatment

Spray as a spot treatment along baseboards, to areas around water pipes, to surfaces behind and beneath cabinets, sinks, lockers, and pallets, and to storage areas where the insect pests listed above hide.

- e. Add the following heading over To kill **Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Pillbugs, Silverfish, and Spiders:**

Households, Apartments, Garages, Warehouses, and Non-Food Areas of Motels, Hotels, and Institutions (see "Food and Feed Handling Establishments" for special directions when applying this product in food handling or serving areas in non-residential buildings):

- f. In the directions for control of the pests identified in item "e" above, delete "and other utility installations", since this could be construed as recommending spraying into areas where electrical contact could occur, which is not acceptable for a water based product. Also, in the directions for control of ants delete "nests", since this is not appropriate for indoor use directions.

- g. Under **OUTDOOR USE** add the following heading and text:

Precautions: Do not use this product outdoors other than to spray the outside surface of structures. Do not spray lawns, to other desirable vegetation. Spray with the wind to your back. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water, and launder clothing before wearing again. Do not allow children or pets to contact treated areas until spray has dried.

- h. In the **Statement of Practical Treatment**, revise the last sentence of the If swallowed advice to read: "Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.". Add "Get medical attention." to the end of the "If inhaled" and "If on skin".
- i. At the end of the **Statement of Practical Treatment**, add a Note to Physician as follows: **Note to Physician:** This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.
- j. Revise the **Hazards to Humans and Domestic Animals** to read as follows: Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish aquarium before spraying.
- k. Revise the first paragraph of the **ENVIRONMENTAL HAZARDS** to read as follows (retain the current second paragraph as is): This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not contaminate water by disposal. Apply this product only as specified on this label.
3. A revised Confidential Statement of Formula (CSF) must be submitted which should include upper certified limits for the impurities of toxicological concern as identified in the Diazinon Registration Standard (TEPP, O,S-TEPP, S,S-TEPP, and oxo-diazinon), and should include signed and dated certification statements relative to FIFRA Sec 12 (a)(1)(C)

and the method of arriving at the certified limits for the impurities (i.e., either your own chemical analysis or, more likely, your reliance on your supplier's analysis of their product which is your diazinon source) and addressing data requirements under Guidelines 61-3 and 61-2b. The text of these certification statements is as follows:

I hereby certify that, for the purposes of FIFRA Sec.12(a)(1)(C), the description of the composition of [your product's name], EPA Reg. No. [insert correct number for your product], refers to the composition set forth on this Statement of Formula and supporting

materials. This description includes the representation that (1) no ingredient will be present in the product in an amount greater than the upper certified limit or in an amount less than the lower certified limit specified for that ingredient in this Statement of Formula; and (2) if the Agency requires that the source of supply of an ingredient be specified, that all quantities of such ingredient will be obtained from the source specified in the Statement of Formula.

I certify that the upper certified limits for the impurities listed on this Statement of Formula are based on [your supplier's name] analysis and certification of limits for this product based on [name of source product that your supplier has analyzed]. I further certify under Section 61-3 and 61-2(b) that there are no chemical reactions between diazinon and/or its impurities with the intentionally added inerts.

If you do not already have the impurities information required on the CSF, please immediately contact your supplier directly.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (7505C)

PYRENONE® DIAZINON

WATER BASED PRESSURIZED SPRAY

EPA Reg. No. 4816-650

EPA Est. No.

- * *For Commercial/Industrial Use Only*
- * *Pyrenone® Provides Flushing Action and Fast Knockdown*
- * *Kills Cockroaches, Ants, Spiders, Ticks and other Insects listed in the Directions for Use.*
- * *Use in and around Homes, Apartments, Garages, Motels, Hotels.*
- * *Institutions and Food Processing Plants.*
- * *A Residual Insecticide which controls listed pests for as long as two weeks.*
- * *Use outdoors as an aid in reducing annoyance from Flies and Mosquitoes entering the home.*

ACTIVE INGREDIENTS:

Pyrethrins.....	0.052%
*Piperonyl Butoxide	0.260%
Diazinon: [0,0-Diethyl 0-(2-Isopropyl-6-methyl-4-pyrimidinyl)phosphorothioate	0.500%
**INERT INGREDIENTS:	99.188%
	100.000%

*Equivalent to 0.208% (butylcarbityl) (6-propylpiperonyl) ether and to 0.052% related compounds

**Contains Petroleum Distillate

PYRENONE-Registered Trademark of Roussel Uclaf Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Res. Panel for Additional Precautions

NET CONTENTS: _____

ROUSSEL UCLAF

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

82268 051/90

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Use.

To operate hold can upright, direct orifice toward the surface to be treated, and press the actuator button. Do not use as a space spray.

FEED AND FOOD HANDLING ESTABLISHMENTS CRACK AND CREVICE AND SPOT TREATMENTS:

Apply as either a spot or crack and crevice treatment in Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served) as directed below.

Food/feed areas including, but not limited to, areas for receiving storage, packing (canning, bottling, wrapping, boxing), preparing foods, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation): Use as a crack and crevice treatment in and around both food and nonfood areas to control **Ants, Cockroaches, Crickets, Silverfish, Spiders and Waterbugs.**

Apply spray in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, expansion joints, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application, de-energize electrical equipment. Limit spot treatments to floor surfaces, where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20% of the floor surface. Individual spot treatments shall not exceed two square feet. Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Application Within foods are served, areas where food is spot treatment to seal under elements of crevices. Avoid treating food. (Do not apply are exposed.)

INDOOR USE:

To kill **Ants, Carpet Crickets, Earwigs, Spiders:** thoroughly where these pests are in corners of the room under carpets, along behind and beneath cabinets and around utility installations. Pests be sprayed directly. entry.

To kill **Brown Dog** treatment to infested quarters, and near hind baseboards, w areas of floor and floor present. Fresh bedding following treatment.

OUTDOOR USE:

To control **House Small Flying Moth** only on outdoor surface and door frame may enter the home resting areas, such as in garages where the **Mosquitoes** coming killed. Repeat treat

Under the
Fungicide
as an insecticide
registered
48

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children and pets. Do not transport or store below 32°F. Exposure to temperatures above 130°F may cause bursting.

DISPOSAL: Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Contact a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Use only in a well-ventilated area. Avoid skin and eye contact. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Wash thoroughly after handling and before eating or smoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not apply this pesticide in the immediate area when occupants are present. Do not apply this pesticide when class rooms are in use. Do not spray air in rooms or use on plants. Apply as a surface spray only. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish and other wildlife. Birds and waterfowl feeding or drinking on treated areas may be killed. Avoid overlapping of sprays. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply this product where fish, shrimp, crab or other aquatic life are important resources. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming plants where they feed. Do not allow this pesticide to drift to blooming plants if bees are visiting the treatment area. Do not apply this product or allow it to drift to food crops or any desirable vegetation at any time.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Ms. Christina M. Lawes
Agevo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

SEP 26 1995

Dear Ms. Lawes:

Subject: Amendment- Revise per Diazinon Registration Standard
Pyrenone Diazinon Water Based Pressurized Spray
EPA Registration Number 4816-650
Your submission dated October 15, 1993

This amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable, provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Revise the front panel claim "Ticks" to "Brown Dog Ticks".
- b. Since you apparently have applied for and received USDA authorization, you may add the front panel claim:

This product is approved by USDA for use in Federally inspected meat and poultry plants.

- c. Relocate the heading **INDOOR USE** to appear after "press the actuator button", delete "Do not use as a space spray" and then add the following heading and text:

Precautions: Do not use this product indoors as an overall surface spray or as a space spray; take care not to introduce the product into the air during application. Use only in well-ventilated areas. Do not apply where children are likely to frequently contact treated surfaces. Remove or cover fish bowls or aquariums and remove pets before application. Do not

BEST COPY AVAILABLE

spray plants, pets, or humans with this product. Do not allow children or pets in treated areas until spray has dried. Do not apply this product in patient rooms or any rooms occupied by the elderly or infirmed. Do not apply when classrooms are in use. In institutions (including but not limited to office buildings, museums, libraries, and sports facilities) do not apply when occupants are present in the immediate area. Do not apply directly to conduits, motor housings, or electrical switch boxes due to the possibility of shock hazard. Do not apply to areas, surfaces, or utensils which will contact food or feed. Exposed food should be covered or removed during application. All food processing surfaces and utensils should be covered during treatment or thoroughly washed with soap and water before use. Do not spray inside cabinets where food is stored. Do not use in serving areas while food is exposed or facility is in operation. If clothing becomes wet during spraying, remove clothing immediate after spraying, wash affected areas with soap and water, and launder clothes before wearing again.

- d. Revise the FOOD AND FEED HANDLING ESTABLISHMENTS section (the current text from that heading through the end of the serving areas directions) to appear in their entirety as follows:

FOOD AND FEED HANDLING ESTABLISHMENTS

Places other than private residences in which food and feed is held, processed, prepared or served (including restaurants, cafeterias, canneries, bakeries, food processing plants, mills, dairies, and meat and poultry plants). This product may be used in the food/feed areas and the non-food/non-feed areas of these establishments. Apply this product as a limited spot or crack and crevice treatment as directed below to control **Ants, Cockroaches, Crickets, Silverfish, Spiders, and Waterbugs.**

Food/Feed Areas of Food/Feed Handling Establishments

Includes areas for receiving, serving, storage (dry, cold, frozen, or raw), packaging (canning, bottling, wrapping, and boxing), preparing (cleaning, slicing, cooking, and grinding), and enclosed processing systems (mills, dairies, and systems for processing edible oils and syrups).

APPLICATION OF THIS PRODUCT IN THE FOOD/FEED AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE OR LIMITED SPOT TREATMENT IS NOT PERMITTED

BEST COPY AVAILABLE

Crack and Crevice Treatment

Apply spray in small amounts directly into cracks and crevices using an injection or insertion tube in points between different elements of construction, expansion joints, spaces between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases.

Limited Spot Treatment

Spray around water pipes and door frames, surfaces beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar floor areas. Limit spot treatments to floor surfaces where the insect pests listed above have been seen or where they are suspected of hiding. Limit the sum of individual spot treatments to an area no larger than 20% of the floor surface area. Any individual spot treatment must not exceed 2 square feet.

Non-Food/Non-Feed Areas of Food/Feed Handling Establishments

Includes garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets, and storage areas (after canning or bottling).

Spot Treatment

Spray as a spot treatment along baseboards, to areas around water pipes, to surfaces behind and beneath cabinets, sinks, lockers, and pallets, and to storage areas where the insect pests listed above hide.

- e. Add the following heading over To kill **Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Pillbugs, Silverfish, and Spiders:**

Households, Apartments, Garages, Warehouses, and Non-Food Areas of Motels, Hotels, and Institutions (see "Food and Feed Handling Establishments" for special directions when applying this product in food handling or serving areas in non-residential buildings):

- f. In the directions for control of the pests identified in item "e" above, delete "and other utility installations", since this could be construed as recommending spraying into areas where electrical contact could occur, which is not acceptable for a water based product. Also, in the directions for control of ants delete "nests", since this is not appropriate for indoor use directions.

BEST COPY AVAILABLE

- g. Under **OUTDOOR USE** add the following heading and text:

Precautions: Do not use this product outdoors other than to spray the outside surface of structures. Do not spray lawns, to other desirable vegetation. Spray with the wind to your back. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water, and launder clothing before wearing again. Do not allow children or pets to contact treated areas until spray has dried.

- h. In the **Statement of Practical Treatment**, revise the last sentence of the If swallowed advice to read: "Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.". Add "Get medical attention." to the end of the "If inhaled" and "If on skin".

- i. At the end of the **Statement of Practical Treatment**, add a Note to Physician as follows: **Note to Physician:** This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine.

- j. Revise the **Hazards to Humans and Domestic Animals** to read as follows: Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish aquariums before spraying.

- k. Revise the first paragraph of the **ENVIRONMENTAL HAZARDS** to read as follows (retain the current second paragraph as is): This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not contaminate water by disposal. Apply this product only as specified on this label.

3. A revised Confidential Statement of Formula (CSF) must be submitted which should include upper certified limits for the impurities of toxicological concern as identified in the Diazinon Registration Standard (TEPP, O,S-TEPP, S,S-TEPP, and oxo-diazinon), and should include signed and dated certification statements relative to FIFRA Sec 12 (a)(1)(C)

BEST COPY AVAILABLE

and the method of arriving at the certified limits for the impurities (i.e., either your own chemical analysis or, more likely, your reliance on your supplier's analysis of their product which is your diazinon source) and addressing data requirements under Guidelines 61-3 and 61-2b. The text of these certification statements is as follows:

I hereby certify that, for the purposes of FIFRA Sec.12(a)(1)(C), the description of the composition of [your product's name], EPA Reg. No. [insert correct number for your product], refers to the composition set forth on this Statement of Formula and supporting

materials. This description includes the representation that (1) no ingredient will be present in the product in an amount greater than the upper certified limit or in an amount less than the lower certified limit specified for that ingredient in this Statement of Formula; and (2) if the Agency requires that the source of supply of an ingredient be specified, that all quantities of such ingredient will be obtained from the source specified in the Statement of Formula.

I certify that the upper certified limits for the impurities listed on this Statement of Formula are based on [your supplier's name] analysis and certification of limits for this product based on [name of source product that your supplier has analyzed]. I further certify under Section 61-3 and 61-2(b) that there are no chemical reactions between diazinon and/or its impurities with the intentionally added inerts.

If you do not already have the impurities information required on the CSF, please immediately contact your supplier directly.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (7505C)

BEST COPY AVAILABLE

PYRENONE[®] DIAZINON **WATER BASED PRESSURIZED SPRAY**

EPA Reg. No. 4816-650

EPA Est. No.

- * *For Commercial/Industrial Use Only*
- * *Pyrenone[®] Provides Flushing Action and Fast Knockdown*
- * *Kills Cockroaches, Ants, Spiders, Ticks and other Insects listed in the Directions for Use.*
- * *Use in and around Homes, Apartments, Garages, Motels, Hotels.*
- * *Institutions and Food Processing Plants.*
- * *A Residual Insecticide which controls listed pests for as long as two weeks.*
- * *Use outdoors as an aid in reducing annoyance from Flies and Mosquitoes entering the home.*

ACTIVE INGREDIENTS:

Pyrethrins.....	0.052%
*Piperonyl Butoxide	0.260%
Diazinon: [0,0-Diethyl 0-(2-Isopropyl-6-methyl-4-pyrimidinyl)phosphorothioate	0.500%
**INERT INGREDIENTS:	99.188%
	100.000%

*Equivalent to 0.208% (butylcarbityl) (6-propylpiperonyl) ether and to 0.052% related compounds

**Contains Petroleum Distillate

PYRENONE -Registered Trademark of Roussel Uclaf Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Rev. Panel for Additional Precautions

NET CONTENTS: _____

ROUSSEL UCLAF

Roussel Uclaf Corporation
 95 Chestnut Ridge Road
 Montvale, New Jersey 07645

82758 05/79

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Use.

To operate hold can upright, direct orifice toward the surface to be treated, and press the actuator button. Do not use as a space spray.

FEED AND FOOD HANDLING ESTABLISHMENTS CRACK AND CREVICE AND SPOT TREATMENTS:

Apply as either a spot or crack and crevice treatment in Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served) as directed below.

Food/feed areas including, but not limited to, areas for receiving storage, packing (canning, bottling, wrapping, boxing), preparing foods, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation): Use as a crack and crevice treatment in and around both food and nonfood areas to control *Ants, Cockroaches, Crickets, Silverfish, Spiders and Waterbugs.*

Apply spray in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, expansion joints, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application, de-energize electrical equipment. Limit spot treatments to floor surfaces, where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20% of the floor surface. Individual spot treatments shall not exceed two square feet. Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Application Within Food Handling Establishments: Do not use in areas where food may be exposed to direct spray. Do not apply under elements of construction, such as cracks, crevices. Avoid treatment of food. (Do not apply where food is exposed.)

INDOOR USE:

To kill *Ants, Carpet Beetles, Crickets, Earwigs, Flies, Spiders*: thoroughly treat areas where these pests are found, such as corners of the room, under carpets, along baseboards, behind and beneath cabinets and around utility installations. Pests may be sprayed directly. Do not breathe fumes.

To kill *Brown Dog Fleas*: treatment to infested areas, such as quarters, and nearby areas of floor and floor coverings. Fresh bedding should be present. Fresh bedding should be present following treatment.

OUTDOOR USE:

To control *House Flies, Small Flying Moths*: apply only on outdoor surfaces, such as eaves, window and door frames, where pests may enter the home. Do not apply in resting areas, such as in garages where these pests may be coming from. Repeat treatment as needed.

with
 in EPA

SEP

Under the
 Fungicide,
 as amended
 registered

4816

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children and pets. Do not transport or store below 32°F. Exposure to temperatures above 130°F may cause bursting.

DISPOSAL: Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Contact a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Use only in a well-ventilated area. Avoid skin and eye contact. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Wash thoroughly after handling and before eating or smoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not apply this pesticide in the immediate area when occupants are present. Do not apply this pesticide when class rooms are in use. Do not spray air in rooms or use on plants. Apply as a surface spray only. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish and other wildlife. Birds and waterfowl feeding or drinking on treated areas may be killed. Avoid overlapping of sprays. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply this product where fish, shrimp, crab or other aquatic life are important resources. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming plants where they feed. Do not allow this pesticide to drift to blooming plants if bees are visiting the treatment area. Do not apply this product or allow it to drift to food crops or any desirable vegetation at any time.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

787