Reg # 4816-651

13/

BUTACIDE® TECH. TANK MIX

 A quick and more complete kill where insect resistance may be a problem, this product may be combined with other insecticides.

ACTIVE INGREDIENTS:

*Piperonyl Butoxide, Technical100.00%

* Equivalent to min. 80% (butylcarbityl) (6propylpiperonyl) ether and 20% related compounds. BUTACIDE is a registered trademark AgrEvo Environmental Health.

EPA REG No. 4816-651

EPA EST. No

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

See Side Fanel for Additional Precautionary Statements

NET CONTENTS:



PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed. Causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This product is toxic to fish. For terrestrial use, do not apply directly to water, or to areas where surface water is present or to intertidal waters below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry place. Keep container closed Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispos of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out o smoke.

This product is designed to be tank mixed with nonsynergized pyrethroid mosquito adulticides.

One gallon of Butacide contains 8.79 lbs. of active ingredient (a.i.).

Observing all the directions on the mosquito insecticide label, tank mix BUTACIDE for a maximum rate of 0.021 lb. a.i. per acre.

Application should always be made in accordance with more restrictive of label limitations and precautions. No label dosage rates should be exceeded. This product cannot be mixed with any product with label prohibitions against such mixing.