APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AMUJOR CRACK AND CARVICE TREATURNT IS NOT PERUSTICO.

Application Within Food Handling Establishments: (places other than private restdenges in which exposed food is held, processed, prepared or served) including, but not limited to, areas for receiving, storage, packing (canning, bottling, wrapping, hoxing), preparing foods, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and tacility is in operation): Use as a crack and erevice treatment in and around both food and nonlood areas to control unts, cockroaches, crickets, silverlish, splices and waterbugs. Apply in small amounts directly into cracks and previoes, using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and Cloor, openings leading to voids and hollowspaces in walls, equipment legs and bases, in condults, motor housings, junction or switch boxes. Prior to application desenergize electrical equipment, Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area on larger than 20% of the floor surface, individual spot treatments should not exceed two square feet. Take extreme care that the product is not introduced into the air. Avoid contamination of food and food processing surfaces,

Application Within Food Serving Areas (facilities where foods are served, such as dining rooms, but excluding areas where food may be prepared or held): Apply as a spot treatment to selective surfaces, such as hasehoards, under elements of construcfion and into cracks and creviegs. Avoid treating surfaces likely to be contacted by food, the not apply when facility is In operation or food are exposed).

STORAGE AND DISPOSAL

PESTICIDE STORAGE: No not transport or store below 32°F.

CONTAINER DISPOSAL: 47ap container and dispose of in trust. Do not lacingrate.

PRECAUTIONARY STATEMENTS HAZARDS TO RUMARS AND IPPRESTIC ARTMALS CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or amoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not apray air in rooms or use on plants. Apply as a surface spray only. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Hemove pets and cover fish aquartums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Conter immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

Remove contaminated clothing If on Skin: and wash affected areas with somp and water.

If In Eyes: flush eyes with plenty of water. Call a physician if irritation persists.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on the label.

PHYSICAL BAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exaposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

