

ALLEVIATE® AQUEOUS I

EPA Reg. No. 4816-661 EPA Est. No. 279-NY-1

EFFECTIVE, FAST ACTING

AQUEOUS INSECTICIDE

MULTI-USE FORMULATION

READY-TO-USE

ACTIVE INGREDIENTS:

d/l-allethrolone d-trans	
chrysanthemate	0.100%
Related Compounds	0.007%
*Piperonyl Butoxide, Technical	0.800%
INERT INGREDIENTS	99.093%
	100.00%

*Equivalent to 0.64% (butylcarbityl)(6-propyl-piperonyl) ether and 0.16% related compounds

ALLEVIATE - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautions.

BATCH

NET CONTENTS: _____

**FAIRFIELD
AMERICAN
CORPORATION**

201 Route 17 North, Rutherford, N.J. 07070

Alleivate Aqueous I is for use in:

Apartments Bakeries Beverage Plants Bottling Plants Box Cars Canneries Cattle Barns Dried Food Products in Storage or Processing Dumpsters Flour Mills Food Processing Plants Garages Grain Elevators Granaries Grocery Stores Homes Horse Barns Hospitals Hotels Indoor Parking Lots Industrial Install- ations Institutions	Locker Rooms Log Cabins Malls Meat Packing Plants Milk Rooms Mobil Homes Moving Vans Office Buildings Public Buildings Railroad Cars Restaurants Schools Ships' Holds Stored Food in Multi- Walled Paper or Cloth Bags Supermarkets Syrup Plants Theaters Truck Trailers Utility Closets and Rooms Warehouses
--	---

CONTROLS on contact exposed or accessible stages of:

Angoumois Grain Moths Ants Bedbugs Boxelder Bugs Cadellies Carpet Beetles Centipedes Cigarette Beetles Cheese Mites Clothes Moths Clover Mites Cockroaches Confused Flour Beetles Crickets Deer Flies Drugstore Beetles Earwigs Face Flies Flat Beetles Fleas Firebrats Flour Beetles Fruit Flies Fungus Gnats Gnats Grain Mites Granary Weevils	Ground Beetles Horn Flies House Flies Indian Meal Moths Meal Worms Mediterranean Flour Moths Millipedes Mosquitoes Palmetto Bugs Pillbugs Red Flour Beetles Rice Weevils Rusty Grain Beetles Sand Flies Sawtoothed Grain Beetles Scorpions Silverfish Skippers Skipper Flies Small Flying Moths Sowbugs Spiders Spider Beetles Springtails Stable Flies Ticks Tobacco Moths Waterbugs
--	--

PM 17 EPA# 4816-664 P3 10/2
CLF 1/30/90 DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply directly to food. Do not apply while food processing is underway. Foods should be removed or covered before treatment. Thoroughly wash all food processing surfaces before reuse. After spraying in both Federally inspected and other meat packing plants, bakeries and food processing plants, wash with potable water all equipment, benches, shelving, etc. where exposed food will be handled. When spraying in hospital rooms, patients must be removed and the rooms aired for a minimum of two hours before returning patients.

SPACE SPRAY: For rapid control of house flies, fruit flies, mosquitoes, gnats, small flying moths and other listed flying insects: Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 or 2 ounces per 1000 cubic feet of space. Vacate the treated area and ventilate before reoccupying. Keep the area closed for ten minutes after treating. Repeat treatment if necessary.

SURFACE APPLICATION: To control cockroaches, palmetto bugs, silverfish, crickets, spiders and other listed crawling insects: Apply a coarse wetting spray directed into locations where insects hide, behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, around plumbing, drains, in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.

Against ants: Treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and places of entry. Treat nests liberally. Repeat treatment as necessary.

To control bedbugs: Apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat bedroom walls, baseboards, moldings, floors, closets, furniture and picture frames, with particular attention to protected hiding and breeding places.

Not Reviewed. Registrant claims to be in accordance with Registration of Pesticide Products Guidance for Phase 2. See also, Page 9.12, A. Labeling and Claims in Status.

BEST AVAILABLE COPY

TREATMENT OF FLYING INSECTS' NESTING PLACES

To aid in the control of:

Gnats Skippers
House Flies Stable Flies
Mosquitoes

Treat walls, ceilings, moldings, screens, door frames, window frames, beams, light cords and similar resting places.

FOR TEMPORARY REDUCTION OF ANNOYANCE

From: Gnats Mosquitoes
House Flies Stable Flies

In drive-in restaurants, drive-in theaters, golf courses, urban areas, parks, playgrounds and other recreational areas.

Direct the spray into tall grass, shrubbery and around lawns, where these pests may hover or rest. Apply while air is still and avoid wetting foliage. Application should be made prior to use. Repeat as necessary.

In the treatment of corrals, feedlots, swine lots and zoos, cover any exposed water, drinking fountains and animal food before application. Fill the area with mist and direct the spray into tall grass, shrubbery and around lawns where the above pests may hover or rest. Apply while the air is still and avoid wetting foliage. In Zoos, avoid exposure of reptiles to the product. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting by touching finger to back of throat. Call a physician or Poison Control Center.

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on Skin: Wash with soap and water.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds, and cover fish aquaria before spraying. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned with potable water before using.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BEST AVAILABLE COPY