

CODE 724.04

ACCEPTED
with COMMENTS
In EPA Letter Dated

Pyrenone[®] - PORCH, PATIO, GARDEN AND ORNAMENTAL SPRAY I

NOV 23 1982

EPA Reg. No. 4816-670 EPA Est. No. 279-NY-1

KILLS GYPSY MOTH CATERPILLARS AND
JAPANESE BEETLES
USE OUTDOORS ON VEGETABLES, ORNAMENTALS,
AND AROUND THE PORCH, PATIO AND GARAGE.
EFFECTIVE, FAST ACTING KILLING POWER
READY-TO-USE, NO MIXING NEEDED.
CONTAINS NATURAL PYRETHRUM.
USE TO THE DAY OF HARVEST ON VEGETABLES.

ACTIVE INGREDIENTS:
Pyrethrins..... 0.04%
*Piperonyl Butoxide, Technical..... 0.40%
INERT INGREDIENTS..... 99.56%
100.00%

*Equivalent to min. 0.32% (butylcarbityl)
(6-propylpiperonyl) ether and 0.08%
related compounds.

PYRENONE - Registered trademark of
Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautions

NET CONTENTS _____

BATCH

Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use
this product in a manner inconsistent with
its labeling.

To Operate: SHAKE BEFORE USING. Hold
pump sprayer 18 to 24 inches from foliage
or surfaces being treated. Direct spray
so that upper and lower surfaces are con-
tacted. Use caution on new growth and
tender foliage.

To Operate: SHAKE BEFORE USING. Turn
nozzle to "spray" or "stream" position be-
fore using. Hold pump sprayer 18 to 24
inches from foliage or surfaces being
treated. Direct spray so that upper and
lower surfaces are contacted. Use caution
on new growth and tender foliage.

To Operate: SHAKE BEFORE USING. Remove
shipping cap and seal. Insert sprayer
hose into bottle and tighten securely.
Prime sprayer by holding at top level of
bottle and pumping trigger. Turn nozzle
to "spray" or "stream" position before
using. Hold pump sprayer 18 to 24 inches
from foliage or surfaces being treated.
Direct spray so that upper and lower sur-
faces are contacted. Use caution on new
growth and tender foliage. Remove sprayer
and replace shipping cap between uses.
Spray water through sprayer after each
use. Sprayer should be rinsed thoroughly
and pumped empty for storage.

VEGETABLES

Use outdoors throughout the growing season.
When spray them, spray on upper and lower
leaf surfaces. Repeat treatment weekly or
as needed to control infestations. May be
applied to day of harvest.

INSECTS CONTROLLED: aphids, asparagus
beetles, blister beetles, cabbage looper,
Colorado potato beetle, corn earworm,
cabbage worm, diamondback moth, flea
beetles, green peach aphid, Japanese
beetle, leaf miner, leaf hoppers, leaf
beetles, leaf rollers, leafhoppers, meadow
bean beetle, stink bug, spotted cucumber
beetles, webworms and whiteflies.

CROPS: Asparagus, Beans, Broccoli, Brussels
Sprouts, Cabbage, Cauliflower, Celery, Col-
lards, Cucumbers, Eggplant, Kale, Lettuce,
Melons, Mustard greens, Peppers, Potatoes,
Radishes, Spinach, Squash, Sweet Corn,
Tomatoes and Fruit.

ORNAMENTALS, TREES, SHRUBS AND BUSHES

Apply as a fine mist, spraying plants on
the upper and lower leaf surfaces.

INSECTS CONTROLLED: Aphids, (red, black
and green peach), bagworms, thrips, flea
beetles, Japanese beetles, lace bugs, leaf
hoppers, leaf rollers, leafhoppers, meadow
webworm larvae, plant bugs and whiteflies.
Repeat treatment weekly, or as needed to
control infestations.

Repeat treatment weekly or as needed to
control infestations.

PORCHES, PATIOS AND GARAGES

spray the surface areas and hit the insects
whenever possible.

Ants: Spray trails, nests and points of
entry. Spray in ants where possible.
Repeat if necessary.



Wasps & Hornets: Apply in late evening
when insects are at rest. Spray liberally
into hiding and breeding places contacting
as many insects as possible. Repeat if
necessary.

Spiders: Spray directly on spiders and
web. Repeat if necessary.

To kill cockroaches, pavement bugs, ear-
wigs, scorpions, centipedes, millipedes,
crickets, silverfish and clovermites,
spray thoroughly into hiding places such
as cracks, crevices, moist areas, openings
around pipes, spigots, storage areas, and
hubs. Spray directly on insects where
possible. Repeat treatment if necessary.

CONTINUED ON REVERSE

4816-670



FAIRFIELD
AMERICAN
CORPORATION
3932 SAITP/85
Midd. N.Y. 14103

OUTDOORS:

To kill mosquitoes, gnats (biters), house flies, biting flies and small flying roths (gnats), apply spray to shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results, spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat if necessary.

To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern tent caterpillars on contact:

- On Trees and Shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.
- On Roses and In Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

DISPOSAL

Do not reuse empty container. Wrap and put in trash collection.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAPTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. If swallowed, induce vomiting by touching finger to back of throat. Contact a physician or Poison Control Center immediately. Remove pets from areas being treated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereafter.