· FM 03 4816-672	7124198 poge 1 8 3		
Please read instructions on reverse before completing form, United States Environmental Protectio Washington, DC 204	• •		
Application for Pesticide - Section I			
1. Company/Product Number 4816-672	2. EPA Product Manager Richard Keigwin S (Gut. X None Restricted		
4. Company/Product (Name) AgrEvo PYRENONE Pressurized	PM# 10 63		
5. Name and Address of Applicant (Include ZIP Code) AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, New Jersey 07645 Check if this is a new address	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar an identical ATTOM osition and labeling to: EPA Reg. No. JUL 2, 4 1998 Product Name		
· ·	Section - II		
40 CFR 152.46, and no other changes have been made to that it is a violation of 18 U.S.C. Sec. 1001 to willfully ma	tification is consistent with the provisions of PR Notice 96-6 and EPA regulations is the labeling or the confidential statement of formula of this product. I understand hake any false statement to EPA, I further understand that if this notification is not 152.46, this product may be in violation of FIFRA and I may be subject to		
	Section - III		
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Yes No If "Yes" Unit Packaging Yes No No No No No No No No No No	Water Soluble Packaging 2. Type of Container Yes Metal No Plastic If "Yes" No. per container Package wgt container Setail Container 5. Location of Label Directions		
Label Container			
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled			
	Section - IV		
1. Contact Point (Complete items directly below for identification of individual to be contected, if necessary, to process this application.)			
Neme Diana Williams	Title Telephone No. (Include Area Code) 201-307-3372		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			
2. Signature Aliena William	3. Title Registration Manager		
4. Typed Name Diana Williams	5. Date June 30, 1998		

PYRENONE® PRESSURIZED

* A WATER-BASED PYRENONE® INSECTICIDE

- * LOW DOSAGE REQUIRED
- # USE IN SCHOOLS, HOSPOITALS, INSTITUTIONS, HOTELS, DAIR-IES, SUPERMARKETS, RESTAURANTS, DRIVE-INS, MOTELS, DRUGSTORES, FOOD PLANTS, HOMES, APARTMENTS, THEA-TERS, TRUCKS, KENNELS, AND OFFICE BUILDINGS.

ACTIVE INGREDIENTS:

Pyrethrins	0.30%
*Piperonyl Butoxide	
**OTHER INGREDIENTS	<u>98.20%</u>
	100.00%

*Equivalent to min.1.2%(butylcarbityl)(6-propylpiperonyl)ether and 0.3% related compounds.

Pyrenone is a registered trademark of AgrEvo Environmental Health, Inc.

** Contains petroleum distillates.

EPA REG. NO. 4816-672

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION See Side Panel For

Additional Precautions

NET CONTENTS

NOTIFICATION

JUL 2.4 1998

READ ENTIRE LABEL BEFORE EACH USE PET USE APPLIES TO USE ONLY ON DOGS OR CATS

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Vacate premises after treatment and ventilate before reoccupying. Wash contaminated skin promptly with soap and water

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc. where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds and cover fish aquariums before spraying.

Do not use on dogs or cats under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Physical of Chemical Hazards

Contents under pressure. Du not use or store near heat or open flame. Do no puncture or incinerate container. Exposure to importance about 130° F may cause bursting.

DIRECTIONS FOR USE

is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISPOSAL

Disposal: Wrap container and put in trash collection. Do not incinerate.

SHAKE BEFORE USING AND AT INTERVALS DURING PRO-LONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

COCKROACHES, PALMETTO BUGS, WATERBUGS, SILVER-FISH, FIREBRATS, CRICKETS, PILLBUGS, SPIDERS, CENTI-PEDES AND SOW BUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on **Ants** where possible. Repeat as necessary.

FLIES, MOSQUITOES, GNATS, MIDGES, WASPS; HORNETS AND FLYING MOTHS (MILLERS): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constantmotion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray in all joints. Treatbaseboards, moldings and frames. Repeat treatment as necessary.

672S 081095tk

To kill *Fleas* and *Brown Dog Ticks* on dogs, cats and premises: Applydirectly to animals along back, under forelegs and on other areas except genitalia. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until animal hair is thoroughly saturated. Do not spray directly in eyes or mouth of animal. Repeat application weekly if necessary.

To reduce reinfestation thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Also spray the entire inside surface of doghouses and kennels, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible. Repeat as necessary.

Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application as necessary.

CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEE-TLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEE-TLES AND GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions.

.

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-472-0660.

For Product Information Call Toll-Free: 1-800-331-2867

AgrEvo Environmental Health

95 Chestnut Ridge Road Montvale, NJ 07645