## SYNTHRIN® MULTI-PURPOSE INSECTICIDE II

EPA Reg. No. 4816- 691

EPA Est. No. 279-NY-1

CONTAINS THE HIGHLY ACTIVE SYNTHETIC PYRETHROID, SYNTHRING FOR CONTROL OF FLYING AND CRAWLING INSECTS IN BUILDINGS AND OUTDOORS.

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

\*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl 3-(2-methyl-1-propenyl)

\*\*Cis/trans isomer ratio: Max. 30% ( $\pm$ ) cis and min. 70% ( $\pm$ ) trans \*\*Contains Petroleum Distillate

SYNTIBRIN - Registered Trademark of Fairfield American Corporation.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panel for additional precautions.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use indoors and outside premises of Hotels, Motels, Homes, Food Handling Establishments, Packaging and Processing Plants, Seed Houses, Commercial, Industrial, Office, Institutional and Storage Buildings, Milk Hundling Areas of Milk Plants, Milk Storage Broms, Egg Processing Plants, Supermorkets, Bestaurants, Rottling Plants, Canneries, Flour and Ped Mills, Bukeries, Boats, Ship Cabins and Hospitals. IN HOSPITALS, remove patients prior to treatment. Ventilate rooms for two hours before returning patients. Also for use in Buses, Automobiles, Trucks, Boxcars, and Ship Cargo Holds. Also for use in Dog Kennels and Horse Stables. IN HORSE STABLES, not for application if horses will be used for food.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. After space spraying in food processing plants, washall equipment, benches, shelving, etc. where exposed food will be handled thoroughly with an effective cleaning compound and rinse with potable water. When using this product in these areas, apply only when facility is not in operation.

INTOORS

SPACE SPRAY: To kill house flies, mosquitoes, mats "lving moths (mill's) in the fruit flies, vinegar flies - Close room or area to be treated. Shut of air conditioner and ventilator system. Seal all open ments. Homove the Room operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist spray at the rate of 3 fl. oz. per 5,000 cu. ft. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAY: To kill cockroaches, palmetto bugs, waterbugs, crickets, silverfish, firebrats, fleas, earwigs, sowbugs, pillbugs, scorpions, carpet beetles, centipedes, millipedes - Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, round pipes, behind cabinets, and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KHIL BETRUCS: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards, and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seums. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS AND TICKS (adults and larvae): Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal cesting areas. Hold spray nozzle about 18 inches from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. I not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

TO KILL GRAIN INSECTS: Adults of confused flour beetles, saw-toothed grain bootles, shiny spider beetles, grain wevils, digarette beetles. Angummis grain moths, Mediterranean flour moths, Indian moal moths, grain mites - Remove infested grain, cereal or flour and descroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be biding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all posts, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

TO KILLS BEES, WASTS, HORNETS AND YELLOW JACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Repeat as necessary.

OUTDOORS: To control nuisance pests around buildings, patios and paved areas: Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

SEE REVERSE SIDE









FAIRFIELD AMERICAN

CORPORATION
238 WILSON AVENUE
NEWARK, N.J. 07105



72612/605