## SYNTHRIN® .5% LIQUID

EPA Reg. No. 4816-691

FPA Est. No. 279-NY-1

CONTAINS THE HIGHLY ACTIVE SYNTHETIC PYRETIROID, SYNTHEIN FOR CONTROL OF FLYING AND CRAWLING INSECTS IN BUILDINGS AND OUTDOORS.

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

\*Resmethrin(5-(phenylmethyl)-3-furanyl)methyl

2,2-dimethyl 3-(2-methyl-1-propenyl)

cyclopropanecarboxylate.....
\*\*INERT INGREDIENTS:

0.50% 99.50% 100.00%

\*Cis/trans isomer ratio: Nax. 30% (±) cis and min. 70% (±) trans \*\*Contains Petroleim Distillate

SYNDMIN - Registered Trudemark of Fairfield American Corporation.

# CAUTION

See rear panel for additional precautions.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use indoors and outside promises of Notels, Notels, Names, Road Handling Establishments, Packaging and Processing Plants, Seed Houses, Ornmercial, Industrial, Office, Institutional and Storage Buildings, Wilk Mandling Areas of Wilk Plants, Wilk Storage Norms, Egg Processing Plants, Supermarkets, Restaurants, Bottling Plants, Conneries, Flour and Peed Wills, Nakeries, Boats, Ship Cabins and Prepitals. IN MEDITALS, remove patients prior to treatment. Ventilate rooms for two boars before returning patients. Also for use in Buses, Automobiles, Trucks, Roccars, and Ship Cargo Holds. Also for use in Day Kennels and Borse Stables. IN MANSE STABLES, not for application if horses will be used for food.

Proofs should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. After space spraying in food processing plants, washall equipment, braches, shelving; ecc. where exposed food vill be landled thoroughly with an effective clearing compared and rinse with-putable water. When using this product in-whose areas, apply only when facility is not in operation.

NET CONTENTS:

SEE REVERSE SIDE

### NYXXIS

SPACE SPRAY: To fill house flies, mosquitoes, gnats, flying moths (millers), truit flies, vineyar flies - Close rem or area to be treated. Shut off air conditioner and ventilator system. Seal all open wats. Remove fish and pets. Apply undiluted as a very fine mist space spray through munually openated equipment or with electrical and other powered applicators. Avoid staining by holding the spray mozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist spray at the rate of 3 fl. oz. per 5,000 cu. ft. Itave room closed for one-half bour. Ventilate thoroughly before re-entry. Sween up and destroy insects.

CMFACT SPRAY: To kill cockroaches, palmetto bugs, waterbugs, crickets, silverfish, firebrats, fleas, carwigs, soxbugs, pillbugs, scorptons, carpet bectles, centipedes, millipedes - Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and cravices in floors, baseboards, around pipes, behind cabinets, and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

10 KHIL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KHL ANIS: Spray doors, around window frames, ant trails and hills.

TO KHILDEFOUCS: Apply as a spot treatment to crucks and crevices around haseboards, floorboards, bedioards, and walls. First, thoroughly elema and air mattresses and springs. Then spot treat only areas that may harbor bedings, concentrating on tufts, folds and serms. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL HEAS AND TICES (adults and larvae): Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Weld spray nozzle about 18 inches from areas to be treated. Apply spray until area is mrist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repent as necessary. Do not allow pets to contact treated areas until spray has dried. It move or cover animal feed before spraying. Treat dogs, cats and horses with a registered floa control product before they re-enter the treated area.

TO KILL GIAIN INSECTS: Adults of confused flour bretles, saw-toothed grain bretles, shiny spider bretles, grain wevils, eigerette bretles, Angamois grain motis, it diterranean flour moths, ladian meal noths, grain miles - Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products, it he shelves and drawers should be cleaned and thoroughly sprayed so as to contact all posts, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

TO KHIS BEFS, WASTS, HORNETS AND YELLOW JACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Repeat as necessary.

CUTICOUS: To control nuisance pests around buildings, patios and paved areas: Apply as a contact spray. Spray directly on insects. Avoid spraying turf or plants.

TO KHIL AMS: Spray doors, around window frames, ant trails and hills.







FAIRFIELD AMERICAN

CORPORATION
238 WILSON AVENUE
NEWARK, N.J. 07105

TO KILL BEES, WASIS, HORNERS, YELLER JACKUS: Application should be made in late evening when insects are at rest. Spray liberally into biding and nesting pieces contacting as many insects as possible. Aim sprny at nest openings in tushes, under caves, chimeys, cracks and crevices to saturation in and ground nest openings. Contact as any insects as possible. Repeat as necessary.

TO KILL EMMICS, SOURCS, SPIDES, CHAPIDES AND MILLIPINES: Apply as a contact spray, as for indeer use. To control mand crawling insects around premises, spring thoroughly around doors, window frames, and similar areas of entry. Also, thoroughly spray garlage and refuse areas, especially around poultry houses, barns, and similar areas of beavy infestation. Do not spray on turf or plants.

THERMAL APPLICATIONS: For the control of house files and mosquitoes. This formulation is to be used undiluted in only such pertable thermal applicator equipment that can deliver spray particle sizes within the acrosol size range.

THEMAL APPLICATIONS INTOXIS: For the control of house files, magnitices and gnats, in warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces, Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. On not spray white food processing plant is occupied or in operation. Extinguish all Hames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fl. oz. per 1,000 cu. ft. of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least 1/2 hour. Do not remain in treated areas. Ventilate thoroughly before re-entry.

THERMAL APPLICATION OUROOIS: For reduction in annoyance from bouse files, accountees and graits in varies, paties, around swinning pools, picaic areas, camp sites, drive-ins and borse stables, and other small area applications. Hold thermal applicator at least 5 ft. from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gal. per acre. By only when there is no breeze, or the wind velocity is less than 3 mph. The ideal time is generally at dusk when wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from the treated area. Avoid inhalation of the log. Do not enter the treated area until the fog has dissipated. [Repeat applications as necessary.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE AND SPHIL PROCEEDINGS: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent entertal such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chumical waste.

PESTICIDE DISIOSAL: Posticide, spray mixture or rinse water that cannot be used according to lated instructions must be disposed of at or by an approved muster disposal facility.

COMMINER DISCOME. Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a smithry landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: To not reuse container. Wrap container in several layers of newspaper and discard in trush.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed or absorbed through akin. Causes eye irritation. Wash thoroughly with soap and water after handling. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove and cover fish aquariums before spraying.

### STATEMENT OF PRACTICAL TREATMENT

IF SMALLOWID: Call a physician or Poison Control Center. Do not induce vemiling. This product contains petroleum solvent. Aspiration may be a hazard. IF IN EMES: In case of contact, immediately flush eyes with plenty of water.

Of medical attention if irritation persists.

IF ON SKIN: Wash with soap and water immediately. Get medical attention if irritation persists.

IF INMAFD: Numewe affected person to fresh air. Toply artificial respiration if indicated.


#### ENVIRONMENTAL HAZARDS

Do not spray on turf or plants. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL AND CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



Printed in U.S.A