

Reg # 4816-694

PM-12

NOT REVIEWED
In Accordance with FR Notice 82-2.
Based on Draft Labeling Dated

CODE 723.09

SYNTHRIN® DURSBAN® AQUEOUS RESIDUAL SPRAY

7/31/85

EPA Reg. No. 4816 - 694

EPA Est. No. 279-NY-1

Residual Type Insecticide - Remains effective 4 weeks

A Quick Acting Surface Spray for Indoor and Outdoor Use in Homes, Institutions, Restaurants, Food Processing Plants and other Commercial Facilities and Recreational Areas.

Kills cockroaches, ants, house flies, mosquitoes, fleas, waterbugs, palmetto bugs, wasps, hornets, brown dog and lone star ticks, silverfish, spiders, crickets, chiggers, small flying moths, carpet beetles, centipedes, millipedes, earwigs, sowbugs, pillbugs and clover mites.

ACTIVE INGREDIENTS:

*Isomethrin [5-(phosphoromethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate.....	0.10%
Related Compounds.....	0.01%
Chlorpyrifos [0,0-dimethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].....	0.50%
INERT INGREDIENTS.....	99.39%
	100.00%

*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

SYNTHRIN - Registered Trademark of Fairfield American Corporation

DURSBAN - Registered Trademark of The Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See rear panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IN HOME AND INSTITUTIONAL USE:

Apply this product to all surfaces where pests are found or may hide, including dark corners of rooms and closets, under and around baseboards, and under sill and trim, behind and under furniture, in and around refrigerators, cabinets and around and underneath electrical and utility installations. Pests flushed out of hiding should be killed instantly. Treat ant trails, nests and points of entry. For treatment of cockroaches, do not use as a space spray. Spray nests and eggs or remove them before spraying. Do not allow children to contact treated surfaces until children are completely dry.

Application Within Food Handling Establishments: (places other than private residences in which exposed food is held, processed, prepared or served) including, but not limited to, areas for receiving, storage, packing (loading), bottling, wrapping, freezing, preparing foods, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas. (When food is exposed and facility is in operation): Use as a crack and crevice treatment in and around both food and non-food areas to control ants, cockroaches, crickets, centipedes, millipedes, earwigs, fire ants, silverfish, silverfish, spiders, waterbugs and palmetto bugs. Apply in small amounts directly in cracks and crevices, using equipment capable of delivering a thin stream of insecticide, in points between different elements of construction, between equipment and floor, openings leading to voids and narrow spaces in walls, equipment legs and bases. Do not use this product in conduits, meter housings and junction or switch boxes. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20% of the floor surface. Individual spot treatments should not exceed two square feet. Take extreme care that the product is not introduced into the air. Avoid contamination of food and food processing surfaces.

Application Within Food Serving Areas (facilities where foods are served, such as dining rooms, but excluding areas where food may be prepared or held): Apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

LOCATIONS OTHER THAN COMMERCIAL FOOD ESTABLISHMENTS

PESTS Indoors: Use this product as a spot treatment to control cockroaches, waterbugs, palmetto bugs, ants, crickets, firebrats, silverfish, silverfish, centipedes, millipedes, earwigs, sowbugs and spiders in and around residential, industrial, offices, storage, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores, manufacturing plants, warehouses, kennels, horse stables, hotels, motels, preschools, recreational buildings, campers, mobile homes, buses, automobiles, boats, ship cabins, and planes, trailers, brooms and ship cargo holds.

IN HOSPITALS: Remove patients prior to treatment. Ventilate rooms for two hours before allowing patients to return.

Do not treat pets or horses with this product. Do not spray on pet or horse food or feed items.

Spray areas where the pests are found or may hide, including dark corners of rooms and closets, under and around baseboards, and under sill and trim, behind and under furniture, in and around refrigerators, cabinets and around and underneath electrical and utility installations. Pests flushed out of hiding should be killed instantly. Treat ant trails, nests and points of entry. For treatment of cockroaches, do not use as a space spray. Spray nests and eggs or remove them before spraying. Do not allow children to contact treated surfaces until children are completely dry.

Do not use this product in areas where children and pets are present. Do not use this product in areas where children and pets are present. Do not use this product in areas where children and pets are present.

NET CONTENTS

BEST AVAILABLE COPY

SEE REVERSE SIDE

EDUCATIONAL STATISTICS
HAZARD TO HUMANS & DOMESTIC ANI
(CATTLE)

Harmful if swallowed. Keep out of reach of children.
Do Not Inhale. Avoid skin and eye contact. Wash thoroughly
after use or spraying. Do not allow children or pets to
crawl spray has dried. Do not spray air in rooms or
in surface spray only. Do not allow spray to contact
water supplies. Thoroughly wash and rinse with pota-
shod washing utensils contaminated with this prod-
uct handling facilities, cover or remove any food or feed
during application. Do not apply while food processing,
pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TRAINING

If Swallowed: Call a physician or Poison Control Center. Give one or two glasses of water and induce vomiting by rubbing back of throat with finger. Repeat until vomiting occurs. Do not induce vomiting or give anything to unconscious person.

If Inhaled: Remove victim to fresh air. Apply aid indicated.

11. On Skin: Remove contaminated clothing and wash
with water.

If In Eyes: Flush eyes with plenty of water. Call doctor if persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Inhibition appears, at times only by

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wild
to lakes, streams or ponds. Do not contaminate water
or disposal of wastes. Apply this product only as

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this water-based product in conduits, switch boxes or other electrical equipment because if there is need to treat such areas use only oil-

Pay str. assumes all risks of use, storage or handling
in accordance with directions given herewith.

BATCH

Printed in U S A

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

BEST AVAILABLE C