

MAR 4 1991

~~800-538-5240~~

17

Mr. Jan Brill  
Fairfield American Corporation  
809 Harrison Street  
Frenchtown, NJ 08825

Dear Mr. Brill:

Subject: Amendment - Revised Label  
Permanone General Purpose Aqueous Insecticide  
EPA Registration Number 4816-696  
Your Submission Dated October 11, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling change listed below before you release the product for shipment bearing the amended labeling:

1. Add use of protective gloves or mitts to the directions for use on dogs.

2. Update the Storage and Disposal Statement per PR-Notice 83-3 by adding "Do not contaminate water, food, or feed by storage or disposal."

Submit five copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

LeMaster 11/15/90

# PERMANONE

GENERAL PURPOSE AQUEOUS INSECTICIDE

EPA REG. NO. 4816-696

EPA EST. NO. 279-N-1

- \* A PERMANONE Stable Emulsion Insecticide
- \* READY TO USE
- \* For Domestic Use both Indoors and Outdoors.
- \* For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs
- \* Controls Fleas and Ticks on Dogs for 35 Days
- \* Aids in Control of Ticks on Dogs for an Additional 2 Weeks

ACTIVE INGREDIENT:

*Permethrin .....	0.50%
INERT INGREDIENTS: .....	99.50%
	100.00%

\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

PERMANONE - Registered Trademark of Fairfield American Corporation.

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

See rear panel for use cautions.

with COMMENTS  
in INERT CONTENTS:

## PROPOSED REVISIONS

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### SHAKE WELL BEFORE USING

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

#### INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors.

#### SURFACE SPRAYING:

To control *Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Caddisflies*. Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control *Carpenter Beetles*: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control *Bedbugs*: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control *Fleas* (adults and larvae) and *Ticks* (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, near-by cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control *Clothes Moths*: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill *Lice and Louse Eggs*: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

To protect cattle (See label from *Horn Flies, Face Gnats*: Apply a light mist. For face flies, spray face

To control *Stable Flies*, rate of 2 ounces per 2 thoroughly. Repeat treat give continued protection

To control *Blood-sucking* animal, using a stiff brush Repeat every 3 weeks if

To control *Poultry Lice* thoroughly. This should with a fine mist.

To control *Bedbugs* and of roost poles, cracks in bedbugs and mites hide.

To control *Fleas, Ticks* moving the dispenser so entire body is covered, spraying, fluff the hair so. Make sure spray wets th not spray into eyes or fac as necessary.

NOTE: Not recommen weeks old. DO NOT US

FOR CONTROL OF GA For use on roses, dahi Japanese Beetles hit b Exposed Thrips, Spide used on plants as a mu spot treatments of incip ing in large garden areas

May also be used on o: azaleas, begonias, came lias, delphiniums, dogw geraniums, crassula, marigolds, rhododendro stocks, wandering Jews



FAIRFIELD  
AMERICAN  
CORPORATION

201 Rt. 17 North, Rutherford, NJ 07070

©1986 and 070580

MAR 4 1991

4816-646

3 23  
Effective when used as directed against *Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms.*

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 °F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

### STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

##### CAUTION

Harmful if swallowed. May be absorbed through skin. Avoid inhalation of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before space spraying or surface applications. Do not use on humans. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.