PM 03 4816-696
d instructions on reverse before completing form.

7-28-98

10/3

Please read instructions on	reverse before completing	ferm.	For	m Approved.	OMB No. 2	070-0060	). Approval expires 2-28-9	
<b>\$EPA</b>	United States				Registra Amendn Other	tion	OPP Identifier Number	
. ,	Ar	plication fo	r Pesticide -	Section	)		<u> </u>	
1. Company/Product Number 4816~696			2. EPA Product Manager George LaRocc  X None Restricts					
4. Company/Product (Name) Permanone General Purpose Aqueous			PM# /13					
5. Name and Address of April Agric Agric En. 95 Chestn Montvale,	alth 7645	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name						
		<u> </u>	ection - II					
Amendment - Explain below.  Resubmission in response to Agency letter dated  X Notification - Explain below.			[] *M•	Finel printed labels in repsonse to NOTIFICATION Agency letter deted "Me Too" Application.  Other - Explain below.				
40 CFR 152.46, and no	inge per PR Notice 96-6. other changes have been 8 U.S.C. Sec. 1001 to w is of PR Notice 96-6 and	This notification made to the lab illfully make any 40 CFR 152.46, 12 and 14 of FI	n is consistent with eling or the confice of false statement to this product may FRA.	dential state: o EPA. I fu	ment of forn rther unders	nula of th tand that	i-6 and EPA regulations a is product. I understand if this notification is not may be subject to	
	<del> </del>	S	ection - III					
1. Material This Product W	ill Be Packaged In:				<del>,</del>	···		
Yes No  Certification must  Unit Packaging  Ves No No No No No No. per Unit Packaging wgt. container			Water Soluble Packaging - 2. Type of Yes No. per Package wgt container			Container  Metal Plastic Glass Paper Other (Specify)		
be submitted								
3. Location of Net Contents Information 4. Size(s) Retail Lebel Container			Container 5. Location of Label Directions					
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled								
		S	ection - IV					
1. Contact Point (Comple	te items directly below for	identification of i	ndividual to be cont	ected, if nec	essery, to pr	ocess this	application.)	
Name Diana Williams			DOGICEVSEION MINICOV				e No. (Include Area Code) -307 -3372	
		chments thereto are true, accurate and complete, may be punishable by fine or imprisonment or			β. Date Application ,, Received			
2. Signature Meana William.			Registration Manager				, ,,,,	
4. Typed Name			ate ,					
Diana Williams			ly 24, 1998					

# Jaf3

JUL 28 1998

## READ ENTIRE LABEL BEFORE EACH USE PET USE APPLIES TO USE ONLY ON DOGS

# PERMANONE® GENERAL PURPOSE AQUEOUS INSECTICIDE

- \* For Domestic Use both Indoors and Outdoors.
- \* A Ready-To-Use PERMANONE® StableEmulsion Insecticide
- \* For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs
- \* For Control of Ticks which may cause Lyme disease on Premises
- **❖ CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS**
- \* Provides 60-day (Two Months) Control of Cockroaches.
- \* Provides 60-day (Two Months) Control of Fleas.
- \* Provides 60-day (Two Months) Control of Stored Product Pests.

#### **ACTIVE INGREDIENT:**

*Permethrin	0.50%
OTHER INGREDIENTS:	99.50%
•	100.00%

\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

PERMANONE - Registered Trademark of AgrEvo Environmental Health.

. EPA REG. NO. 4816-696

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions.

NET CONTENTS: \_\_\_\_\_

# Consult a veterinarian before using this product on medicated, 'debilitated, aged, pregnant or nursing animals. Do not use on dogs under 12 weeks:

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feet the atora condisposal. Do not reuse container. Wran condines in several layers of newspaper and discard in trash.

Affix trigger nump or the evolutionary to container for application. Do not tansfer to another container.

SHAR WELL FFORE USING

#### APPLICATION

For sportapplication only. Do not use as a space spray indoors. Do not apply to classrooms while in use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

#### SURFACE SPRAYING:

For 60-Day (Two Months) control of Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadelles: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control Bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. 'Kepeat treatment as needed.'

To control Fleas (adults and larvae) and Tizks, including Ticks which may carry Lyme disease (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to ony thoroughly before allowing pets to contact treated areas.

To control Clothes Moths: Remove any infastad articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus

# PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION

Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

#### ON LIVESTOCK:

TO PROTECT CATTLE (BEEF AND DAIRY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSE FLIES, MOSQUITOES AND GNATS: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

To control Stable Flies, Horse Flies and Deer Flies: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

To control Blood-sucking Lice: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control Poultry Lice: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

To control Bedbugs and Mites in poultry houses: Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

#### ON DOGS:

To control Fleas, Ticks, and Lice: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat application every two weeks if necessary. DO NOT USE ON CATS OR KITTENS.

## **OUTDOOR APPLICATION**

TO CONTROL TICKS, INCLUDING TICKS WHICH MAY CARRY LYME DISEASE (PERIMETER TREATMENT):

Use Permanone General Purpose Aqueous Insecticide as a residual treatment to control Ticks including the Deer Tick (Ixodes dammini), Lone Star Tick (Amblyomma americanum), Brown Dog Tick (Rhipicephalus sanguineus), American Dog Tick (Dermacentor variabilis) and Western Black-legged Tick (Ixodes pacificus). For each areas listed below, apply until surface is wet (approximately 1 gal/750-1000 ft2).

Treat around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces where these pests may enter.

Treat a band of vegetation and leaf litter 6 to 10 feet wide around and the outside of buildings to help control ticks occurring there.

To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 6-10 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

#### FOR CONTROL OF GARDEN INSECTS:

For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armywoms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all responsibilities for safety and use, not in strict accordance with directions.

In case of Medical emergencies or health and safety inquiries or in case of fire, - leaking or damaged containers, information may be obtained by calling 1-800-472-0660.

For Product Information Call Toll-Free: 1-800-331-2867

## AgrEvo Environmental Health

95 Chestnut Ridge Road Montvale, NJ 07645