US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) TERM OF ISSUANCE WASHINGTON, DC 20460 REGISTRATION NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: T REREGISTRATION Synthrin<sup>©</sup> Plus Pyrenone<sup>©</sup> 415 (Under the Federal Insecticide, Fungicide, M.A.G.C. and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) г Fairfield American Corporation 8th & Marrison Streets Frenchtown, NJ 08825 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division pric: to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered This product is conditionally registered in accordance with FIFFA section 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Add the phrase "EPA Registration No. 4816-700" to your label before you release the product for shipment. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the λ-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Timothy A. Gardner Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767C) Enclosures

SIGNATURE OF APPROVING OFFICIAL DATE 1-3-86

EPA Form 8570-6 (Rev. 5-76)

St. 18 . A let marcheniste

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

## SYNTHRIN° PLUS PYRENONE° 415 M.A.G.C.

EPA Reg No. 4816-

EPA Est. No. 279-NY-1

FOR CONTROL OF FLYING AND CRAWLING INSECTS IN BUILDINGS

AUTHORIZED BY USDA FOR USE IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS

ACTIVE INGREDIENTS.

Pyrethrins	1.00%
*Piperonyl Butoxide, Technical	
**Resmathrin (5-(phenylaethyl)-3-furanyl) methyl 2,7-	
disethyl-1-(1-methyl-1-prepenyl)cyclopropanecarboxylate	4.00%
Related Compounds	0.54%
TIMERT INGREDIENTS:	89.469
	100.007

\*Equivalent to man. 4.67 (butylcarbityl)(6-propylpiperonyl) ether and 1.0% related everyoneds.

\*\*Cis trans isomers ratio mix. 307 (\*) cis and min. 70% (\*) trans. Putent Nos. 3, 165,007 and 3,542,928

feontains petroleum distillates

SYMBIRIN and PYRINONN are Registered Trademarks of Fairfield American Composition

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional cautions.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a minner inconsistent with its labeling.

For use in Motels, Motels, Mores, Food Handling Establishments, Packaging and Processing Plants, Seed Hauses, Commercial, Industrial, Office, Institutional and Storage Buildings, Milk Handling Areas of Milk Plants, Milk Storage Moons. Eng Processing Plants, Supermarkets, Restaurants, Bottling Plants, Canneries, Bakeries, Schools, Warchouses, Boats, Ship Cabins and Mospitals. IN MOSPITALS, remove patients prior to treatment. Ventilate rooms for two hours pefore returning patients. Also for use in Buses, Automobiles, Arusks, Resears, and Spin Carpo Holds.

**NET CONTENTS-**

.

72639 9/85

Foods should be removed or covered during treatment. All food pr faces should be covered during treatment and thoroughly cleaned be After epace spraying in food processing plants, all equipment, be shelving, etc. where exposed food will be handled should be washe with an effective cleaning compound and rinsed with potable water this product in these areas, apply only when facility is not in o

This concentrate is designed for use undiluted in mechanical spragers adjusted to deliver an aerosol spray (no droplets over 50 midiameter and 80% less than 30 microns).

SPACE SPRAY: Use undiluted in aerosol generators to kill accessi stages of:

Angoumois Grain Woths Ants Boxelder Bugs Cadelles Cheese Mites Cheese Skippers Cigarette Reetles Clover Mites Cockroaches Confused Flour Beetles Crickets Dark Wealworms Deer Flies Dried Fruit Beetles Drugstore Beetles Earwigs Pruit Flies Pruit Flies Pungus Gnats Crain Mites Grain Mites Granary Meevils Horn Flies Hornets Horse Flies House Flies Indian Heal Moths Lice Mysquitoes Mediterranean Flo Mushroom Flies Red Flour Beetles Rice Weevils Sawtoothed Grain Silverfish Small Flying Noth Spiders Spider Beetles Stable Flies Tobacco Noths Vinegar Flies Wasps Yellow Mealworms

Over or remove exposed food and food handling surfaces. Close : off all air conditioning or ventilating equipment. Apply at the 0.3 owness of undiluted concentrate per 1000 cubic feet of space output from aerosol generator upward toward upper corners of root leave room closed for at least one hour. Vacate treated area ambefore reoccupying. Repeat as necessary.

NOTE: Do not apply this product in such a manner as to directly drift expose workers or other persons. The area being treated meated by improtected persons. To not enter treated areas without clothing until sprays have dried.

## STORAGE AND DISPOSAL


Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room te Avoid exposure to extreme temperatures. In case of spill or lea with an absorbent material such as sand, sawfust, earth, fuller Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that used according to label instructions must be disposed of at or by waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for reconditioning, or puncture and dispose of in a sanitary landfil approved State and local procedures.

CONTAINERS ONE GALLON AND SMULER: Do not rouse container. Wray several layers of newspaper and discard in trash.

SEE REVERSE SIDE



#### CAUTION

Hammful if swallowed. Remove pets, birds and cover fish aquaria before spraying. Lo not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLDWED: Contact a physician or Poison Control Center.immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia. Contains petroleum distillates.

IF IN-WLED: Remove affected person to fresh air. Apply artificial respiration if indicated.

If in EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water.


#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL & CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE OR STORE REAR HEAT OR OPEN FLAME.

Duver assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



٧.