♦

CODE 726 ST CEPTED

or amended, by the res

SYNTHRIN PLUS PYRENONE 415 M.A.G.C.

EPA Reg No. 1816.700

EPA Est. No. 279-NY-1

FOR CONTROL OF FLYING AND CRANLING INSECTS IN BUILDINGS

AUTHORIZED BY MISDA FOR USE IN EDIBLE PRODUCT AREAS OF EFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS

ACTIVE INGREDIENTS	ACT	VE.	INGR	EPTE	STS
--------------------	-----	-----	------	------	-----

Pyrethrins	1,007
*Piperenvl Butoxide, Technical	5 001
**Respection (berphenylmethyl)=3-farmyl) methyl 2,2-	
directivel to Committee 1-processificate Sprop inscarbory late	4.091
Related Compounds,	0.541
*INERT INGREPHENTS	89.461
	100.001

*Englydent to can 1 05 (butyleubity1)(8-provileus covi) other and 1.05 related converse.

**Cis/trans 1 costs ratio max, 307 (*) gis and min. 307 (*) trans. Patent los 3 165 (7)7 and 3.542 923 fcontains retrelege distillates

STRUBBLY and PREMAR are Registered Trademarks of Fairfield Avertean Orporation


KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional cautions.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistont with its lateling.

For use in Rotels, Motels, Reces, Reed Handling Establishments, Packaging and Processing Plants, Seed thuses, Compercial, Industrial, Office, Institutional and Morano Balldings, Wilk Handling Areas of Wilk Plants, Milk Stormer Barn, Fig Processing Plants, Supermirkets, Restairants, Bottling Plants, Canneries, Bakeries, Schools, Karchouses, Bonts, Ship. Orbins and limpitals. In lospitals, remove patients prior to insulment. Ventilate nears for two hours before returning patients. Also for use in Buses, Autom_Dilles, Trucks Bosones, as Suip Curgo Holds.



Foods should be removed or covered during treatment. All food problem to and faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces should be covered during treatment and thoroughly cleaned by the faces of the faces should be covered during treatment and thoroughly cleaned by the faces of the face After space spraying in food processing plants, all equipment, benty shelving, etc. where exposed food will be handled should be washed thoroughly with an effective cleaning compound and rinsed with potable water. When using this product in these areas, apply only when facility is not in operation.

This concentrate is designed for use undiluted in mechanical sprayers or foggers adjusted to deliver an acrosol spray (no droplets over 50 microns in diameter and 807 less than 30 nicrons).

SPACE SPRAY. Use undiluted in aerosol generators to kill accessible adult stages of:

Angumots Grain Moths
Ants
Boxelder Pags
Cadelles
Orrese Mites
Cheese Skippers
Cigarette Betles
Clover Mites
Cockroaches
Confused Flour Beetles
Crickets
Durk Bralwinns
teer Flies
Dried Front Bretles

Drugstore Beetles Earwigs Fruit Plies Dateus Onats Coats Grain Mites Granary Weevils Ilom Flies Rornets licrse Flies House Flies Indian Wal Woths Lice Mosquitoes

Wediterranean Flour Woths Mishroom Flies Red Flour Beetles Rice Recvils Sawtoothed Grain Beetles Silverfish Small Flying Noths Spiders Spider Bretles Stable Flies Totacco Moths Vinegar Flies Wasps. Yellow Mealworns

Ower or recoveragesed food and food handling surfaces. Close room and shut off all air conditioning or centilating equipment. Apply at the rate of 0.3 ounces of undiduted concentrate per 1900 cubic feet of space. Direct output from acrossol generator upward toward upper corners of room and ceilling. Leave room closed for at least one hour. Vacate treated area and ventilate before reoccupying. Repeat as necessary,

NOTE: Do not apply this product in such a conner as to directly or through drift exerce workers or other persons. The area being treated must be va-, cated by improtected persons. Do not enter freated areas without protective clothing until sprays have dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICION STORAGE AND SPILL PROCEDURES. Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, seak up with an absorbent unterial such as sand, sawbust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICICE DISPOSAL: Posticide, spray mixture or rinse water that cannot be used according to lavel instructions must be disposed of at or by an approved waste disposal facility.

CONTAPER HIPOGAL: Triple rings (or equivalent) then offer for recycling or reconditioning, or practure and dispose of in a sanitary landfill, or by other approved State and local procedures,


CONTAINERS ONE GALLON AND SMALLER, To not rouse container. Wrap container in sourca, layers of newspaper and diseard in trash.



FAIRFIELD **AMERICAN** CORPORATION

238 WILSON AVENUE NEWARK, N.J. 07105

SEE REVERSE SIDE



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Remove pets, birds and cover fish aquaria before spraying. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Weah exposed skin surfaces with soap and water after handling and before eating or smoking. When all contaminated clothing with soap and hot water before rease.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center Immediately. To not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia. Contains petroleum distillates.

IF IN-MALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN. Remove contaminated clothing and wash affected areas of skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE OR STORE HEAR HEAT OR OPEN FLAME.

Buyer assumes all risks of use, storage or handling of this product not in stript accordance with directions given herewith.

BEST AVAILABLE COPY