

PA 17 9216-11 11/13/91

JAN 28 1991

Mr. Jan Brill
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Dear Mr. Brill:

Subject: Resmethrin Registration Standard
Synthrin Plus Pyrenone 415 M.A.G.C
EPA Registration No. 4816-700
Your Submission Dated December 19, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The formula dated June 9, 1989 shows incorrect certified limits for pyrethrins and piperonyl butoxide.

Sincerely yours,

PHM Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

62449:I:A-4:Johnson:L17-1:KEVRIC:01/17/91:PERM:CL:WO:EK:CL

CONCURRENCES							
SYMBOL							
S RNAME							
DATE							

74

74

04 OCT 10 22 47

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

04 OCT 10 22 47Z

...ing. After some sanitation in room above and below, all insecticide benches, shelving, etc. where exposed food will be handled should be washed thoroughly with an effective cleaning compound and rinsed with potable water. When using this product in these areas, apply only when facility is not in operation.

This concentrate is designed for use undiluted in mechanical sprayers or foggers adjusted to deliver an aerosol spray of droplets over 1 micron in diameter and 30% less than 10 microns.

SPACE SPRAY: Use undiluted in aerosol sprayers to kill susceptible adult stages of:

Angoumois Grain Moths	Drugstore Beetles	Mediterranean Flour Moths
Ants	Earwigs	Mushroom Flies
Boxelder Bugs	Fruit Flies	and Flour Beetles
Caddisflies	Fungus Gnats	Rice Weevils
Cheese Mites	Gnats	Sawtoothed Grain Beetles
Cheese Shippers	Grain Mites	Silverfish
Cigarette Beetles	Granary Weevils	Small Flying Moths
Clover Mites	Horn Flies	Spiders
Cockroaches	Hornets	Stink Beetles
Confused Flour Beetles	Horse Flies	Stable Flies
Crickets	House Flies	Tobacco Flies
Dark Mealworms	Indian Meal Moths	Vinegar Flies
Deer Flies	Lice	Wasps
Dried Fruit Beetle	Mosquitoes	Yellow Mealworms

Cover or remove exposed food and food handling surfaces. Shut off and shut off air conditioning or ventilating equipment. Apply at the rate of 0.3 ounces of undiluted concentrate per 1000 cubic feet of space. Direct output from aerosol generator upward toward upper corners of room and ceiling. Leave room closed for at least one hour. Vacate treated area and ventilate before reoccupying. Repeat as necessary.

NOTE: Do not apply this product in such a manner as to direct or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, dirt, fuller's earth, etc. Dispose of with chemical waste.
PESTICIDE DISPOSAL: Pesticide, spray mixture or waste water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.
CONTAINER DISPOSAL: Triple rinse or equivalent, then recycle, reuse, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

11/4

CONTAINERS ONE GALLON AND SMALLER: Do not reuse containers. Break contents in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Hazardous if swallowed. Remove pets, birds and livestock from area before spraying. Do not breathe spray mist. Wear eye or respirator protection recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash exposed skin surfaces with soap and water after handling and before eating or drinking. Wash all contaminated clothing with soap and hot water before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Vomiting may cause aspiration pneumonia.

IF IN EYES: Flush with plenty of water. Contact a physician if persists.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Contact a physician if irritation persists.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARD

This product is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, bottomlands, etc.) and do not treat treated areas may be hazardous to aquatic organisms in adjacent areas. Do not contaminate water when disposing of empty vent and waste.

PHYSICAL AND CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

Buyer assumes all risks of use, storage or handling of this material and in strict accordance with directions given herewith.