Fire Miller Mars

WASP & HORNET KILLER NO. 3

EPA REG. NO. 4816-703

EPA EST NO. 279-NY-1

- * Contains Synergized Bendiocarb
- * Quick Kill!!
- * Kills Wasps, Hornets And Yellow Jackets
- * JET SPRAY Will reach nests up to 20 feet above ground
- * Dielectric Breakdown Voltage: 23,000 Volts
- * May be used in or around electrical equipment

ACTIVE INGREDIENTS:

*Bendiocarb: (2,2-dimerhyl-1,3 benzodioxol-4-yl	
methylcarbamate)	0.10%
**Piperonyl Butoxide, Tecrinical	
	99.40%
	100.00%

*Protected by U.S.Patent No. 3,736,338

**Equivalent to min. 0.40% (butylcarbityl)(6-propyl-piperonyl) ether and 0.10% related compounds.

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional precautions

DIRECTIONS FOR USE

It is a violation of Federal Ic v to use this product in a manner inconsistent with its labeling.

Do not use as a space spray indoors.



To be used in and around homes, apartments. commercial buildings, kennels, campgrounds, boats, recreational vehicles, cottages, garages, barns, patios, institutions, warehouses, theaters, office buildings, schools, motels, hotels, transformers, electrical boxes and those areas where wasps, hornets and yellow jacket nests are generally located.

To operate, remove protective cap and depress button, being sure to him spray opening at the location to be sprayed. Direct spray at wasps, hornets and yellow jackets whenever possible and under eaves, into nests, cracks, holes or crevices wherever insects are noticed. Spray for about 1-2 seconds or until surface is moist from insecticide. To prevent entrance of insects into the house, spray around points where outside plumbing, faucets, etc. enter the house and into any cracks or crevices in foundation as well as along sills and ledges.

Kills Wasps, Hornets and Yellow Jackets: This spray is fast acting when insects are hit directly. With the breeze at your back, thoroughly spray the nest until it is soaked. Allow about 24 hours for those insects which were not directly hit by spray to leave the area. If insects should return to the treated area, spray again. This container delivers a stream type spray, making it possible for the operator to stay back from the places sprayed. This formulation utilizes synergized Bendiocarb, a combination specifically effective on this class of insects. Application should be made in the evening when the hornets are at rest.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place inaccessible to children and pets.

DISPOSAL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.

CODE 82350

, **u**

Do not induce vortiting or give anything to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists. Wash clothing with soap and water before re-use.

NOTE TO PHYSICIAN: Bendiocarb is a cholinesterase inhibitor. Atropine sulfate 2 mg. should be given by injection and repeated as necessary until fully atropinized.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be harmful if swallowed or absorbed through the skin. Do not get in eyes. Avoid breathing spray mist. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Do not allow spray to contact plastic, rubber or aspt alt surfaces. Avoid contact of spray with leaf surfaces of growing plants.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incirierate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material rotin strict accordance with all ctions given herewith.

NOV 9 1990

Under the Federol Insecticide, Function and Redenticide Act, the control of the positions tending the formal of the control of