Mr. Jan Brill Fairfield American Corporation 809 Harrison Street Frenchtown, NJ 08825

Dear Mr. Brill:

Subject: Addition of Dilution Instructions and Label Claims

Butacide PS E.C.

EPA Registration Number 4816-719 Submission dated January 20, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below. Submit 1 copy of the finished labeling prior to releasing the product for shipment.

In the section titled USE ON GREENHOUSE VEGETABLE, FLOWER, AND FOLAGE PLANTS, revise the statement to read: "To provide increased control of resistant insects, tank-mix Butacide PS C.E. at a rate of up to 1 pound (to provide 1.0 lb. of active ingredient, use 17.5 fluid ounces of Butacide PS C.E.) of Piperonyl Butoxide per acre...".

Sincerely,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division

# **BUTACIDE**°

PS E.C.

EPA Reg. No. 4816-719

EPA Est. No. 279-NY-1

- \* Tank-.Aix Insecticide Synergist
- ★ Contains 7.1 pounds of Piperonyl Butoxide per gallon
- \* Improves control of Resistant Insects
- For use in Resistance Management Programs

ACTIVE INGREDIENT:

\*Equivalent to 65-52% (butylcarbityl)(6-propylpiperonyl) ether and 16-38% related compounds.

BUTACIDE - Registered trademark of Fairfield American Corpora-

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED, Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN; Wash with plenty of water and soap.

IF IN EYES. Flush eyes with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautions

NET CONTENTS \_\_\_\_



FAIRFIELD
AMERICAN
CORPORATION

201 ROUTE 17 NORTH, RUTHERFORD, FU 07070

72418 012192A

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STRUCTURAL APPL'CATION

IN COMBINATION WITH RESIDUAL INSECTICIDES including, but not limited to, Baygon, Commodore, Conquer, Cynoff, Demon, Diazinon, Dursban, Ficam, Pyrid, Safrotin and Tempo:

To provide increased control of resistant German cockroaches, tank-mix 0.75 to 3.0 fluid ounces of Butacide PS E C with the appropriate amount of companion insecticide per finding gallon and apply per the Directions for Use on the companion insecticide label.

Except in Federally inspected meat and poultry plants, food processing operations may continue when this product is applied as a surface spray with care and in accordance with the directions and precautions given above.

In USDA inspected facilities, tank-mix 0.75 to 1.5 fluid ounces of Butacide PS E.C. with the appropriate amount of companion insecticide per finished gallon and apply per the Directions for Use on the companion insecticide label.

### DILUTION CHART

Percent Piperonyl Butoxide		Fluid Ounces per Gallon	Tablespoons per Gallon
0.5	/	0.75	1.5
1.0		1.5	3.0
2.0		3.0	6.0

Applications must be made in accordance with the more restrictive of label limitations and precautions. No label application rates may be exceeded. This product cannot be tank-mixed with any product with label prohibitions against such mixing.

Baygon, Commodore, Conquer, Cynoff, Demon, Dursban, Ficam, Pyrid, Safrotin and Tempo are Registered Trademarks of Miles Inc., ICI Americas Inc., Paragon Professional Pest Control Products, FMC Corporation, ICI Americas Inc., DowElanco, Nor-Am Chemical Company, Terminix International, Inc., Zoecon Corporation and Miles Inc., respectively.

#### AGRICULTURAL APPLICATION

To be tank-mixed with agricultural insecticides, as recommended by local Agricultural Extension Specialists, County Extension Agents, Crop Consultants or Pest Control Advisors. To provide increased control of resistant insects, tank-mix Eutacide PS E.C. at a rate of up to 1 pound of Piperonyl Butoxide per acre with the appropriate amount of companion insecticide and sufficient diluent to ensure uniform coverage and apply per the Directions for Use on the companion insecticide label. Butacide PS E.C. may be applied by ground or aerial application equipment.

Applications should always restrictive of label limitations rates should be exceeded. product with label prohibitio

#### USE THROUGH IRRIGAT

Refer to supplemental labe PLICATION THROUGH 1 through your Fairfield Amer chemigation. Do not appl system unless the supplemental towed.

### STORAG

#### **CONTAINERS LARGER TH**

Do not contaminate water, if
PESTICIDE STORAGE A
upright at room temperature
tures. In case of spill or I
material such as sand, sawe

of with chemical waste.

PESTICIDE DISPOSAL: P that cannot be used accordisposed of at or by an appr

CONTAINER DISPOSAL: T recycling or reconditioning, fandfill, or by other approve

#### CONTAINERS ONE GALL

STORAGE: Store in origin cessible to children and per

DISPOSAL: Do not reuse layers of newspaper and di

## PRECAUTION HAZARDS TO HUM

Harmful if swallowed. Washandling. Harmful if absortion, eyes or clothing. Avoid

#### ENVIRON

This product is toxic to fish, streams, tidal marshes or e cleaning of equipment or di

Buyer assumes all risks of unot in strict accordance with

ACCEPTED with COMMENTS in EPA Letter Dated 05 FEB 1992

Under the Federal Insecticide, Fungicide, and Fiodonticide Act as amended, for the posticide registered under EPA Reg. No.