### TETRAPERM® CRAWLING INSECT KILLER

- \* RECOMMENDED FOR COMMERCIAL/
  INDUSTRIAL USE ONLY
- \* CONTAINS PERMANONE® AND TETRAMETHRIN
- PROVIDES QUICK KILLING ACTION AND RESIDUAL CONTROL FOR UP TO 4 WEEKS
- \* A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, CARPENTER ANTS, BEES, CARPET BEETLES, CENTIPEDES, COCKROACHES, CRICKETS, EARWIGS, FIREBRATS, FLEAS, FLOUR BEETLES, GRAIN BEETLES, GROUND BEETLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TERMITES, TICKS, WASPS, AND MANY OTHER PESTS.

### **ACTIVE INGREDIENTS:**

1

*Tetramethrin	0.20%
**Permethrin	0.50%
TINERT INGREDIENTS:	99,30%
•	00 00%


\*1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate
\*\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans).
†Contains petroleum distillates
PERMANONE - Registered Trademark of AgrEvo
Environmental Health, Inc.
TETRAPERM - Registered Trademark of AgrEvo
Environmental Health, Inc.

EPA REG. NO. 4816-728 EPA EST. NO.

# KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention.

See Rear Panel For Additional Precautionary Statements



Under the Perioral Insecticide. Pungleids, and Redouticide het be amonder, for the posticide registered under 1916A29 RPA Rog. No. 4916A29 NET CONTENTS:

## PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin or clothing. Harmful if absorbed through the skin. Wash thoroughly with soap and water after handling.

### Physical Or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in cool dry area, away from children. Do not incinerate or puncture. Replace cap, wrap container in several layers of newspaper and discard in trash.

**GENERAL** INFORMATION: TetraPerm Crawling Insect Killer provides effective control of pests in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to: apartment buildings, homes, hospitals. hotels. industrial buildings, laboratories, mausoleums, motels, nursing homes, private residences, schools, stores, utilities, warehouses, and in nonfood areas of: restaurants, food manufacturing, processing and servicing establishments, and on: vessels, rail cars, buses, trucks and trailers.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment.

Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewer entries

and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Do not apply this product in patient rooms or in any rooms occupied by the elderly or infirm. Do not apply to classrooms when in use.

Hold container upright with nozzle away from you. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces product to treat approximately 25 square feet of surface area).

COCKROACHES. ANTS. BOOKLICE. BUGS, BOXELDER CRICKETS. DERMESTIDS. FIREBRATS, FLEAS, SILVERFISH, TICKS AND SOWBUGS: Apply as a spot or crack and crevice treatment. Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and in similar areas. Repeat as necessary.

ANTS: Spray freely around ant trails, doors and windows, and other places where ants enter premises around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary.

CARPENTER ANTS: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings or newly drilled small holes.

BROWN DOG TICKS AND FLEAS IN BUILDINGS: Apply to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas.

SPIDERS: Apply along and behind baseboards, to window and door frames, comers, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

CENTIPEDES, EARWIGS, GROUND BEETLES, MILLIPEDES, MOLE CRICKETS, PILLBUGS, SOWBUGS, SCORPIONS AND TICKS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

PANTRY PESTS - GRAIN BEETLES (RUSTY. MERCHANT AND SAW-TOOTHED), FLOUR **BEETLES** (RED AND CONFUSED), CHOCOLATE MOTHS, CIGARETTE BEETLE, CLOVER CLUSTER MITES, FLIES, DRUGSTORE BEETLES, ELMLEAF BEETLES, RICE WEEVILS, LESSER GRAIN BORERS, SPIDER BEETLES AND TOBACCO MOTHS: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of food and utensils.

CARPET BEETLES (BLACK, FURNITURE AND VARIED): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

WEBBING CLOTHES MOTHS: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. Do not apply to clothing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not imited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necesary.

LOCALIZED TREATMENT OF WOOD-INFESTING INSECTS: Beetles and Borers (such as the following families: Anobliidae. Bostrichidae, Buprestidae, Lyctidae, Cerambycidae. Oedemeridae. Sesiidae), Carpenter Bees, Termites and Wood Wasps: Locate area of infestation and/or insect tunnels and cavities. Using a crack & crevice tip, spray into tunnels, gallery and inaccessible closed voids. In infested areas, small holes should be drilled eight to ten inches apart to insure thorough insecticide gallery treatment. Be sure not to contact electrical wiring or plumbing when treating. For Carpenter Bees, seal entrance holes with small pieces of stainless steel wool after application.

FOOD HANDLING ESTABLISHMENTS - Places other than private residences in which food is held, processed, prepared or served.

NON-FOOD AREAS: TetraPerm Crawling Insect Killer may be used as a crack and crevice treatment or as a spot application in non-food areas. All areas where insects hide or through which insects may enter should be treated.

This product is authorized for use in non-food areas of Federally Inspected Meat and Poultry Plants.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645