

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
4816-730

DATE OF ISSUANCE
JUN 11 1991

NOTICE OF PESTICIDE: ☐ REGISTRATION
☐ REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE
Until Reregistration

NAME OF PESTICIDE PRODUCT
Cyperkil EC

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

1161 / 5396428
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase, "EPA Registration No. 4816-735".
- b. The use site should appear clearly on the front label panel. Therefore move the paragraph beginning with "For residual pest control..." to the front panel of the label in the proximity of the ingredient statement.

BEST AVAILABLE COPY

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

- c. Based upon the method of application and sites of application, the product should be limited to commercial applicators. Thus add to the front panel: "Only For Use and Storage by Pest Control Operators" & "For Commercial/Industrial Use Only".
- d. Modify the Environmental Hazards statement by changing "by cleaning of equipment or disposal of wastes" to "when disposing of equipment washwaters."
- e. Delete the site lawns and vegetation under outdoor use. these are not approved sites for this chemical.
- f. Qualify hospitals as follows: hospitals (non-occupied patient areas).
- g. Add the following precautions regarding the sites schools, hospitals under Cautions on the back panel:

Do not apply this product in hospitals patient rooms while occupied or in any rooms while occupied by the elderly or infirm.

Do not apply to classrooms when in use.

Do not apply as a space spray.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

1 GA 1.1.1

CYPERKILL EC

INSECTICIDE

EPA Reg. No. 4816-

EPA Est. No. 279-

ACTIVE INGREDIENT:

Cypermethrin: (±) - cyano (3 phenoxyphenyl) methyl	
(±) - cis, trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclo-	
propanecarboxylate	24.8%
INERT INGREDIENTS	75.2%
	100.0%

Cyperkill EC contains 2 pounds active ingredient per gallon.
 *Cis,trans ratio: Max. 55% (±) cis and min. 45% (±) trans
 U.S. Patent No. 4,024,163

KEEP OUT OF REACH OF CHILDREN


CAUTION

See side panel for Additional Precautionary Statements

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove to fresh air. If breathing difficulty or discomfort occurs, obtain medical attention.
 IF SWALLOWED: Drink plenty of water and induce vomiting by touching the back of the throat with finger or blunt object or by giving ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician.
 IF IN EYES: Flush eyes with plenty of water. Obtain medical attention if irritation occurs and persists.
 IF ON SKIN: Wash with soap and water. If irritation occurs and persists, obtain medical attention.

Note to Physician: Cyperkill EC is a pyrethroid insecticide containing the active ingredient cypermethrin. Oral toxicity is low, but because cypermethrin is lipophilic, do not administer milk, cream or other substances containing vegetable or animal fats, which enhance absorption. Treatment is otherwise symptomatic and supportive.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if inhaled, swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes and clothing. The active ingredient may produce sensations (burning, numbing and tingling) in some individuals. Wear impermeable gloves made of neoprene when spraying. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to any body of water. Apply this product only as specified on this label. Care should be used when spraying to avoid fish and reptile pets.

PHYSICAL/CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not store below 40°F. Keep out of reach of children. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter, or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture

and dispose of in a approved by State and

Plastic containers: Triple rinse, then offer for recycling or reconditioning, or incineration by burning. If burned,

Glass Containers: Triple rinse, then offer for recycling or reconditioning, or incineration by burning. If burned, For residual pest control, their immediate surroundings, buildings, laboratories, feed areas of storage, trailers, aircraft, schools, hotels, and food manufacturing.

Cyperkill EC insecticide brush application. Fill and add Cyperkill EC order to insure proper needed for the application.

PESTS

Ants
 Bling Flies
 Boxelder Bugs
 Centipedes
 Chiggers
 Cockroaches
 (Maintenance)
 Crickets
 Earwigs
 Elm Leaf Beetle
 Firebrats
 Fleas
 Flies
 Millipedes
 Mosquitoes
 Pillbugs
 Silverfish
 Sowbugs
 Bees
 Cockroaches
 (Cleanup)
 Spiders
 Ticks
 Wasps

*Outdoor Use Only

INDOOR USE

Crickets, Cockroaches, Firebrats, Silverfish, Spiders and Ticks: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stoves, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

Ants: Apply to any trails, around doors and windows and other places where ants may be found. Refer to BARRIER TREATMENT directions to prevent infestations; also see OUTDOOR USE.

Bees and Wasps: Application to nests should be made late in the evening when insects are at rest. Thoroughly spray nest and entrance and surrounding areas where insects alight; also see OUTDOOR USE.

Boxelder Bugs, Earwigs, Elm Leaf Beetles, Centipedes, Millipedes, Pillbugs and Sowbugs: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and other locations. Refer to BARRIER TREATMENT directions to prevent infestation; also see OUTDOOR USE.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared or served.

Nonfood Areas: Includes garbage rooms, lavatories, floor drains, (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). Cyperkill EC insecticide may be used as a general spot, crack and crevice treatment in nonfood areas. All areas where insects hide or through which insects may enter should be treated.

Food Areas: Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Not for use in USDA meat and poultry plants.

OUTDOOR USE

For control of **Ants, Bees, Bling Flies, Boxelder Bugs, Centipedes, Chiggers, Cockroaches, Crickets, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Flies, Millipedes, Mosquitoes, Pillbugs, Silverfish, Sowbugs, Spiders, Ticks and Wasps.** Apply by brush or as a residual spray either by hand or power sprayer. Apply to surfaces of buildings, porches, screens, window

frames, eaves, patios, lawns, vegetation, refuse dumps, garages and in other areas where these pests are found.

BARRIER TREATMENT: To prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Apply as a coarse spray. Thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

Cluster Flies (*Calliphoridae* spp): Apply to the outside of the structure where flies are found. Mix 1 fl. oz. Cyperkill EC to 10 fl. ozs. deodorized light mineral oil; apply to 1,000 square feet of wall area. Use a fogging apparatus which delivers the material in a strong air carrier, producing a small particle size (10-50 microns). Hold the nozzle about three feet from the surface to be treated. Apply when wind velocity is less than 2 mph to avoid drift. The surface to be treated should be dry at the time of application. Attics and unoccupied lofts should be treated at the same time and at the same rate.

CAUTION: Do not use water base sprays of Cyperkill EC in conduits, motor housings, junction boxes, switch boxes, or other electrical equipment because of possible shock hazard.

Do not apply this product to edible crops.

Do not apply this product to soil in crawl spaces.

Keep people and pets off surfaces until dry.

Protect aquariums from spray mist.

For best results, thoroughly wash out sprayer and screen with water and detergent before using Cyperkill EC insecticide.

Do not use this product with oil (except for cluster fly control).

Do not treat pets with this product.

Distributors Should Sell in Original Packages Only.

Terms of Sale or Use: On purchase of this product buyer and user agree to the following conditions:

Warranty: FAC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by the buyer at his own risk.

Use of Product: FAC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price and shall not include incidental or consequential damages.

2-55-80
E-55-80

BEST AVAILABLE COPY