

NOTICE OF PESTICIDE:

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

**REGISTRATION
REREGISTRATION**

Conditional

NAME OF PESTICIDE PRODUCT

Turbocide Post Control System with
Synthrin®/Butacide™

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

United Fruit American Corporation
409 U. S. 308 Street
Washington, D.C. 20025

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with the Act and the following conditions apply:

1. Submit/keep all data or other material required for registration/reregistration of your product under FIFRA section 2 (c), (3) or FIFRA section 3 when the Agency requires all registrants of similar product to submit such data.

2. Make the following changes listed below before you release a new label for shipment:

(a) Add the words "EPA Registration No. 4916-7032."

(b) Amend the label to include operations covered by the following: "This product is registered for use on..." (The reference is to the label for the product and the directions for these uses.)

(c) Amend the label to include the following: "This product is registered for use on..." (The reference is to the label for the product and the directions for these uses.)

3. Submit or keep the data required by data or other information with the label for the product. We request data for the product to be submitted to the Agency as indicated on the label.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL**BEST AVAILABLE COPY**

DATE

enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

RFM

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7503C)

Enclosures

BEST AVAILABLE COPY

BEST AVAILABLE CO

INSECTICIDE, LIQUIFIED GAS

TURBOCIDE[®]
PEST CONTROL SYSTEM[™]
WITH SYNTHRIN[®] BUTACIDE[®]

EPA Reg. No. 4816- EPA Est. No. 279-NY-1

- * This unique aerosol application system employs **LIQUID CARBON DIOXIDE** as a solvent and propellant.
- * No Chemicals to mix, measure or pour.
- * No cylinders to dispose of.
- * These cylinders are returned to the manufacturer for refilling.

ACTIVE INGREDIENTS:

Resmethrin.....	0.75%
*Piperonyl Butoxide, Technical.....	3.75%
INERT INGREDIENTS:	95.50%
TOTAL	100.00%

*Equivalent to min. 3.00% (butylcarbityl)(6-propylpiperonyl) ether and 0.75% related compounds

TURBOCIDE, SYNTHRIN and BUTACIDE are Registered Trademarks of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES:** Flush eyes with plenty of water. Contact a physician if irritation persists.
- IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water. Contact physician if irritation persists.
- IF SWALLOWED:** Contact a physician or Poison Control Center immediately. Do NOT induce vomiting. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

See also panel for additional precautions



**FAIRFIELD
AMERICAN
CORPORATION**

201 ROUTE 17 NORTH, RUTHERFORD, N.J. 07070

FE P66 040202A

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs, except as directed on this label. Vacate premises after treatment and ventilate before reoccupying. Remove pets, birds and cover fish aquariums before spraying.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a surface spray with care and in accordance with the directions and precautions given above, food processing operations may continue. Thoroughly wash all food processing surfaces before reuse. All food preparation surfaces in processing areas must be washed and rinsed with potable water after spraying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** This cylinder must be checked periodically. A defective cylinder should not be used. A cylinder that has parts missing, is plainly worn or distorted, should be replaced immediately. Store upright in a cool and dry area. **PESTICIDE DISPOSAL:** Pesticide that cannot be used according to label instructions must be returned to the point of purchase in its original container. **CONTAINER DISPOSITION:** This cylinder must not be disposed of in any manner. Cylinders must be returned to point of purchase for credit. All cylinders, valves and caps remain the property of the manufacturer. Federal regulations prohibit the refilling of cylinders without written consent of the manufacturer.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

CODE FE P66

USE AREAS

For use in and around the following:
*Food and Feed Processing and Handling Sites
Commercial Transportation Facilities
Private and Commercial Dwellings
Animal Shelters
Schools and Daycare Centers
Hospices, Hospitals and Nursing Homes
Nonresidential Buildings*

All facilities and operations covered by the following EPA "General Use Groups": Indoor Food, Indoor Nonfood, Indoor Residential, Indoor Medical, Greenhouse Nonfood Crop, Residential Outdoor, Terrestrial Nonfood Crop, and Aquatic Nonfood Industrial

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TURBOCIDE Pest Control System with Synthrin/Butacide may be used as a space spray for the control of flying insects such as house flies, fruit flies and moths, or as a contact spray for the control of flying and crawling insects such as ants, beetles, cockroaches and spiders.

TURBOCIDE Pest Control System with Synthrin/Butacide should be applied only with the appropriate high pressure gun and hose or through a fixed Turbocide spray system.

The portable system with its hand-held gun will produce a specific discharge rate, expressed in grams per second depending on the nozzle size used. In a semi-portable system or through a fixed installation, a dosing cylinder of a designated fill weight is connected to a nozzle system, thereby permitting a fixed dosage rate. This is calculated from the total cubic capacity of the premises. Different sizes of dosing cylinder thereby control the application rate. Where the dosing cylinder is filled from a supply cylinder, leave the valve open in the fill position prior to fogging for ten minutes to allow the pressure to balance. Turn the valve from the fill position to the fog (spray) position to release insecticide and propellant. The semi-portable system can also be operated on a timer without a dosing cylinder. Do not operate any Turbocide Pest Control System outside the temperature range of 50-95°F.

For optimum performance, close all doors and windows, shut off all HVAC equipment and keep the area closed for a minimum of 2 hours. The frequency of application should be determined by the degree of infestation and should be sufficient to interrupt the life cycle of the target species. The application of insecticide should also be timed to coincide with the peak activity of the target species. The dosage rates given below pertain to exposure periods of 2 hours. Where exposure periods are in excess of 2 hours (i.e. up to 6 hours), then the application may be adjusted downwards to achieve the same level of control.

CONTINUED ON REVERSE

ACCEPTED with COMMENTS
In EPA Letter dated MAR 21 1991
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the Turbocide registered under EPA Reg. No. 4816-7395
7/5/91 - 7/5/91

For control of flying insects such as house flies, fruit flies and meths with a 2 hour exposure period, apply Turbocide Pest Control System with Synthrin/Bulicide at an application rate of 8 grams per 1000 cubic feet. After treatment, ventilate, clean up insects, repeat as necessary.

For the control of crawling and flying insects as a contact spray, apply at an application rate of 16-24 grams per 1000 cubic feet. It should be noted even at the higher level, the system will only provide an aid to control of flour beetles.

Application rates for target species are as follows:

Target Species	Turbocide Pest Control System with Synthrin/Bulicide	
	Dose Rates (per 1000 cubic ft)	
House Fly	Musca domestica	8.0
Fruit Flies	Drosophila sp.	8.0
Indian meal moth	Plodia interpunctella	8.0
German Cockroach	Blattella germanica	16.0
Oriental cockroach	Blattella orientalis	24.0
Saw-toothed grain beetle	Oryzaephilus surinamensis	24.0
Cigarette beetle	Lasioderma serricorne	24.0
*Confused flour beetle	Tribolium confusum	24.0
*Red flour beetle	Tribolium castaneum	24.0
Warehouse beetle	Trogoderma variabile	8.0
Ants	Formicidae	16.0
Spiders	Araneidae	8.0

*Aid in control only

NET CONTENTS _____
LOT NUMBER _____

BEST AVAILABLE COPY