

PR 10 4816-739
11/19/91

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

AUG 9 1991


Jan Brill
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Dear Ms. Brill:

Subject: Label Revision
EPA Reg. No.: 4816-739
 4816-707
 4816-567
Submission: July 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely,


Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

TURBOCIDE®

PEST CONTROL SYSTEM WITH SYNTHRIN®/BUTACIDE®

EPA Reg. No. 4816-739

EPA Est. No. 279-NY-1

- * *This unique aerosol application system employs LIQUID CARBON DIOXIDE as a solvent and propellant.*
- * *No Chemicals to mix, measure or pour.*
- * *No cylinders to dispose of.*
- * *These cylinders are returned to the manufacturer for refilling.*

ACTIVE INGREDIENTS:

| | |
|-------------------------------------|-------|
| Resmethrin | 0.75% |
| *Piperonyl Butoxide, Technical..... | 3.75% |

| | |
|--------------------------|---------|
| †INERT INGREDIENTS:..... | 95.50% |
| | 100.00% |

*Equivalent to min. 3.00% (butylcarbityl)(6-propylpiperonyl) ether and 0.75% related compounds

†Contains Petroleum distillate

TURBOCIDE, SYNTHRIN and BUTACIDE are Registered Trademarks of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Contact a physician if irritation persists.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Contact physician if irritation persists.

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do NOT induce vomiting. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

See side panel for additional precautions



FAIRFIELD
AMERICAN
CORPORATION

261 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

730A1 740591C

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs, except as directed on this label. Vacate premises after treatment and ventilate before reoccupying. Remove pets, birds and cover fish aquariums before spraying.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a surface spray with care and in accordance with the directions and precautions given above, food processing operations may continue. Food processing surfaces and equipment must be covered during treatment or cleaned with a suitable detergent and rinsed with potable water before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: This cylinder must be checked periodically. A defective cylinder should not be used. A cylinder that has parts missing, is plainly worn or distorted, should be replaced immediately. Store upright in a cool and dry area.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be returned to the point of purchase in its original container.

CONTAINER DISPOSITION: This cylinder must not be disposed of in any manner. Cylinders must be returned to point of purchase for credit. All cylinders, valves and caps remain the property of the manufacturer. Federal regulations prohibit the refilling of cylinders without written consent of the manufacturer.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

For use in and around the
**Food and Feed Processing
Commercial Transportation
Private and Commercial
Animal Shelters
Schools and Daycare Centers
Hospices, Hospitals and
Nonresidential Buildings
Other Commercial, Industrial**

DIRECTIONS

It is a violation of Federal law to use this pesticide in a manner inconsistent with its labeling.

TURBOCIDE® Pest Control System can be used as a space spray for house flies, fruit flies and control of flying and crawling roaches and spiders.

TURBOCIDE® Pest Control System should be applied only with hose or through a fixed Turbocide System outlet.

The portable system with Turbocide System nozzle discharge rate, expressed in minutes per cubic foot, nozzle size used. In a semi-portable installation, a dosing cylinder connected to a nozzle system. This is calculated from the discharge rate. Different sizes of dosing cylinder. Where the dosing cylinder leave the valve open in minutes to allow the pressure to fill position to the fog (spray) propellant. The semi-portable timer without a dosing cylinder. Pest Control System outlet.

For optimum performance, all HVAC equipment and 2 hours. The frequency of degree of infestation and cycle of the target species also be timed to coincide species. The dosage rate periods of 2 hours. When hours (i.e. up to 6 hours) downwards to achieve the

For control of flying insects with a 2 hour exposure System with SynthrIn/Butacide per 1000 cubic feet. After repeat as necessary.

For the control of crawling and flying insects as a contact spray, apply at an application rate of 16-24 grams per 1000 cubic feet. It should be noted even at the higher level, the system will only provide an aid to control of flour beetles.

Application rates for target species are as follows:

| Turbocide® Pest Control System with Synthrin/Butacide Dose Rates (per 1000 cubic ft) | | |
|--|----------------------------------|------|
| Target Species | | |
| House Fly | <i>Musca domestica</i> | 8.0 |
| Fruit Flies | <i>Drosophila</i> sp. | 8.0 |
| Indian meal moth | <i>Plodia interpunctella</i> | 8.0 |
| German Cockroach | <i>Blattella germanica</i> | 16.0 |
| Oriental cockroach | <i>Blatta orientalis</i> | 24.0 |
| Saw-toothed grain beetle | <i>Oryzaephilus surinamensis</i> | 24.0 |
| Cigarette beetle | <i>Lasioderma serricorne</i> | 24.0 |
| *Confused flour beetle | <i>Tribolium confusum</i> | 24.0 |
| *Red flour beetle | <i>Tribolium castaneum</i> | 24.0 |
| Warehouse beetle | <i>Trogoderma variabile</i> | 8.0 |
| Ants | Formicidae | 16.0 |
| Spiders | Araneida | 8.0 |

*Aid in control only

NET CONTENTS
LOT NUMBER

