

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

4816-743

DATE OF ISSUANCE

JUL 14 1992

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

PyraPerm Insect Kill WBA N66

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

12/4/2018
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Submit data listed below, conducted in accordance with the Pesticide Assessment Guideline (40 CFR Part 158 - Data Requirements for Registration) no later than one year from receipt of the Notice for Registration.

a. Dermal Sensitization - Guideline 81-6

3. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase, "EPA Registration No. 4816-743".

4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

PYRAPERM[®]**INSECT KILLER WBA N66**

EPA REG. NO. 4816-743

EPA EST. NO. 279-NY-1

- * For Household, and Commercial/Agricultural Use in Non-food areas of Industrial and Institutional buildings: homes, schools, warehouses, office buildings, theaters, garages, hotels, motels.
- * Contains Pyrenone[®] and Permanone[®]
- * Controls residential, industrial and garden insects
- * A broad spectrum insecticide highly effective against ants, carpenter ants, bees, carpet beetles, centipedes, clover mites, cockroaches, crickets, deer ticks, earwigs, firebrats, fleas, flour beetles, grain beetles, ground beetles, millipedes, mole crickets, moths, pillbugs, scorpions, silverfish, sowbugs, spiders, ticks, wasps, and other listed pests.

ACTIVE INGREDIENTS:

Pyrethrins	0.20%
*Piperonyl Butoxide, Technical	1.00%
**Permethrin	0.10%
INERT INGREDIENTS:	98.70%
	100.00%

*Equivalent to min. 0.8% (butylcarbityl(6-propylpiperonyl) ether and 0.2% related compounds.

** (3-phenoxyphenyl) methyl (+/-) *cis/trans* 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. *Cis/trans* ratio: min. 35% (+/-) *cis* and max. 65% (+/-) *trans*.

PYRAPERM, PYRENONE and PERMANONE - Registered Trademarks of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See rear panel for additional Precautionary Statements

NET CONTENTS: _____



FAIRFIELD
AMERICAN
CORPORATION
201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

743 022192A

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

INDOORS:

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving

toward the door. Leave room and keep closed for 15 minutes following treatment. Repeat application as necessary.

Exposed stages of Confused Flour Beetle, Grain Beetles, Red Flour Beetles, Weevils, Grain Mites: Spray into cracks and crevices, around carton and handling equipment, around carton areas where these insects tend to congregate. Spray 5-10 seconds for each 100 square feet of surface. Leave room for 15 minutes to 1 hour after treatment. Repeat as necessary. Infested stored food products in storage areas should be disposed of.

Carpet Beetles: Spray directly on beetle infestations on bookshelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around the head and foot of beds. Take beds apart and spray into all joints, moldings and floors. Repeat treatment as necessary.

To control **Clothes Moths** and **Carpet Beetles** on proteinaceous fibers: Remove infested items and wash thoroughly, and air for several hours. Apply spray liberally to empty chests, closets and storage areas directing the spray into cracks and crevices. Airing, infested articles may be treated by spraying with nozzle at least three feet from fabric to avoid damage.

OUTDOORS:

Point spray nozzle away from face. Hold nozzle at 45 degree angle. For best results, spray when wind is blowing. Wait 15 minutes for product to take effect. Spray again if blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Hornets and Yellow Jackets: Direct spray toward bushes, or grass from which insects are emerging. Give special attention to breeding areas and compost piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, Crickets, Centipedes: infested surface of patio or picnic area, or around picnic tables. Also spray legs of tables and chairs. Repeat treatment as necessary.

For the Control of Garden Insects: Aphids, Fleas, Beetles, and other ornamentals to kill insects. Also spray, as well as Whiteflies, Aphids, Red Mites and Leafminers.

May be used on plants, as well as a spot treatment of insect infestations in gardens and for spot treatments of insects in lawns to prevent spreading in large garden areas.

CONTINUED ON REVERSE

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English Ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed again *Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms*. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 °F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, apply artificial respiration, preferably mouth to mouth. Get medical attention.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Causes skin irritation. Do not get on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housing, junctions and switch boxes or

other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

