# TETRAPERM™ (.15-.15-.75) YARD & **PATIO WBA**

- CONTROLS RESIDENTIAL AND ORNAMENTAL **GARDEN INSECTS**
- FOR HOUSEHOLD USE
- \* A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, CARPENTER ANTS, BEES, CARPET BEETLES, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS. FIREBRATS, FLEAS, GRAIN BEETLES. MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS, WASPS, AND **MANY OTHER PESTS**
- PROTECTS FOR UP TO 4 WEEKS
- \* PROTECTS FOR UP TO 12 WEEKS
- PROTECTS FOR UP TO 3 MORTHS

## **ACTIVE INGREDIENTS:**

AUG 29 1996 

\*1-cyclohexene-1,2-dicarboximidomethyl-2,2-dimethyl-3-(2methylpropenyl) cyclopropane carboxylate

\*\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dicloroethenyl) 2,2dimethylcyclopropanecarboxylate. Cis/trans ratio: min 35% (+/-) cis and max, 65% (+/-) trans.

\*\*\* Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

TETRAPERM - Trademark of AgrEvo Environmental Health, Inc.

EPA REG. NO. 4816-752

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water, get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if imitation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial, preferably mouth-to-mouth. Get medical attention.

See Side Panel for Use Precautions

**NET CONTENTS:** 

## **PRECAUTIONARY STATEMENTS** Hazards to Human and Domestic Animals CAUTION

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

#### **Environmental Hazards**

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

## Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

#### SHAKE WELL BEFORE USING.

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

#### INDOORS:

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOWBUGS

AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

To control Clothes Moths and Carpet Beetles on wool and other protein naceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

#### OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

Pests on Outside Surfaces Of Buildings: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes, and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surface of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

FLYING INSECTS: Files, Mosquitoes, Gnats, Small lying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested are surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant trails and hills.

ANTS, LONE STAR TICKS, CRICKETS, FLEAS AND EARWIGS: Apply thoroughly to infestations in bushes, grass or weeds. For *Ants*, spray freely around ant trails and hills.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whitefiles, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as

African Violets, asters, azaleas, begonias, camellias, camations, chrysanthemums, dahlias, geraniums, crassula, grape vine, Kentia palm, laurel, marigoids, rhododrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spiders and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

## STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, New Jersey 07645