

# PERMANONE® READY-TO-USE INSECTICIDE

- \* FOR APPLICATION ONLY BY PUBLIC HEALTH OFFICIALS AND TRAINED PERSONNEL OF MOSQUITO ABATEMENTS DISTRICTS AND OTHER MOSQUITO CONTROL PROGRAMS
- \* CONTROL OF INSECT PESTS IN RESIDENTIAL AND RECREATIONAL AREAS
- \* QUICK KNOCKDOWN
- \* CONTAINS 0.289 LBS/GALLON PERMANONE® AND 0.616 LBS/GALLON BUTACIDE®
- \* KILLS: MOSQUITOES, GNATS, BITING AND NON-BITING MIDGES, BLACKFLIES, AND OTHER BITING FLIES.
- \* APPLICATION SITES: ANIMAL HOUSES, CORRALS, DRIVE-IN THEATERS, FEEDLOTS, GARDENS, GOLF COURSES, PARKS, PLAYGROUNDS, RECREATIONAL AREAS, ROADSIDES, TIRE DUMPS, URBAN AREAS AND ZOOS.

## ACTIVE INGREDIENTS:

Permethrin*	3.98%
Piperonyl Butoxide Technical**	8.48%
INERT INGREDIENTS†:	87.54%
	100.00%

\*3-phenoxyphenyl methyl (+/-) *cis/trans* 3-(2,2-dichloroethenyl)  
2,2-dimethyl cyclopropanecarboxylate, *Cis/trans* ratio:  
Max. 65% (+/-) *trans* and min. 35% (+/-) *cis*.

\*\*Equivalent to min. 6.784% (butylcarbityl) (6-propylpiperonyl) ether  
and 1.696% related compounds.

†Contains petroleum distillate  
PERMANONE and BUTACIDE are registered trademarks of  
AgrEvo Environmental Health.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See Side Panel For Additional  
Precautionary Statements.

## NETCONTENTS:

No. 4816-755 EPA Est. No.

STATEMENT OF PRACTICAL TREATMENT  
IF ON SKIN: Wash with plenty of soap and water.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

#### CAUTION

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

### Environmental Hazards

This product is highly toxic to fish. Avoid direct application to lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not use on crops for food, forage or pasture.

## PHYSICAL HAZARDS

Do not use or store near heat or open flame.


## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticides Storage and Spill Procedures:** Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.



**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or an approved waste disposal facility.

**Container Disposal:**

**CONTAINER DISPOSAL FOR RETURNABLE CONTAINERS:** Replace the dry disconnect cap if applicable, and seal all openings which have been opened during use. Return empty container to a collections site designated by AgrEvo Environmental Health. If the container has been damaged and cannot be returned according to the recommendation procedures, contact AgrEvo Environmental Health Customer Service Center at 800-\_\_\_\_.

**RETURNABLE/REFILLABLE SEALED CONTAINER:** Do not rinse container. Do not empty remaining formulated product. Do not break seals. Return intact to point of purchase.

**CONTAINERS LARGER THAN ONE GALLON:**

**Metal Containers -** Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**Plastic Containers -** Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke. Then dispose of in a sanitary landfill or by other approved state and local procedures.

**CONDITIONS and RATES to USE for MOSQUITOES, GNATS, MIDGES, BLACKFLIES and other BITING FLIES:** Do not apply this product within 100 feet (30 meters) of lakes and streams. PERMANONE RTU Insecticide is recommended for application as an ultra low volume (U.L.V.) nonthermal aerosol (cold fog) to control adult stages of the listed insects in residential and recreational areas where these insects are a problem. For best results treat when insects are most active and weather conditions are conducive to keeping the fog close to the ground, e.g. wind speeds not greater than 5 mph. Application during the cool hours of the night or early morning is usually preferable. Repeat treatment as needed. Allow 24 hours before retreating. Do not apply more than once in a 24 hour period.

**U.L.V. Nonthermal Aerosol (Cold Fog) Ground Application:** To control Mosquitoes, Gnats, Midges, Blackflies and other biting Flies, apply PERMANONE READY-TO-USE INSECTICIDE using ant standard U.L.V. ground applicator capable of producing a nonthermal aerosol spray

with droplets ranging 10 to 20 microns. The target dose rate to be applied up to 0.007 pounds of permethrin and up to 0.014 pounds of piperonyl butoxide per acre. This can be achieved under different conditions by altering the flow of insecticide from the equipment and/or the speed of the vehicle. Examples are given in the following table:

Target dose rate (lb PM/PB/acre)	Examples of application rate in fl.oz. per min. @ different vehicle speeds		
	5 mph	10 mph	15 mph
0.0045/0.009	6	12	18
0.0067/0.013	9	18	-

Vary flow rate according to vegetation density and mosquito population. Use higher flow rate in heavy vegetation or when populations are high. An accurate flow meter must be used to ensure the proper flow rate. For proper application, mount the fog applicator so that the nozzle is at least 4 1/2 feet above ground level and directed out the back of the vehicle. Failure to follow the above directions may result in reduced effectiveness.

In treatment of corrals, feed lots, swine lots and zoos, cover any exposed drinking water, drinking fountains and animal feed before application

**WARRANTY STATEMENT**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibilities, including injury or damage, resulting from its misuse as such, or in combination with other materials.

**AgrEvo Environmental Health**  
95 Chestnut Ridge Road  
Montvale, NJ 07645