

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

4816-756

DATE OF ISSUANCE

MAY - 8 1997

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Permanone Insect Killer R4

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

~~160-540-2065~~
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to:

1. Submit and/or cite all data or other material for registration/ reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase, "EPA Registration No. 4816-756."

b. The Environmental Hazards statement should read

This product is **extremely** toxic to fish...

c. As currently labeled, it appears this product is "for domestic use" only; however, livestock treatment is considered an agricultural use. Thus, on the front panel, add use of the product to control pests on livestock or else delete the livestock directions.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated

CODE 72

PERMANONE®

INSECT KILLER R4

EPA REG. NO. 4816- EPA EST. NO. 279-NY-1

- * For Domestic Use both Indoors and Outdoors.
- * A Ready-To-Use PERMANONE® Stable Emulsion Insecticide
- * For Control of Fleas, Brown Dog Ticks and Lice on Premises and on Dogs
- * Controls Fleas and Ticks on Dogs for 35 Days
- * Aids in Control of Ticks on Dogs for an additional 2 weeks

ACTIVE INGREDIENT:	
Permethrin	0.25%
INERT INGREDIENTS:	99.75%
	100.00%

*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

PERMANONE - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

See rear panel for additional precautions

NET CONTENTS: _____



FAIRFIELD
AMERICAN
CORPORATION
201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

117J 06021A

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING

INDOOR APPLICATION

For spot application only. Do not use as a space spray indoors.

SURFACE SPRAYING:

To control *Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Caddis*: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry.

To control *Carpet Beetles*: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control *Bedbugs*: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control *Fleas* (adults and larvae) and *Ticks* (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control *Clothes Moths*: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill *Lice and Louse Eggs*: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the protection of man and animals, it is unlawful to sell, distribute, or use any pesticide in a manner inconsistent with its labeling. 4816-756

To protect cattle (beef and dairy) from *Horn Flies, Face Gnats*: Apply a light mist. For *Face flies*, spray face.

To control *Stable Flies*, rate of 2 ounces per acre. Apply thoroughly. Repeat treatment as needed for continued protection.

To control *Food-sucking* animals, using a stiff brush. Repeat every 3 weeks if necessary.

To control *Poultry Lice* on birds, spray thoroughly. This should be repeated with a fine mist.

To control *Bedbugs* and *Mites* on roost poles, cracks in walls, and other hiding places, spray bedbugs and mites hidden.

To control *Fleas, Ticks* on dogs and cats, moving the dispenser rapidly so the entire body is covered. After spraying, fluff the hair so the spray reaches the skin. Make sure spray wets the skin. Do not spray into eyes or face as necessary.

NOTE: Not recommended for use on birds less than 6 weeks old. DO NOT USE ON HUMANS.

OUTDOOR APPLICATION

To help control ticks in pastures, spray vegetation and leaf litter. Repeat treatment in areas, especially where ticks are abundant.

FOR CONTROL OF GARDEN PESTS

For use on roses, dahlias, and other plants. *Japanese Beetles* hit plants. *Exposed Thrips, Spider Mites* used on plants as a mulch. For spot treatments of incipient infestations in large garden areas.

May also be used on other plants such as azaleas, begonias, camellias, delphiniums, dogwoods, geraniums, crassula, marigolds, rhododendrons, stocks, wandering Jews.



Effective when used as directed against *Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms.*

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 °F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.