"US ENVIRONMENTAL P OFFICE OF PESTICI		EPA REGISTRATION NO.	DATE OF ISSUANCE
OLLIGE OF FEBLICI		ļ	MAY - \$ 1993
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)		TERM OF SUANCE	
WASHINGTON	N, DC 20460	Until Rere	gistration
NOTICE OF PESTICID	E: REGISTRATION	NAME OF PESTICIDE PRODUCT	_
(Under the Federal In	secticide, Fungicide,	PyraPerm Hou	sehold Dusting
and Rodenticide A	Act, as amended)		
ME AND ADDRESS OF REGIS	TRANT (Include ZIP code)	· · · · · · · · · · · · · · · · · · ·	
Г		7	1 427407
•		'	161 5427476
		4	19 1
	claf Corp. er Brook Rd.		10 11
Lincoln P			
L		7	
		from that accepted in connection v	
bmitted to and accepted by		or to use of the label in commerce	
	urnished by the registrant, the gicide, and Rodenticide Act.	above named pesticide in hereby	Registered/Reregistered under
copy of the labeling accept	ted in connection with this Re	egistration/Reregistration is retur	ned herewith.
alth and the environment, th	he Administrator, on his motic	nt or approval of this product by thon, may at any time suspend or ca	ncel the registration of a pest-
de in accordance with the A t is not to be construed as	Act. The acceptance of any n	ame in connection with the registr to exclusive use of the name or to	ation of a product under this
		ally registered in a	ccordance with
FIRM sec. 3(c	(7)(A) provided	that you:	
1. Submit	t and/or cite all	data or other materia	al required for
registration/r	reregistration of	your product unde	er FIFRA sec.
	RA sec. 4 when the cts to submit such	Agency requires all	registrants of
similar produc	cs to submite such		
2. Make the product fo		ge listed below befo	re you release 🚕
a. Add	the phrase. "EPA	Registration No. 481	6-757."
	<b>F</b>		
b. Revi	-	Statements as follows	s: "Harmful if
inha	se Precautionary : aled. Avoid brea	Statements as follows thing dust. Remove	e contaminated
inha	se Precautionary : aled. Avoid brea		e contaminated
inha clot	ise Precautionary saled. Avoid breathing and wash befo	thing dust. Remove	e contaminated oly product"
inha clot Revi air.	se Precautionary a led. Avoid brea thing and wash befo ise IF INHALED as If not breath	thing dust. Remove ore reuse. Do not app	e contaminated oly product" ictim to fresh l respiration,

- d. Under Directions For Use add: "Do not apply directly to food, utensils, or food storage areas. All food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed."
- e. Since the product is for general use indicate under Directions for Use how to apply product, i.e., What type of dusting equipment to use. Is this product sprinkled on from container?
- 3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

# PYRAPERMTM

### HOUSEHOLD DUSTING POWDER

EPA Reg. No.: 4816-757

EPA Est. No. 279-NY-1

- ★ Contains Pyrenone<sup>®</sup> and Permanone<sup>®</sup>
- Provides Quick Killing Action and Residual Control of Fleas, and Ticks on Dogs for up to 14 days.
- \* A broad spectrum ready-to-use insecticide highly effective against ants, carpenter ants, bees, carpet beetles, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, flour beetles, grain beetles, ground beetles, millipedes, mole crickets, moths, pillbugs, scorpions, silverfish, sowbugs, spiders, termites, ticks, wasps, and other pests as listed on side panel.
- \* Oportess, Nonstaining Formulation

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0 05%
*Piperonyl Butoxide, Technical	0.50%
**Permethrin	
INERT INGREDIENTS:	
	100.00%

\*Equivalent to 0.4% (butylcarbityl)(6-propylpiperonyl)ether and 0.1% related compounds

\*\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate (cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans).

PYRENONE & PERMANONE - Registered Trademarks of Fairfield American Corporation

PYRAPERM - Pending Trademark of Fairfield American Corporation

### KEEP OUT OF REACH OF CHILDREN

## **CAUTION**

See rear panel for additional precautionary statements.



757, 071692A

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PyraPerm™Household Dusting Powder provides effective control of pests in and on residential buildings and structures and their immediate surroundings.

PyraPerm™ Household Dusting Powder provides quick killing action and long lasting control of fleas and ticks on dogs.

#### INDOOR USE

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains). Ants, Crickets, Silverlish and Firebrats: Apply thoroughly at a rate of 3 to 6 ounces per 100 square feet to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, sprinkle freely around ant trails, doors and windows, and other places where ants enter premises around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and scatter powder freely on and around debris Repeat as necessary.

<u>Brown Dog Ticks and Fleas in Buildings</u>; Apply dust at a rate of 3 to 6 cunces per 100 square feet to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas.

<u>Spiders</u>: Apply at a rate of 3 to 6 ounces per 100 square feet along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

<u>Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorplons</u>: Apply at a rate of 3 to 6 ounces per 100 square feet around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when the insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects light. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensurated complete kill, then remove and destroy nest to prevent emergence rungicide.

of newly-hatched insenest, if necessary. Do

Pantry Pests - Graitoothed), Flour Beetlies, Rice Weevils, L. Tobacco Moths: Tre 3 to 6 ounces per 100 and under cupboards apply directly on food,

Carpet Beetles (Blace 6 ounces per 100 s coverings, under rugs, where these insects a

<u>Bedbugs</u>: Dust mattr feet, particularly arou dust into all joints. Repeat treatment as a

Webbling Clothes Mo treatment in closets a are found. This is an larvae already on the

To kill <u>Flews, Ticks and up to insect bites;</u> A beginning at the head around the feet, pads the lay of the hair untipowder. Take care nor mouth. Dust bedefurniture used by infenecessary.

PERIMETER TREAT
Powder as a residual
Dog Ticks, Centipe
Firebrats, Fleas, Gre
pions, Silverfish, So
a residual treatmen
screens, eaves, patie
space explorer
with COMMENTS

Inder the Federal 196 jungicide, and Rudenti a amended, for the egistered under EPA 1 To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure at a rate of 3 to 6 runces per 100 square feet. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and waspinests in the band area. Waspiand bee nests in trees and shrubs may be treated as noted above.

#### STORAGE AND DISPOSAL

Do not contaminate food, feed or water by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Keep away from moisture. Sweep up and dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in same manner.

CONTAINERS ONE POUND AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

#### STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated. Get medical attention.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing dust. Do not apply product directly in/on eyes, mouth or genitalia of animals. Do not treat or cause exposure to puppies less than four weeks old. Do not use this product on old, sick, debilitated or pregnant animals.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith

BEST AVAILABLE COPY

for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (H7505C)

**Enclosures** 

# PYRAPERM

### HOUSEHOLD DUSTING POWDER

EPA Reg. No.: 4816-757

EPA Est. No. 279-NY-1

- \* Contains Pyrenone® and Permanone®
- \* Provides Quick Killing Action and Residual Control of Fleas, and Ticks on Dogs for up to 14 days.
- \* A broad spectrum ready-to-use insecticide highly effective against ants, carpenter ants, bees, carpet beetles, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, flour beetles, grain beetles, ground beetles, millipedes, mole crickets, moths, pilibugs, scorpions, silverfish, sowbugs, spiders, termites, ticks, wasps, and other pests as listed on side panel.
- \* Odorless, Nonstaining Formulation

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.05%
*Piperonyl Butoxide, Technical	0.50%
**Permethrin	
INERT INGREDIENTS:	
	100.00%

\*Equivalent to 0.4% (butylcarbityl)(6-propylpiperonyl)ether and 0.1% related compounds

\*\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate (cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans).

PYRENONE & PERMANONE - Registered \*Trademarks of Fair-field American Corporation

PYRAPERM - Pending Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

**CAUTION** 

See rear panel for additional proceutionary statements.

**NET CONTENTS:** 



FAIRFIELD AMERICAN CORPORATION

201 ROUTE 19 NORTH, RUTH-PFOMD, N. 07070

757 071002A

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PyraPerm<sup>™</sup>Household Dusting Powder provides effective control of pests in and on residential buildings and structures and their immediate surroundings.

PyraPerm™ Household Dusting Powder provides quick killing action and long lasting control of fleas and ticks on dogs.

#### INDOOR USE

Cockroaches (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains). Ants, Crickets, Silverlish and Firebrats: Apply thoroughly at a rate of 3 to 6 ounces per 100 square feet to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, sprinkle freely around ant trails, doors and windows, and other places where ants enter premises around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and scatter powder freely on and around debris Repeat as necessary.

Brown Dog Ticks and Fleas in Buildings: Apply dust at a rate of 3 to 6 ounces per 100 square feet to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas.

<u>Spiders</u>: Apply at a rate of 3 to 6 ounces per 100 square feet along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

<u>Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions</u>: Apply at a rate of 3 to 6 ounces per 100 square feet around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when the insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects light. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensuring added complete kill, then remove and destroy nest to prevent emergence sungicides.

of newly-hatched insects. nest, if necessary. Do not u

Pentry Pests - Grain Bettes (Fig. Rice Weevils, Lesse Tobacco Moths: Treat ex and under cupboards and apply directly on food, uten

Carpet Beetles (Black, Ft 6 ounces per 100 squar coverings, under rugs and f where these insects are fo

<u>Bedbugs</u>: Dust mattresse feet, particularly around to dust into all joints. Tree Repeat treatment as neces

Webbing Clothes Moths: treatment in closets and o are found. This is an adjularvae already on the cloth

To kill <u>Flees, Ticks and Lice</u> due to insect bites: Apply beginning at the head and around the feet, pads and the lay of the hair until dus powder. Take care not to or mouth. Dust bedding, furniture used by infested necessary.

PERIMETER TREATMEN
Powder as a residual treat
Dog Ticks, Centipedes
Firebrats, Fleas, Ground
plons, Silverfish, Sowbo
a residual treatment ar
screens, eaves, patios, ç
spaces estatus areas w

0

with COMMENTS in EPA Letter Dated

Judet A Frank 1900 in Fungicide, and Redunstride in naturaled, for the post registered under EPA Reg.