4816-757 7/24/98 Form Approved, OMB No. 2070-0060 Plesse read instructions on reverse before completing form OPP Identifier Number United States Registration **Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 4816-757 George LaRocca None Restricted 4. Company/Product (Name) PYRAPERM Household Dusting Powder 5. Karne and Address of Applicant (Include ZIP Code) Expedited Reveiw. In accordance with FIFRA Section 3(c)(3). (b)(i), my product is similar or identical in composition and labeling AgrEvo Environmental Health NOTIFICATION 95 Chestnut Ridge Road EPA Reg. No. Montvale, New Jersey 07645 JUL 2 4 1998 Check if this is a new address Product Name Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated \_ Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change per PR Notice 96-6. This notification is consistent with the provisions of PR Notice 96-6 and EPA regulations a 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 96-6 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to exforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Unit Packaging Water Soluble Packaging Chid-Resistent Packaging 2. Type of Container Yes Yes Yes Matel Plastic No No Glass Paper No. per Cartification must Other (Specify) Unit Packaging wgt. container Package wgt container be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Container 6. Manner in Which Label is Affixed to Product Lithograph Section - IV 1. Contact Point | Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephorie No., (Include Area Code) Diana Williams Registration Manager 201-307-3372 Cartification 6. Date Application Received -I certify that the statements I have made on this form and all attechments thereto are true, accurate and complete. I acknowledge that any knowlingily false or misleading statement may be punishable by fine or imprisonment or (Starngast) both under applicable law. 3. Title Registration Manager

> 5. Date July 10, 1998

Diana Williams



- \* CONTAINS PYRENONE® AND PERMANONE®.
- PROVIDES QUICK KILLING ACTION AND RESIDUAL CONTROL OF FLEAS, AND TICKS ON DOGS FOR UP TO 14 DAYS.
- A BROAD SPECTRUM READY-TO-USE INSECTICIDE HIGHLY EF-FECTIVE AGAINST ANTS, CARPENTER ANTS, BEES, CARPET BEE-TLES, CENTIPEDES, COCKROACHES, CRICKETS, EARWIGS, FIRE-BRATS, FLEAS, FLOUR BEETLES, GRAIN BEETLES, GROUND BEE-TLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCOR-PIONS, SILVERFISH, SOWBUGS, SPIDERS, TERMITES, TICKS, WASPS, AND OTHER PESTS AS LISTED ON SIDE PANEL.
- ODORLESS, NONSTAINING FORMULATION.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.05%
*Piperonyl Butoxide, Technical	0.50%
**Permethrin	
OTHER INGREDIENTS	
•	100.00%

\*Equivalent to 0.4% (butylcarbityl)(6-propylpiperonyl)ether and 0.1% related compounds

\*\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2- dichloroethenyl) 2,2dimethylcyclopropanecarboxylate (cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans).

PYRAPERM, PYRENONE & PERMANONE - Registered Trademarks AgrEvo Environmental Health, Inc.

EPA REG. NO.: 4816-757



**FIRST AID** 

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to- mouth. Get medical attention.

> See Side Panel For Additional **Precautionary Statements.**

NOTIFICATION

**NET CONTENTS:** 

JUL 2 4 1998

#### READ ENTIRE LABEL BEFORE EACH USE PET USE APPLIES TO USE ONLY ON DOGS

## PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

#### CAUTION

Harmful if inhaled. Avoid breathing dust. Remove contaminated clothing and wash before reuse. Do not apply product directly in/on eyes, mouth or genitalia of animals.

Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged. pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

# **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash-

# DIRECTIONS FOR US

It is a violation of Federal law to use the ct in a manner inconsistent with its labeling.

# STORAGE A

by storage or disposal. Do not contaminate foo Pesticide Store And S res: Store upright at room temperature. Koof with themical costicide Disposal costicides of ctions research p away from noisture. Sweep up and dispose

raste. I stricted that cannot be used according to ctions must be disposed of at or by an approved waste

Coltainer Disposal: Completely empty liner by shaking and pring sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in same manner.

CONTAINERS ONE POUND AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Do not apply directly to food, utensils, or food storage areas. All food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

PyraPerm Household Dusting Powder provides effective control of pests in and on buildings and structures and their immediate surroundings.

PyraPerm Household Dusting Powder provides quick killing action and long lasting control of fleas and ticks on dogs.

Pyraperm Household Dusting Powder is intended for application using hand or power duster or by other suitabre means, to hiding and runway areas and those places where pests are found.

#### INDOOR USE

COCKROACHES (INCLUDING ADULT AND IMMATURE STAGES OF BOTH NON-RESISTANT AND ORGANOPHOGPHATE AND CARBAMATE RESISTANT STRAINS), ANTS, CRICKETS, SILVERFISH AND FIREBRATS: Apply thoroughly at a rate of 3 to 6 ounces per 100 square feet to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, sprinkle freely around ant trails, doors and windows, and other places where ants enter premises around nests hidden

# **PYRAPERM®**

under steps, brickwork, concrete, etc. Break apart accessible nests and scatter powder freely on and around debris Repeat as necessary.

BROWN DOG TICKS AND FLEAS IN BUILDINGS: Apply dust at a rate of 3 to 6 ounces per 100 square feet to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas.

SPIDERS: Apply at a rate of 3 to 6 ounces per 100 square feet along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLI-PEDES, CENTIPEDES AND SCORPIONS: Apply at a rate of 3 to 6 ounces per 100 square feet around doors and windows and other places where these pests may enter premises. Treat base-boards, storage areas and other locations where these pests are found.

WASPS AND BEES: It is generally advisable to treat wasp and bee nests in the evening when the insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects light. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment oensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

PANTRY PESTS - GRAIN BEETLES (RUSTY, MERCHANT AND SAW-TOOTHED), FLOUR BEETLES (RED AND CONFUSED), DRUGSTORE BEETLES, RICE WEEVILS, LESSER GRAIN BORERS, SPIDER BEETLES AND TOBACCO MOTHS: Treat exposed stages. Apply dust at a rate of 3 to 6 ounces per 100 square feet in cracks and crevices behind and under cupboards and cabinets for residual control. Do not apply directly on food, utensils or food storage areas.

CARPET BEETLES (BLACK, FURNITURE AND VARIED): Dust at a rate of 6 ounces per 100 square feet on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

BEDBUGS: Dust mattresses at a rate of 3 ounces per 100 square feet, particularly around tufts and seams. Take beds apart and dust into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

WEBBING CLOTHES MOTHS: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. Do not apply to clothing.

### ON DOGS

TO KILL FLEAS, TICKS AND LICE, AND TO REDUCE ITCHING AND SCRATCHING DUE TO INSECT BITES: Apply powder liberally over the entire body, beginning at the head and working back. Work dust into hair and around the feet, pads and between the toes by rubbing against the lay of the hair until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in animal's eyes, nose or mouth. Dust bedding, kennel,

sleeping areas, carpeting and furniture used by infested animals. Repeat application at two to three week intervals if necessary.

#### **OUTDOOR USE**

PERIMETER TREATMENT: Use PyraPerm Household Dusting Powder as a residual treatment for control of Ants, Bees, Brown Dog Ticks, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Ground Beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure at a rate of 3 to 6 ounces per 100 square feet. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and wasp nests in the band area. Wasp and bee nests in trees and shrubs may be treated as noted above.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-472-0660.

For Product Information Call Toll-Free: 1-800-331-2867

# AgrEvo Environmental Health

95 Chestnut Ridge Road Montvale, NJ 07645