## CODE 82651

## TETRAPERM®

## TOTAL RELEASE INDOOR FOGGER N104

- \* FOR USE IN APARTMENTS, ATTICS, BASEMENTS, BOATS, CABINS, CAMPERS, GARAGES, HOMES, HOUSEHOLD STORAGE
  AREAS, KENNELS, PET SLEEPING AREAS, ROOMS, WASHROOMS, SHIP CABINS,, AND NON-FOOD/FEED AREAS OF
  GREENHOUSES, HOSPITALS, HOTELS, INDUSTRIAL PLANTS,
  LATHHOUSES, MOTELS, PRESCHOOLS, SCHOOLS, SEEDHOUSES, BOX CARS, CLOSED BARNS, HORSE STABLES, THEATERS, TRUCKS, AND WAREHOUSES
- \* NON-STAINING
- \* WATER-BASED FORMULA
- \* KILLS EXPOSED OR ACCESSIBLE STAGES OF THESE INSECTS:
  ANTS, CARPET BEETLES, CENTIPEDES, COCKROACHES, CONFUSED FLOUR BEETLES, CRICKETS, EARWIGS, FIREBRATS,
  FLEAS, FLIES, FRUIT FLIES, GNATS, GRASSHOPPERS, HORNETS, HOUSE FLIES, MILLIPEDES, MOLE CRICKETS, MOSQUISTOES, MOTHS, PALMETTO BUGS, PILLBUGS, RICE WEEVILS,
  SAWTOOTHED GRAIN BEETLES, SCORPIONS, SILVERFISH,
  SMALL FLYING MOTHS, SOWBUGS, SPIDERS, TICKS, WASPS,
  WATERBUGS AND YELLOWJACKETS

#### **ACTIVE INGREDIENT:**

Tetramethrin	0.20%
** Permethrin	0.20%
*** Piperonyl Butoxide, Technic	al1.00%
<b>†INERT INGREDIENTS:</b>	
•	100.00%

\*1-cyclohexene-1,2-dicarbox:midomethyl-2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

"(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2- dichloroethenyl) 2,2-dimethylcylopropanocarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

\*\*\*Equivalent to min. 0.80% (butylcarbityl)(6-propylpiperonyl) ether and 0.20% related compounds.

¡Contains Petroleum Distillates

TETRAPERM - Registered Trademark of Roussel Uclaf Corporation.

EPA REG. NO. 4816-760

EPA EST. NO.


# KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See Side Panel For Additional Precautionary Statements



# PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with skin or clothing, and avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not use in food/feed areas of food handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

Nonfood/nonfeed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

## Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Do not place on stove or radiator. Exposure to temperatures above 130°F may cause bursting.

IMPORTANT! To avoid FLAMMABILITY HAZARD, use can as follows:

† Only one can per room.

‡ Do not place in cabinet or under counter or table.

Shut off electrical equipment.

‡ Place can at least 6 feet from pilot lights

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

One 6 ounce aerosol can treats up to 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling).

For Fleas and Ticks, use one 6 ounce can for every 1,500 cubic feet of room space.

### STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area inaccessible to children and pets and away from heat, sparks, open flame or pilot light. DISPOSAL: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or purcture.

#### HOW TO USE:

#### Step 1: PREPARATION

Open cupboards, cabinets, trunks, and doors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut off fans and air conditioning to maximize killing power of fog. Remove pets, birds, and tightly cover or remove fish bowls and aquariums before spraying. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (Newspapers may be used). Remove or cover exposed foods, dishes, utensils or food handling equipment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Shut off electrical appliances. Do not

place activated fogger in a cabinet or under a counter or table.

## Step 2: ACTIVATION OF FOGGER

SHAKE WELL JUST BEFORE USING. Place a section of newspaper on a level floor surface in center of room to be treated. NOTE: Do NOT place fogger on water-stainable surface. Do not place can within 6 feet of pilot lights. Tilt can opening away from face and depress tab firmly with thumb until it clicks in locked position. Aiming spray away from face, set fogger on newspaper, leave room and close door. After activation, leave room or house at once. Keep area closed for 2 hours (30 minutes for flying insects) before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat soraving in two windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

