

Until Reregistration

Pyraperm Household Insect  
Killer WBAF60

Roussel UCLAF Corporation  
170 Beaver Brook Road  
Lincoln Park, NJ 07035

161-5452-01  
161-5424-01  
32/1  
18

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 4816-766"

b. Begin the paragraph under "Precautionary Statements - Hazards to Humans and Domestic Animals" with the following text:  
Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse.

c. The Statement of Practical Treatment must be added and the following phrase added under the Statement of Practical Treatment:

CONCURRENCES							
SYMBOL							
SURNAME	M.D.A.T.S.						
DATE							

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

d. The upper and lower certified limits of the individually added inerts and active ingredients are reversed on the Confidential Statement of Formula (CSF), please make the necessary corrections.

e. Enter the Registration NO. 4816-765 of the source product on the CSF.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

George T. LaRocca  
Product Manager (13)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosures

CODE

**PYRAPERM<sup>®</sup>****HOUSEHOLD INSECT KILLER WBA P60**

EPA REG. NO. 4816-

EPA EST. NO. 279-NY-1

**ACTIVE INGREDIENTS:**

Pyrethrins ..... 0.15%

\* Piperonyl Butoxide, Technical ..... 0.75%

\*\* Permethrin ..... 0.30%

INERT INGREDIENTS: ..... 98.80%  
100.00%

\*Equivalent to min. 0.6% (butylcarbityl)(6-propyloperonyl) ether and 0.15% related compounds.

\*\*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.  
Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See rear panel for use cautions.

NET CONTENTS: \_\_\_\_\_

**FAIRFIELD  
AMERICAN  
CORPORATION**

201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

- \* Contains Pyrenone<sup>®</sup> and Permanone<sup>®</sup>
- \* Seeks Out Bugs Where They Hide
- \* Kills On Contact
- \* Controls Residential And Garden Insects
- \* For Household Use
- \* A Broad Spectrum Insecticide Highly Effective Against Ants (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, and other pests listed on the label.
- \* Non-Staining
- \* Kills Lice and Their Eggs
- \* For Use On Bedding, Furniture and Other Inanimate Objects Infested With Lice.
- \* No Unpleasant Odor
- \* Water-Based Formula
- \* For Use On Dogs and On Premises To Control Fleas and Ticks.
- \* Controls Fleas and Ticks On Dogs For 14 Days.

PYRAPERM, PYRENONE and PERMANONE - Registered Trademarks of Fairfield American Corporation.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

**SHAKE WELL BEFORE USING**

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

**BEST AVAILABLE COPY**  
INDOORS:

Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door.

Direct spray to all parts of the room, especially light sources which attract the insects. Leave room and keep door closed while spraying. Ventilate room thoroughly after spraying and discard infested insects. Repeat treatment as necessary.

**Cockroaches, Waterbugs, Firebrats, Crickets, Scorpions, Millipedes, Sowbugs and Pillbugs:** Spray in cracks and crevices, behind baseboards and floors, around drains and pipes, and wherever possible. Repeat treatment as necessary.**Ants:** Spray trails, nests and other infested areas. Repeat as necessary.**Carpet Beetles:** Spray directly on infested shelves and carpets. Repeat treatment as necessary.**Bedbugs:** Spray mattresses, box springs, and bed frames. Take beds apart and spray in all areas. Repeat treatment as necessary. Sprayed articles to dry thoroughly.To control **Clothes Moths** and **proteinaceous fibers:** Remove infested items, brush thoroughly, and air for several days. Apply spray liberally to empty storage areas directing the spray into all areas. Infested articles may be stored in plastic bags. Nozzle at least three feet from articles.**Fleas in buildings - Space:** Spray in all rooms on floor and direct spray toward ceiling. Spray 10 seconds per 100 sq. ft., making sure all surfaces are contacted. Leave room closed 15 minutes. Open and ventilate room after 7 days or as needed.**Fleas & Ticks (Adults and Larvae):** Clean or destroy pet bedding. Vacuum entire floor and floor covering, especially around baseboards, under furniture, and wherever possible. A test application of this product. A test application of this product on drapery fabrics in an inconspicuous area.ACCEPTED  
with COMMENTS  
in EPA Letter Dated

CONTINUED

JAN 11 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4816-766

To control *Fleas, Ticks and Lice* on dogs. Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. **NOTE:** Not recommended for use on puppies less than four weeks old.

**Lice and Lice eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold caner upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bed-including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

**In Animal Quarters:** For rapid control of *House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths*, close windows and doors and spray at the rate of 2 seconds per 1,000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To control *Blood Sucking Lice:* Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

### OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

**FLYING INSECTS:** *Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellowjackets.* Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

**Mud Daubers and Wasp Nests:** Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

**CRAWLING INSECTS:** *Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish.* Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

**FOR THE CONTROL OF GARDEN INSECTS:** For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* kill by spray, as well as *Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.*

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kuntia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider and Red Mite, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement ants, Clover Mites and Army Worms.* When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

### STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**BEST AVAILABLE COPY**