

4816-769
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 11 1993

Until Reregistration

Pyraperm Household Insect
Killer WBA#61

Roussel UCLAF Corporation
170 Beaver Brook Road
Lincoln Park, NJ 07035

5433002
1655410867
383
18

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 4816-769"

b. Begin the paragraph under "Precautionary Statements - Hazards to Humans and Domestic Animals" with the following text:

Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse.

c. The Statement of Practical Treatment must be added and

the following phrase added under the Statement of Practical Treatment:

CONCURRENCES							
SYMBOL							
SURNAME	MDATS						
DATE							

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

d. The upper and lower certified limits of the individually added inerts and active ingredients are reversed on the Confidential Statement of Formula (CSF), please make the necessary corrections.

e. Enter the Registration NO. 4816-765 of the source product on the CSF.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

HOUSEHOLD INSECT KILLER WBA P61

EPA EST NO. 279-NY-1

Pyrethrins	0.20%
* Piperonyl Butoxide, Technical	1.00%
** Permethrin	0.40%
INERT INGREDIENTS:	98.40%
	100.00%

**** (3-phenoxyphenyl) methyl (+/-) is/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.**
Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

See your panel for your ratings.

NET CONTENTS:



FAIRFIELD
AMERICAN
CORPORATION
201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

- * Contains Pyrethroids and Permethrin
- * Seeks Out Bugs Where They Hide
- * Kills On Contact
- * Controls Residential and Garden Insects
- * For Household Use
- * Non-Staining
- * A Broad Spectrum Insecticide Highly Effective Against Ants (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks (Including Ticks which may cause Lyme Disease), Wasps, and other pests listed on the label.
- * Kills Lice and Their Eggs
- * For Use on Bedding, Furniture and Other Inanimate Objects Infested with Lice.
- * No Unpleasant Odor
- * Water-Based Formula
- * For Use on Dogs and on Premises to Control Fleas and Ticks.
- * Controls Fleas and Ticks on Dogs for 14 Days.

PYRAPERM, PYRENONE and PERMANONE - Registered
Trademarks of Fairfield American Corporation

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

Cluster Flies, Houseflies, Wasps, Hornets, Bees, Bats and Small Flying Moths: Click spray upward into center of the room. Spray 5-10 seconds for average sized rooms. Direct spray to all parts of the room, especially the light sources which attract the insects. Leave room and keep spraying. Ventilate room thoroughly and discard fallen insects. Repeat treatment if necessary.

Cockroaches, Waterbugs, Firebrats, Crickets, Scorpions, Sowbugs and Pillbugs as cracks and crevices, behind and floors, around drains and whenever possible. Repeat t

Ants: Spray trails, nests and possible. Repeat as necessary.

Carpet Beetles: Spray directly on shelves and carpets. Repeat.

Bedbugs: Spray mattresses. Take bed apart and spray moldings and floors. Repeat sprayed articles to dry thoroughly.

To control **Clothes Moths** on proteinaceous fibers: Ren brush thoroughly, and air for Apply spray liberally to emp storages directing the spray airing, infested articles may l nozzle at least three feet fro

Fleas in buildings - Space floor and direct spray toward second floor per 100 sq. ft., major surfaces are contacted. Leave minutes. Open and ventilate after 7 days or as needed.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 11 1983

Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Fleas & Ticks, including Ticks which may cause Lyme disease (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To control **Fleas, Ticks and Lice** on dogs. Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. NOTE: Not recommended for use on puppies less than four weeks old.

To kill **Lice and Louse eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

In Animal Quarters: For rapid control of **House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To control **Blood Sucking Lice:** Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellowjackets. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

Mud Daubers and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.**

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms.** When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 °F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.