

4816-770
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Until Reregistration

JAN 11 1993

Pyraperm Industrial Insect
Killer WBA P61

Roussel UCLAF Corporation
170 Beaver Brook Road
Lincoln Park, NJ 07035

1665433007
~~1655410873~~
38/2
18

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase "EPA Registration No. 4816-770"

b. Begin the paragraph under "Precautionary Statements - Hazards to Humans and Domestic Animals" with the following text:
Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse.

c. A Statement of Practical Treatment must be added and the following phrase added under the Statement of Practical Treatment:

CONCURRENCES							
SYMBOL							
SURNAME	M. G. T. S.						
DATE							

If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

d. Under "Directions for Use"

i. prior to.....Do not use in food/feed areasbegin the paragraph with the following sentence:

.....Do not apply directly to food.

ii. Insert the following after the non-food area paragraph.

..... Commercial Food/Feed areas where the product cannot be used include areas for receiving, serving storage, (Dry, Cold Frozen, Raw), packaging (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups).

iii. Food/feed processing plants can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.

e. Under Environmental Hazards revise the last sentence to read.....Do not contaminate water by disposal.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

Enclosures:

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division(H7505C)

PYRAPERM[®]

INDUSTRIAL INSECT KILLER WBA P61

EPA REG. NO. 4816-

EPA EST. NO. 279-NY-1

ACTIVE INGREDIENTS:

Pyrethrins	0.20%
* Piperonyl Butoxide, Technical	1.00%
** Permethrin	0.40%
INERT INGREDIENTS:	98.40%
	100.00%

*Equivalent to min. 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.2% related compounds.

** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See rear panel for use cautions.

NET CONTENTS: _____



FAIRFIELD
AMERICAN
CORPORATION
201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

- * Contains Pyrenone[®] and Permanone[®]
- * Seeks Out Bugs Where They Hide
- * Kills On Contact
- * Controls Industrial Insects
- * For Commercial/Agricultural Use
- * A Broad Spectrum Insecticide Highly Effective Against Ants (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks (Including Ticks which may cause Lyme Disease), Wasps, and other pests listed on the label
- * Kills Lice and Their Eggs
- * For use on bedding, furniture and other inanimate objects infested with Lice.
- * Non-Staining
- * No Unpleasant Odor
- * Water-Based Formula
- * For use on dogs and on premises to control Fleas and Ticks.
- * Controls Fleas and Ticks on dogs for 14 days.

PYRAPERM, PYRENONE and PERMANONE - Registered Trademarks of Fairfield American Corporation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

Cluster Flies, Houseflies, Wasps, Hornets, Bees, and Small Flying Moths spray upward into center. Spray 5-10 seconds for. Direct spray to all parts of light sources which attract motion. Leave room and spraying. Ventilate room and discard fallen insects.

Cockroaches, Waterbugs, Firebrats, Crickets, Spiders, Sowbugs and as cracks and crevices, basements and floors, around drains whenever possible. Repeat.

Ants: Spray trails, nests whenever possible. Repeat as necessary.

Indianmeal Moths, Anged windows, direct spray in stored food product containers. Spray 7 to 10 seconds toward the door. Leave room following treatment. Repeat.

Exposed stages of Cockroaches, Drugstore Beetles, Beetles, Rice Weevils, posed adult and larvae processing and handling or other areas where there as many insects as possible square feet of surface. Repeat after treatment. Space of space, moving toward closed for 15 minutes weekly or as necessary. disposed of, or treated for purpose.

Carpet Beetles: Spray shelves, etc. with COMMENTS in EPA Letter Dated

JAN 11 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the product registered under EPA Reg. 4816-770

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use.

To control *Clothes Moths* and *Carpet Beetles* on wool and other proteinaceous fibers. Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

Fleas in buildings - Space spray: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft., making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed.

Fleas & Ticks, including Ticks which may cause Lyme disease (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

To control *Fleas, Ticks and Lice* on dogs: Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. **NOTE:** Not recommended for use on puppies less than four weeks old.

To kill *Lice and Louse eggs:* Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

In Animal Quarters and Milk Rooms: For rapid control of *House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths*, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To Treat Livestock: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of *Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats:* Spray about 3 seconds on each side, being careful to spray back, withers and forelegs thoroughly. To protect from *Face*

Flies spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

For Swine: Do not ship animals for slaughter within 5 days of last treatment.

To control *Blood Sucking Lice:* Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control *Poultry Lice*, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For control of *Bedbugs and Mites* in poultry house, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: *Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellowjackets.* Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

Mud Daubers and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: *Ants, Cockroaches*, including *Asian Cockroaches, Crickets, Mole Crickets, Centipedes*, and *Silverfish*. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.