

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 14 1994

306 / 5479712  
18

MS. Sharon M. Johnston  
Roussel Uclaf Corporation  
95 Chestnut Ridge Road  
P.O. Box 30  
Montvale, NJ 07645

Dear Ms. Johnston:

Subject: Amendment-Label  
Pyraperm Total Release Indoor Fogger WBA P61  
EPA Registration No.4816-771  
Your Submission dated September 12, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended will be acceptable subject to the comment listed below.

Under "directions for use" delete "area areas" from the second paragraph, first line and revise to read:  
.....Nonfood areas are areas such as .....

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca  
Product Manager (13)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure:

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

EP 14 1995

# PYRAPERM®

TOTAL RELEASE INDOOR FOGGER WBA P61

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

4816-771

CODE 82062

- \* CONTAINS PYRENONE® AND PERMANONE®
- \* SEEKS OUT BUGS WHERE THEY HIDE
- \* KILLS ON CONTACT
- \* NON-STAINING
- \* NO UNPLEASANT ODOR
- \* WATER-BASED FORMULA
- \* KILLS EXPOSED OR ACCESSIBLE STAGES OF THESE INSECTS:  
ANTS, BOOKLICE, CARPET BEETLES, CENTIPEDES, COCK-  
ROACHES, CONFUSED FLOUR BEETLES, CRICKETS, EARWIGS,  
FIREBRATS, FLEAS (ADULTS AND LARVAE), FLIES, FRUIT  
FLIES, GNATS, GRASSHOPPERS, HORNETS, HOUSE FLIES,  
MIDGES, MILLIPEDES, MOLE CRICKETS, MOSQUITOES, PAL-  
METTO BUGS, PILLBUGS, RICE WEEVILS, SAWTOOTHED  
GRAIN BEETLES, SCORPIONS, SILVERFISH, SMALL FLYING  
MOTHS, SOYBUGS, SPIDERS, STABLE FLIES (DOG FLIES),  
TICKS (INCLUDING THOSE WHICH MAY CAUSE LYME DIS-  
EASE), WASPS, WATERBUGS AND YELLOW JACKETS

## ACTIVE INGREDIENT:

Pyrethrins .....	0.20%
*Piperonyl Butoxide, Technical .....	1.00%
**Permethrin .....	0.40%
INERT INGREDIENTS: .....	98.40%
	100.00%

\* Equivalent to min. 0.8% (butylcarbitol)(6-propylpiperonyl) ether and  
0.2% related compounds.

\*\* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethyl) 2,2-  
dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis  
and max. 65% (+/-) trans.

PYRAPERM, PYRENONE and PERMANONE: Registered Trademark of  
Roussel Uclaf Corporation.

EPA REG. NO. 4816-771 EPA PEST. NO. 279-NY-1

KEEP OUT OF REACH OF CHILDREN  
CAUTION

## STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. If not breathing give  
artificial respiration, preferably mouth to mouth. Get medical  
attention.

See Side Panel For Additional  
Precautionary Statements

NET CONTENTS: \_\_\_\_\_

BEST AVAILABLE COPY

ROUSSEL UCLAF



Roussel Uclaf Corporation  
95 Chestnut Ridge Road  
Montvale, NJ 07645

771-0819931k

## PRECAUTIONARY STATEMENTS

### Hazards To Humans & Domestic Animals

#### CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Remove  
contaminated clothing and wash before reuse.

For use in Apartments, Attics, Basements, Boats, Cabins, Campers,  
Closed Barns, Day Camps, Garages, Homes, Horse Stables,  
Household Storage Areas, Kennels, Pet Sleeping Areas, Rooms,  
Non-Commercial Greenhouses, Ship Cabins, Lathouses, Seed  
Houses, Washrooms and the non food/feed areas of Schools,  
Theaters, Trucks, Warehouses, Boxcars, Hospitals, Hotels, Industrial  
Plants, Motels and Preschools.

### Environmental Hazards

This product is toxic to fish and other aquatic organisms. Do not  
contaminate water by disposal of waste.

### Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open  
flame. Do not puncture or incinerate container. Do not place on  
stove or radiator. Exposure to temperatures above 130°F may  
cause bursting. Do not use this unit in an area less than 100  
cubic feet.

IMPORTANT! To avoid FLAMMABILITY HAZARD, use can as  
follows:

- † Only one can per room.
- † Do not place in cabinet or under counter or table.
- † Shut off electrical equipment
- † Place can at least 6 feet from pilot lights

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner  
inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling estab-  
lishments, restaurants or other areas where food/feed is com-  
mercially prepared or processed. Do not use in serving areas  
while food is exposed or facility is in operation. Serving areas  
are areas where prepared foods are served such as dining rooms  
but excluding areas where foods may be prepared or held.  
Commercial food/feed areas where the product cannot be used  
include areas for receiving, serving, storage, (dry, cold, frozen,  
raw), packaging (cleaning, slicing, cooking, grinding), edible  
waste storage, enclosed processing systems (mills, dairies, edible  
oils, syrups).

Nonfood areas are areas such as garbage rooms, lavatories,  
floor drains (to sewers), entries and vestibules, offices, locker  
rooms, machine rooms, boiler rooms, garages, mop closets and  
storage (after canning or bottling).

Not for use in USDA meat and Poultry Plants

## STORAGE AND DISPOSAL

**Storage:** Store in a cool dry area inaccessible to children and  
pets and away from heat, sparks or open flame.

**Disposal:** Replace cap, wrap container in several layers of  
newspaper and discard in trash. Do not incinerate or puncture.

One 6 ounce aerosol can treats up to 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling).

For *Fleas* and *Ticks*, use one 6 ounce can for every 6,000 cubic feet of room space.

#### HOW TO USE:

##### Step 1: PREPARATION

Open cupboards, cabinets, trunks, and doors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut off fans and air conditioning to maximize killing power of fog. Remove pets, birds, and tightly cover or remove fish bowls and aquariums before spraying. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger. (Newspapers may be used). Remove or cover exposed foods, dishes, utensils or food handling equipment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Shut off electrical appliances. Do not place activated fogger in a cabinet or under a counter or table.

##### Step 2: ACTIVATION OF FOGGER

SHAKE WELL, JUST BEFORE USING. Place a section of newspaper on floor in center of room to be treated. NOTE: Do NOT place fogger on water-stainable surface. Do not place can within 6 feet of pilot lights. Tilt can opening away from face, set fogger on newspaper, leave room and close door. After activation, leave room or house at once. Keep area closed for 2 hours (30 minutes for flying insects) before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

**BEST AVAILABLE COPY**