

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

4816-773

DATE OF ISSUANCE

OCT - 6 1993

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Pyraperm Household
Insect Killer WBA P59

NOTICE OF PESTICIDE: ☐ REGISTRATION
☐ REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Roussel Uclaf Corporation
170 Beaver Brook Road
Lincoln Park, NJ 07035

~~166-5425-786~~
18/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling change listed below before you release the product for shipment:

- a. Add the phrase, "EPA Registration No. 4816-773."
- b. We have determined that the subject product and 4816-770 (Pyraperm Industrial Insect Killer WBA P61) are substantially similar and that acute toxicity data may be bridged. Therefore your product is a toxicity category III for inhalation and your labeling's Precautionary Statements and Statement of Practical Treatment must reflect this. Under the heading Statement of Practical Treatment add:

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

To the Beginning of Precautionary Statements add:

, "Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse.

- c. Under Physical or Chemical Hazards add: "Do not use this product in or on electrical equipment due to the possibility of shock hazard."
- d. Under Directions for Use delete the section beginning with "In Animal Quarters" and "To Control Blood Sucking Lice." These directions are for livestock and their premises, not household use.

3. The upper and lower certified limits for the following components should be reversed under columns 14a and 14b: Pyrethrins, Permethrin, Piperonyl Butoxide (technical), Inerts from concentrate, Odorless mineral spirits and Water.

4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

PYRAPERM®

HOUSEHOLD INSECT KILLER WBA P59

EPA REG. NO. 4816-

EPA EST. NO. 279-NY-1

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
* Piperonyl Butoxide, Technical	0.50%
** Permethrin	0.20%
INERT INGREDIENTS:	99.20%
	100.00%

*Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds.

** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for use cautions

NET CONTENTS ACCEPTED
with COMMENTS
in EPA Letter Dated

OCT - 6 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.



FAIRFIELD
AMERICAN
CORPORATION

201 ROUTE 17 NORTH, RUTHERFORD, NJ 07070

- * Contains Pyrenone® and Permanone®
- * Controls Residential and Garden Insects
- * Seeks Out Bugs Where They Hide
- * Kills On Contact
- * For Household Use
- * Non-Staining
- * A Broad Spectrum Insecticide Highly Effective Against
Ants (Including Carpenter Ants), Bees, Beetles (Including
Carpet, Flour, Grain, and Ground Beetles), Centipedes,
Clover Mites, Cockroaches, Crickets (Including Mole
Crickets), Earwigs, Firebrats, Fleas, Millipedes, Moths,
Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks,
Wasps, and other pests listed on the label.
- * Kills Lice and Their Eggs
- * For Use On Bedding, Furniture and Other Inanimate Ob-
jects Infested With Lice.
- * No Unpleasant Odor
- * Water-Based Formula
- * For Use On Dogs And On Premises To Control Fleas and
Ticks.
- * Controls Fleas and Ticks On Dogs For 14 Days.

PYRAPERM, PYRENONE and PERMANONE - Registered
Trademarks of Fairfield American Corporation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner
inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be
covered during treatment or thoroughly washed before use. Ex-
posed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elderly
or infirm. Do not apply to classrooms when in use

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a
distance of 12 to 15 inches.

CODE F

INDO

Cluster Flies, Houseflies, Fr
Wasps, Hornets, Bees, Black
and Small Flying Moths: Close
spray upward into center of roo
Spray 5-10 seconds for average
Direct spray to all parts of the roo
light sources which attract these
motion. Leave room and keep
spraying. Ventilate room throug
and discard fallen insects. Repe

Cockroaches, Waterbugs, -
Firebrats, Crickets, Scorpions
tipedes, Sowbugs and Pillbug
as cracks and crevices, behind s
and floors, around drains and pl
whenever possible. Repeat treat

Ants: Spray trails, nests and poi
possible. Repeat as necessary.

Carpet Beetles: Spray directl
shelves and carpets. Repeat tre

Bedbugs: Spray mattresses, pa
Take beds apart and spray int
moldings and floors. Repeat tre
sprayed articles to dry thoroughl

To control Clothes Moths and C
proteinaceous fibers: Remove
brush thoroughly, and air for sev
Apply spray liberally to empty ch
storages directing the spray into
airing, infested articles may be tr
nozzle at least three feet from la

Fleas in buildings - Space sp
floor and direct spray toward flo
seconds per 100 sq. ft., making
surfaces are contacted. Leave r
minutes. Open and ventilate be
ment after 7 days or as needed.

Fleas & Ticks (Adults and Li
clean or destroy pet bedding. S
entire floor and floor covering, w
crevices around baseboards, a
fested upholstered furniture and
with this product. A test applica
or drapery fabrics in an inconsp

CONTINUED

To control *Fleas, Ticks and Lice* on dogs. Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. **NOTE: Not recommended for use on puppies less than four weeks old.**

To kill *Lice and Louse eggs*: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

In Animal Quarters: For rapid control of *House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths*, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To control *Blood Sucking Lice*: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: *Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellowjackets*. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

Mud Daubers and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: *Ants, Cockroaches*, including *Asian Cockroaches, Crickets, Mole Crickets, Centipedes*, and *Silverfish*. Spray infested surface of patio or picnic area hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers*.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms*. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 °F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32 °F.

Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 °F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.