CODE 82065

YRAPERI

SE INDOOR FOGGER WBA P59

- F CONTAINS PYRENONE® AND PERMANONE®
- 拳 SERES OUT RUGS WHERE THEY HIDE
- KILLS ON CONTACT
- # FOR USE IN APARTMENTS, ATTICS, BASEMENTS, BOATS, BOXCARS, CABINS, CAMPERS, GARAGES, HOMES. HOUSEHOLD STORAGE AREAS, KENNELS, PET SLEEPING AREAS, ROOMS, SHIP CABINS, TRUCKS, WASHROOMS AND NON-FOOD/FEED AREAS OF CLOSED BARNS, DAY CAMPS. GREENHOUSES, HORSE STABLES, HOSPITALS, HOTELS, INDUSTRIAL PLANTS, LATHHOUSES, MOTELS, PRESCHOOLS. SEEDHOUSES, THEATERS AND WAREHOUSES.
- NON-STAINING
- * NO UNPLEASANT ODORS
- * WATER-BASED FORMULA
- ₩ KILIS EXPOSED OR ACCESSIBLE STAGES OF THESE INSECTS: ANYS BOOKLICE, CARPET BEETLES, CENTIPEDES, COCK-ROACHES, CONFUSED FLOUR BEETLES, CRICKETS, EARWIGS, FIREBRATS, FLEAS (ADULTS AND LARVAE), FLIES, FRUIT FLIES, GNAYS, GRASSHOPPERS, HORNETS, HOUSE FLIES, MIDGES, MILLIPEDES, MOLE CRICKETS, MOSQUITOES, PAL-METTO BUGS, PILLBUGS, RICE WEEVILS, SAWTOOTHED GRAIN BEETLES, SCORPIONS, SILVERFISH, SMALL FLYING HOTILS, SOWBUGS, SPIDERS, STABLE FLIES (DOG FLIES), TICKS, WASPS, WATERBUGS AND YELLOWJACKETS

ACTIVE INGREDIENT:

Py	rethrins	0.10%
• Pi	peronyl Butoxide, Technical	0.50%
	rmethrin	
INERT I	NGREDIENTS:	99,20%
		100.00%

* Equivalent to min. 0.4% (burylearbity)X6-propylpiperonyl) ether and 0.1% related compounds.

**(3-phenoxyphenyl) methyl (+/-) cls/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cls/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

Pyraperm, Pyrenone And Permanone-Registered Tracemark of Roussel Uclai Corporation

EPA REG. NO. 4816-

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

> See Side Panel For Additional Precautionary Statements

> > **NET CONTENTS:**

1 4 MAR 1995

Under the Fadoral Insecticids. Egnglishie, and Redeviletide Act.

Roussel Uclaf Corporation teached to the penticide Act. 95 Chestnut Ridge Road agreemed variety. Montvale, New Jersey 076457 to 180 1816 - 775

FE P59Cs 082891A

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

Harmful if inhaled. Avoid breathing vapor or spray mist. Remove clothing and wash before reuse.

Physical Or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Do not place on stove or radiator. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area inaccessible to children and pets and away from heat, sparks or open flame. Disposali Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

One 6 ounce aerosol can treats up to 6,000 cubic feet of unobstructed area (a room 30' x 25' with an 8 foot ceiling)

For Fleas and Ticks, use one 6 ounce can for every 6,000 cubic feet of room space.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Nonfood/nonfeed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bouling)

Not for use in USDA meet and poultry plants.

HOW TO USE

Step 1: PREPARATION

Open cupboards, cabinets, frunks, and Joors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut off tank and air conditioning to maximize killing power of fog. Remove prist, birds, and tightly cover or remove fish bowls and aquartunis before spraying. Cover waxed wood floors and waxed furniture in the immediate area surrounding the logger (Newspapers may בי יכל מיני כל ינית Remove or cover exposed food, dishes, utensits or food hendling equipment. All food processing surfacels should be covered during treatment or thoroughly cleaned before using. Shut off electrical appliances. Do not place activated togger in a cubinet or under a counter or table. Do not use this topper in an area less than 100

BEST COPY AVAILABLE

Step 2: ACTIVATION OF FOGGER SHAKE WELL JUST BEFORE USING. place a section of newspaper on floor in center of room to be treated. NOTE: Do NOT place togger on water-stainable surface. Do not place can within 6 feet of pilot lights. Tilt can opening eway from face and depress tab firmly with thumb until it clicks in locked position. Aiming spray away from face, set fogger on newspaper, leave room and close door. After activation, leave room or house at once. Keep area closed for 2 hours (30 minutes for flying insects) before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

IMPORTANT! To avoid FLAMMABILITY HAZARD, use can as swollol strains

† Only one can per room. † Do not place in cabinet or under counter or table.

Shut off electrical equipment.

Place can at least 6 feet from pilot lights.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.