

SPRAYS IN ANY POSITION,  
EVEN UPSIDE DOWN!

Johnson  
Wax

Raid

# ROSE AND flower spray

KILLS INSECTS, MITES! CHECKS DISEASE

CAUTION KEEP OUT OF REACH OF CHILDREN  
SEE DIRECTIONS AND CAUTIONS ON BACK

ACCEPTED 11 OZ.

JAN 17 1979

Under the Federal Insecticide,  
Fungicide, and Fertilizer Act,  
as amended, for the purpose of  
registered under  
EPA Reg. No. 4822-29

Raid

ROSE AND FLOWER SPRAY

Highly effective combination insecticide, fungicide and miticide for roses, flowers and ornamentals (asters, azaleas, carnations, roses, chrysanthemums, delphiniums, luchsia, zinnias, geraniums, gladiolas, marigolds, snapdragons). Kills plant lice (aphids), spider mites, exposed thrips, lace bugs, leafhoppers, rose chafers, Japanese beetles, and many other insects.

**DIRECTIONS:** Spray with slow sweeping motion 24 inches from plants. Avoid wetting of foliage. To spray under leaves, simply turn can upside down and release spray.

**INSECTS:** For best results spray when air is still. Spray top and underside of leaves, hitting as many insects as possible.

**DISEASES:** To prevent powdery mildews and leafspot diseases of roses and other flowers, spray as above at weekly intervals. When heavy infection occurs, spray twice weekly.

**CAUTION:** Do not use indoors or in confined areas. Avoid breathing of spray mist and contact with skin. May cause skin irritation or sensitization. Wash hands carefully after each use. Harmful if swallowed. Keep away from children and pets. Avoid contamination of feed and foodstuffs.

Do not spray plants when temperature exceeds 90°F and do not spray in or near fish pools. Do not use on Maidenhair fern, Lantana, Cyclamen or vegetables.

**EXTREMELY FLAMMABLE:** Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures over 120°F may cause bursting.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

#### ACTIVE INGREDIENTS

Pyrethrins	0.025%
*Piperonyl Butoxide Technical	0.256%
Rotenone	0.128%
Other Cube Extractives	0.237%
Carbaryl (1-Naphthyl N-Methyl carbamate)	1.000%
Folpet [N-Trichloromethylthio] phthalimide]	0.710%
Petroleum Distillate	0.05%
<b>INERT INGREDIENTS</b>	<b>97.63%</b>

\*Equivalent to 0.205% (butylcarbaryl) (6-propylpiperonyl) ether and 0.051% related compounds.

For additional information write Carol Hansen

ESCI Johnson & Son, Inc.

Racine, Wisconsin 53403 USA

EPA Reg. No. 4822-29 EPA Est. 4822-11

