4050

KEEP FROM FREEZING

CAUTION: KEEP OUT OF REACH OF CHILDREN See directions and cautions on side panel.

Johnson kills for even commercial resistant and ants institutional

for crawling insects and

roaches

don't use as space spray

use

RAID

RESIDUAL LIQUID

spray down where insects crawl

FIVE GALLONS

A PRODUCT OF SJohnson WAX SERVICE PRODUCTS DIVISION

ACTIVE INGREDIENTS: 2-(1-methylethoxy)phonol

methylcarbamate 15 Peodorized kerosene 835

ACCEPTED 100%

SIDE PANEL

provides rather than the second to certain children structures to the second se

millipedes, seemant of a second of the secon

for weeks after the restriction and the

•

DO NOT USE NEAR FIEL ALL FINE

. . .

Non-Food Areas - when the far also is a constant of the second of fices, locker round, the late is made to the second of the second of the power-operated or hand striver. The first wetther is a constant of the power-operated or hand striver. The first wetther is a constant of the power-operated or hand striver.

Roaches, Waterbugs - Spray into cracks, crevices, around base oards, and other places where these insects hide. Spray until wet. Apply behind and beneath colinets, refrictator, sinks, stoves, and in and around waste containers. When insects are driven out, spray directly. Repeat as required.

Ants - Apply to ant trails, also around door and window frames where ants may enter. Repeat as required.

Silverfish, Crickets, Earwics, Millipedes, Scorpions, Sowbugs, Spiders, Saw-Toothed Grain Beetles. Spray localized areas intested by these insects. Repeat as required.

Flies and Mosquitoes - For use outdoors only: As an aid in reducing annoyance from these insects, spray outside surfaces of screens, doors, window frames, or wherever these insects may enter. Also treat other places where these insects may alight or ongregate.

Pest control in food handling areas of meat packing and food processing plants where exposed food is held, processed or served.

"Crack and crevice" treatment only." - Apply in small amounts in a pin-thin stream directly into cracks and crevices between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Do not use this product in conduits, motor housings or electrical switch boxes.

Controls cockroaches, crickets, earwigs, silverfish, waterbugs, millipedes, sowbugs, spiders. Aids in the control of saw-toothed grain beetles.

APPLICATIONS OF THIS PRODUCT IN AND AS MEET FOOD IS BELD, PROCESSED OR SERVED, OTHER THAN AS A CRACK AND CREVICE TREATMENT, IS NOT PLEMITTED.

The second of the figure to the second

Apply a resident some to walls, ceilings and other infested areas. Any exposed to attend or the country of the

Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should be avoided. Wash thoroughly after use. No not contaminate food, utensils, dishes, drinking water, or food preparation areas. At no time should food contact treated areas. Remove pets and cover fish howls before spraying. Keep out of reach of children.

Do not allow children in treated areas until surfaces are dry.

To Physician: Atropine sulfate is antidotal.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

"OJohnson" and "RAID" are trademarks EPA Est. 4822-W1-1 EPA Reg. No. 4822-69-AA

41890

© S. C. JOHNSON & SON, INC., RACINE, WISCONSIN 53403 U.S.A.

