

(Front Panel)

FROM **Johnson** WAX

STAMPEDE
OUTDOOR
FOGGER

ACCEPTED
JAN 3 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 4822-82 SUBJECT

KILLS
FLYING INSECTS
UP TO 20 FEET
AWAY

Repels
Flies,
Mosquitoes,
Gnats, Ants

JUNGLE TESTED

CAUTION: KEEP OUT OF REACH OF CHILDREN
(see directions and cautions on back)

NET CONTENTS _____

(Back Panel)

STAMPEDE
OUTDOOR FOGGER

KILLS UP TO 20 FEET AWAY

ACCEPTED
1-3-69
4822-82

Spray from center
when not breezy

Spray with wind if breeze is blowing

An outdoor product for use in backyards, patios, picnic areas. Sprays out far beyond ordinary insect sprays--actually kills bugs up to 20 feet away. Exclusive jungle-tested formula contains insecticides and repellents that kill and repel flies, mosquitoes, gnats and ants. Also kills flying moths, wasps and hornets.

DIRECTIONS: Shake before using. Point valve opening away from face. Hold can on slight downward angle. For best results spray when air is calm. Allow a few minutes for product to take effect.

FOR FLYING INSECTS: Flies, mosquitoes, gnats. Allow fog to drift over area. Direct spray toward bushes or grass from at least 4 to 6 feet away. Give special attention to breeding areas, such as garbage cans, compost piles. Repeat if necessary. Spray hornet and wasp nests at night when they are less active.

FOR CRAWLING INSECTS: Ants, crickets, centipedes. Allow fog to drift over area. Direct spray over infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

CAUTION: Cover exposed food. Do not smoke while spraying. Avoid inhalation. Do not spray toward face. Do not spray on food crops. Do not spray on household pets. Keep 4 to 6 feet away from ornamental plants while spraying. Not for indoor use. Do not contaminate fish ponds. Never puncture or throw container into fire. Never set container on stove, radiator or near fire or flame or place where temperature will exceed 120°F. which may cause it to burst.

ACTIVE INGREDIENTS: Pyrethrins, 0.20%; technical piperonyl butoxide, 1.00% (equivalent to 0.8% of (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds); technical Methoxychlor, 1.00% (equivalent to 0.9% 2,2-bis (p-methoxyphenyl) -1,1,1-trichloroethane and 0.1% other isomers and reaction products); 2-hydroxyethyl n-octyl sulfide, 0.95%, (and related compounds), 0.05%; Petroleum Distillate 0.80%
INERT INGREDIENTS: 96.00%

(c) S.C. JOHNSON & SON, INC., RACINE, WISCONSIN 53403

USDA Reg. No. 4822-_____