



Johnson Expose Phenolic Cleaner is a germicide-plus-cleaner product especially formulated for hospital use. It is tuberculocidal and virucidal... kills influenza and parainfluenza viruses on environmental surfaces... provides positive bacterial control on floors, walls, woodwork, equipment — all hospital surfaces that water alone won't harm. In one application, it cleans... disinfects... destroys odors.

The germicides in Expose are phenolic compounds widely used in those places where bacterial control is vital. This formulation has passed the official A.O.A.C. Use-Dilution test for germicides against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Streptococcus pyogenes*, *Pseudomonas aeruginosa*, *Enterobacter aerogenes* and *Proteus mirabilis*. Expose Phenolic Cleaner is recommended for use in surgery, clinics, isolation wards — everywhere in hospitals.

#### Directions for use:

1. Mix one ounce Expose with each gallon of water (1 to 128).
2. Mop floors thoroughly with Expose solution. Use sponge or cloth for walls, woodwork and equipment.
3. Wring out mop, cloth or sponge and pick up solution.

# Johnson expose

#### STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool dry area inaccessible to children. Keep from freezing.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### WARNING: KEEP OUT OF REACH OF CHILDREN.

Avoid contact of concentrate or diluted product with skin or eyes. In case of such contact, flush immediately with large amounts of running water. If irritation persists, get medical attention. Use proper shielding of eyes when handling concentrate. Wear rubber gloves when handling concentrate or for manual cleaning operations. Avoid contamination of food.

Harmful if swallowed. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### ACTIVE INGREDIENTS:

Isopropanol 15.00%; Potassium ortho-benzyl para-chlorophenate 5.38%; Potassium para-tertiary-amyphenate 5.19%;

Potassium ortho-phenylphenate 2.94%; Tripotassium salt of ethylenediamine tetra-acetic acid 0.74%.

INERT INGREDIENTS: 70.75%

An **END-BAC SYSTEM**  
product for hospital disinfection

Johnson, Expose and End-Bac are trademarks.

© S. C. Johnson & Son, Inc.,  
Racine, Wis. 53403, U.S.A.

EPA Reg. No. 4822-100  
EPA Est. 11525-IL-1

**KEEP FROM FREEZING**