

4822-122 11/2/73

184

Front Panel

Johnson
Yard
Master

Foam Insect
Killer

NOV 5 1973

Attaches to hose
Kills insects on trees, shrubs & flowers

Net Wt. 24 oz. (1 lb. 8 oz.)

CAUTION: Keep out of reach of children.
See directions and cautions on
back panel.

4822-122
ACCEPTED
NOV 2 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.


RECEIVED
OCT 5 1973
Pesticides Registration
Division, EPA

Back Panel

Johnson
Yard Master
Foam Insect
Killer



A unique way to kill insects (see chart) on shrubs, evergreens, trees, and flowers. Yard Master attaches to any garden hose. Its foam tracer shows where you have sprayed to insure complete coverage. No mixing, no measuring - Yard Master is ready to use.

(insert attached instructions)



JOHNSON YARD MASTER
FOAM INSECT KILLER
READ COMPLETE DIRECTIONS BEFORE STARTING

DIRECTIONS: HOW TO OPERATE



(Drawings will be changed to show the insect spray head)

DIRECTIONS: HOW TO USE - Spray plants evenly with foam tracer. Apply to both sides of leaves and other areas of plants where insects are suspected. For dense evergreens and shrubs make sure spray reaches interior leaves and branches. Application will be more effective when air is calm. Do not spray when temperature is over 85°F.

Avoid spilling concentrated foam on grass or other plants. If spillage occurs, flush thoroughly with water.

PROBLEM AREAS	PESTS	NOTES
Roses and Flowers: Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladiola, Iris, Mary-golds, Petunias, Roses, Salvia and Snapdragons.	Non-waxy Aphids, Mites, Leafhoppers and Exposed Thrips.	Spray plants leaving a uniform light trace of foam, making sure to treat underside of leaves. Repeat application every 7 days until desired control is achieved.
Trees and Shrubs: Evergreens and deciduous shrubs.	Non-waxy Aphids, Mites, Leafminers, Tent Caterpillars, Fall Webworms.	Treat leaves and branches leaving a light trace of foam. Try to penetrate dense foliage. Repeat application every 7 days until desired control is achieved.
Nuisance Pests in Outside areas.	Ants	Apply, hitting as many as possible. Spray trails and nests. Repeat as necessary.

CAUTION: Avoid spraying prepared foodstuffs. Avoid contact with skin, eyes, clothing. Keep out of reach of children.

WARNING: Contents under pressure. Do not puncture. Do not use on stove, near heat or open flame. Exposure to temperatures above 120°F. may cause bursting. Never throw container into fire or incinerator.

484

ACTIVE INGREDIENTS: *0.37% (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate and 0.05% related compounds; 0.49% aromatic petroleum hydrocarbons.

*Cis-trans isomer ratio: Max. 30% (±) cis and Min. 70% (±) trans.

INERT INGREDIENTS: 99.09%

Johnson YARD MASTER is a Trademark

© S. C. Johnson & Son, Inc., Racine, Wisconsin 53403, U.S.A.

EPA Reg. No. 4822-122-AA

