


JOHNSON
YARD
MASTER



FOAM
INSECT KILLER

ATTACHES TO HOSE

KILLS INSECTS ON
TREES, SHRUBS AND FLOWERS

ACTIVE INGREDIENTS:

✓ (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropane carboxylate	0.37%
Related compounds	0.05%
Aromatic Petroleum hydrocarbons	0.49%

INERT INGREDIENTS: 99.09%

*Cis-trans isomer ratio: Max. 30% () cis and Min. 70% () trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET WT. 1 lb. 8 oz.

**JOHNSON
YARD MASTER
FOAM INSECT KILLER**

A unique way to kill insects (see chart) on shrubs, evergreens, trees, and flowers. Yard Master attaches to any garden hose. Its foam tracer shows where you have sprayed to insure complete coverage. No mixing, no measuring -- Yard Master is ready to use.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

HARMFUL IF SWALLOWED. Avoid contact with skin, eyes and clothing.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN OR EYES, flush with plenty of water. Seek medical attention if irritation is present. Remove clothing and wash with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. This product is toxic to bees exposed to direct treatment (protective information may be obtained from your cooperative agricultural extension service). Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 120 F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

HOW TO OPERATE:

1. Remove clear plastic safety guard.
2. Attach hose to spray head coupling.
3. Turn on water.
4. When ready to spray move purple tab to ON position.
5. To stop spraying when finished or when changing areas, return tab to OFF position.

HOW TO USE:

Spray plants evenly with foam tracer. Apply to both sides of leaves and other areas of plants where insects are suspected. For dense evergreens and shrubs make sure spray reaches interior leaves and branches. Application will be more effective when air is calm. Do not spray when temperature is over 85 F.

Avoid spilling concentrated foam on grass or other plants. If spillage occurs, flush thoroughly with water.

PROBLEM AREAS

Roses and Flowers: Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladiola, Iris, Marygolde, Petunias, Roses, Salvia and Snapdragons.

Trees and Shrubs: Evergreens and deciduous shrubs.

Nuisance Pests in outside areas.

PESTS

Non-waxy Aphids, Mites, Leafhoppers and Exposed Thrips.

Non-waxy Sphids, Mites, Leafminers, Tent Caterpillars, Fall Webworms.

Ants

NOTES

- 1.
 - 2.
 - 3.
- (for label graphics Notes will be here)

NOTES

1. Spray plants leaving a uniform light trace of foam, making sure to treat underside of leaves. Repeat application every 7 days until desired control is achieved.
2. Treat leaves and branches leaving a light trace of foam. Try to penetrate dense foliage. Repeat application every 7 days until desired control is achieved.
3. Apply hitting as many as possible. Spray trails and nests. Repeat as necessary.

STORAGE: Store away from heat or open flame in an area inaccessible to children.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Questions? Call 800-5585252, weekdays, 9-5 Eastern Time or write Carol Hansen # 1982
S. C. JOHNSON & SON, INC.
Racine, WI 53403

EPA Reg. No. 4822-122
EPA Est. No. 4822-WI-1

