

21113

163

PD 5.8 lbs/gal

MAR 21 1988

Mr. Robert V. Yocum
S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, WI 53403

Dear Mr. Yocum:

Subject: Revised Labeling - Trifluralin Standard
Johnson Yard Master Weed Preventer
EPA Registration No. 4822-123
Your Submission Dated March 21, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As labels are printed, make the following changes:

1. Consolidate the Human Hazards statement, including the Statement of Practical Treatment, under the PRECAUTIONARY STATEMENTS heading and HAZARDS TO HUMANS AND DOMESTIC ANIMALS subheading. (Repeat the signal word CAUTION.)
2. Add the subheading PHYSICAL OR CHEMICAL HAZARDS before the paragraph describing bursting potential. (Replace WARNING with CAUTION there.)

11142:I:Mountfort:MF-C4:KENC0:03/21/88:04/05/88:aw:WB:VO:EK:aw

CONCURRENCES

SYMBOL	ORIGINATOR							
SURNAME								
DATE								

OFFICIAL FILE COPY

3. Add the STORAGE AND DISPOSAL heading and replace the reference to disposal of wastes on site with "Securely wrap original container in several layers of newspaper and discard in trash."

Refer to the enclosed sample label for guidance.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

JOHNSON ✓
YARD
MASTER

Garden Weed
Preventer

CONTROLS WEEDS
IN FLOWER & SHRUB BEDS
ALL SEASON LONG

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 31 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
4822-123

ACTIVE INGREDIENTS:

Trifluralin: alpha,alpha,alpha-trifluoro-2,6-
dinitro-N,N-dipropyl-p-toluidine..... 1.75%

INERT INGREDIENTS: 98.25%


NET WT. 20 OZ. (1 LB 4 OZ.)

CAUTION

KEEP OUT OF REACH OF CHILDREN

SEE DIRECTIONS AND CAUTIONS ON BACK

BEST AVAILABLE COPY



JOHNSON
YARD ✓
MASTER

Garden Weed
Preventer

An effective way to prevent the growth of annual weeds* and grasses* around trees, shrubs, roses and flowers. Garden Weed Preventer kills weed seeds as they germinate. It doesn't kill existing plants or weeds.

COVERS 250 SQ. FT.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS: HOW TO OPERATE

Shake can before use and frequently during use. Rotate nozzle to unlock trigger. Invert can and hold about 2 feet from soil. Press trigger firmly to spray Weed Preventer. When finished, hold can upright away from face and press trigger briefly to clear nozzle.

DIRECTIONS: HOW TO USE

Apply Garden Weed Preventer when flowers and other plants are at least 2"-3" tall.

- . Remove all existing weeds and cultivate soil before applying.
- . Spray soil with bands of Weed Preventer 6"-8" apart. HINT - Do not apply too heavily. Spray the bands at a rate of about 2-3 feet/second.
- . Rake lightly into soil, being sure to distribute Weed Preventer evenly throughout garden plot.

IMPORTANT: Do not spray on windy days to avoid drift. Do not apply in areas where you wish to plant flowers from seed, as many desirable seeds are sensitive to Weed Preventer. Do not use on ground cover. Not for use on vegetable gardens.

WHERE TO USE: Around trees, shrubs, roses and the following flowers (2"-3" or more in height): Achillea, Agaratum, Arctotis, Aster, Balsam, Calendula, California Poppy, Calliopsis, Carnation, Centaurea, Chrysanthemum, Cosmos, Dahlia, Dianthus, Dimorphetheca, Forget-Me-Not, Four O'Clock, Guitlardia, Hollyhock, Ixora (Coccinea), Lobelia, Lupines, Marigold, Morning Glory, Nasturtium, Nicotiana, Periwinkle, Petunia, Phlox, Portulaca, Rudbeckia, Salvia, Scabiosa, Shasta Daisy, Snapdragon, Stocks, Snow on the Mountain, Sanflower, Sweet Alyssum, Sweet Pea, Sweet William, Zinnia and Gladiolus. Corns over 1" in diameter.

WEEDS AND GRASSES CONTROLLED

- * Weeds: Carelessweed, Carpetweed, Chickweed, Florida Purslane (Pussley), Goosefoot, Knotweed, Kochia, Lambsquarter, Pigsweeds (spiny redroot), Purslane, Russian Thistle, Stinging Nettle.
- * Grasses: Annual Bluegrass, Barnyardgrass (watergrass), Brachiaria, Bromegrass, Cheat, Crabgrasses, Foxtails, Goosegrass, Johnsongrass (from seeds), Junglerice, Sandbur, Stinkgrass, Sprangletop, Texas Panicum, Wildcane.

STATEMENT OF PRACTICAL
TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN & DOMESTIC ANIMALS

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, or marshes). Drift or runoff from treatment areas may be hazardous to aquatic organisms in neighboring aquatic sites. Do not contaminate water by cleaning of equipment or disposal of waste.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CAUTION: Harmful if swallowed. Avoid inhalation and contact with skin.

PHYSICAL

WARNING: Contents under pressure. Do not puncture. Do not use or store on stove, near heat or open flame. Exposure to temperatures above 120°F. may cause bursting. Never throw container into fire or incinerator.

Johnson YARD MASTER Is A Trademark

MANUFACTURED FOR S. C. JOHNSON & SON, INC.
RACINE, WISCONSIN 53403, U.S.A.
EPA Reg. No. 4822-123-AB
EPA Est. 3657-WI-1