

For use in homes, apartments, garages, and storage areas.

Directions for Use: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake Before Use. Turn nozzle to "spray" position. Hold container upright, about 12-18" from surface to be sprayed. Squeeze trigger firmly, several times until spray starts. Spray until surfaces are wet. Avoid runoff and excessive wetting of carpets. Turn nozzle to "OFF" when finished spraying.

ROACHES, WATERBUGS. Spray into cracks, crevices, around baseboards, and other places where these insects hide. Spray until wet. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. When insects are visible, spray directly. Repeat as required. Glass and vinyl tile surfaces may require frequent repeat applications to maintain residual effectiveness.

ANTS. Apply to ant trails, also around door and window frames where ants may enter. Repeat as required.

CRICKETS & SILVERFISH. Spray localized areas infested by these insects. Repeat as required.

SPIDERS: Apply as a contact spray directly on spiders.

DISPOSAL. Do not reuse empty container. Wrap container and put in trash collection.

**PRECAUTIONARY STATEMENTS**  
Hazards to Humans & Domestic Animals  
**CAUTION**

If swallowed, get immediate medical attention. Note to physician: This product is a cholinesterase inhibitor. Atropine is antidotal and should be administered by injection only after symptoms appear.

Do not apply to humans. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after use, and before eating or smoking. Keep out of reach of children; do not allow children in treated areas until dry.

Do not use in commercial food preparation areas or in edible products area of food processing plants. Do not apply to pets or contaminate feed, foodstuffs, dishes, or utensils. Do not allow pets on treated areas until dry. Cover and avoid spraying fish aquariums.

**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED - Drink one or two glasses of water and induct vomiting by touching back of throat with finger. Do not induct vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

IF INHALED - Remove victim to fresh air and apply respiration if required. IF ON SKIN - Wash promptly with soap and water. Rinse thoroughly. IF IN EYES - Rinse for at least 15 minutes with water and call a physician immediately.

S.C. JOHNSON & SON, INC.  
RACINE, WISCONSIN 53403 U.S.A.

EPA Reg. No. 4822-179  
EPA Est. 4822-WI-1