19-Sep-89 11:39 AM Database EPAREG User YOCUM S E A R C H m a t e EPA REGISTRATION

LIST OF A DOCUMENT IN THE "OUT BOX"

storage after use.

(UPS

black end turns foamy. Raid of spray Gypsy Moth & Japanese head onto Beetle Killer is now the hose. working.

3. Turn TO STOP, unscrew can until on water. foam disappears then turn off water.

5. TO STORE, reassemble spray head, white ring and container.

Page 4

39

ંડ

DIRECTIONS: HOW TO USE - Spray plants evenly with foam tracer. Apply to both sides of leaves and other areas of plants where insects are suspected. For dense evergreens and shrubs make sure spray reaches interior leaves and branches. Application will be more effective when air is calm. Do not spray when temperature is over 85 degrees F. Avoid spilling concentrated foam on grass or other plants. If spillage occurs, flush thoroughly with water. Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

SYMBOL)	PEST	AREA PROBLEM	NOTES
	Gypsy Moth Caterpillars	Trees Shrubs Sidewalks, Driveways	Treat trees and shrubs as Gypsy Moth Caterpillars emerge (usually late spring). Treat leaves, branches, and tree trunks evenly leaving a light trace of foam, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.
	Adult Gypsy Moths	Trees and Shrubs	Treat as scon as moths emerge from pupa or cocoons (usually mid to late summer). Treat trees and shrubs as above.
	Japanes(Beetles	Flower Gardens	Treat plants and flowers as soon as Japanese Beetles appear. Spray plants and flowers leaving a light trace of foam, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.
	Johnson & Raid are trademarks. For additional information write Carol Hansen – @1981 S.C. JOHNSON & SON, INC. EPA Reg. No. 4822-232 RACINE, WISCONSIN 53403 U.S.A. EPA Est. No. 4822-WI-1		