

PM33 4822-293

8/17/98

1/2

**GLADE® AIR SANITIZER**

**TEMPORARILY REDUCES GERMS IN THE AIR  
FRESH, CLEAN SCENT**

**ACTIVE INGREDIENT:**

Triethylene Glycol.....6.0%

**INERT INGREDIENT:**.....94.0%


**TOTAL** 100.0%

**KEEP OUT OF REACH OF CHILDREN.**

**CAUTION:**

See Back Panel for Additional Precautionary Statements.

**NET CONTENTS: (7-32oz)**



Glade® Air Sanitizer helps reduce the number of airborne bacteria in any room. Glade® Air Sanitizer makes your home a fresher place to be.

To activate unit: see Automatic dispenser instructions on back of box.

For use in (Hospitals) (Nursing Homes) (Schools) (Factories) (Offices) (Hotels) (Public Buildings) (Retail Stores) (Theaters) (Boats) (Campers) (Homes) (and) (Automobiles):

Sanitizes, deodorizes and freshens the air. Temporarily reduces the number of airborne bacteria. The dispenser automatically actuates the special metered valve every fifteen minutes, treating the air against odors and providing effective air sanitization.

**DIRECTIONS FOR USE.**

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling.

TO TEMPORARILY REDUCE AIRBORNE BACTERIA And eliminate odors in an average room (12' x 12' x 9'), close all doors, windows and air vents and spray product upward in center of room for 10 seconds.

For maximum effectiveness relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled.

TO DEODORIZE ONLY, spray into the air as needed.

**AUTOMATIC DISPENSER OPERATION:**

1. Open the front door of the unit. Place thumb in front of arrow on the right side of the front door, and press firmly. Pull front door open to reveal air sanitizer can.
2. Keep aerosol can pointed away from your face. Do not spray in eyes.
3. "ON/OFF" switch is located inside the dispenser, just above the air sanitizer can. Turn switch to "ON," again while pointed away from face and eyes. Dispenser should release a measured amount of spray approximately 5 seconds after turning the unit "on" and then every 15 minutes for the next 3 weeks.
4. Close the front door.
5. Dispenser should be placed on a flat surface and directed where air flow will carry the air sanitizer spray throughout the room. Keep pointed away from face and eyes.

To Temporarily Reduce the Number of Airborne Bacteria: A measured amount of product will spray into the room at intervals to temporarily reduce the number of airborne bacteria. Within 24 hours of continued use, this air sanitizer will prove to be effective in temporarily reducing odor-causing bacteria. One unit should be installed for each average sized room (12' x 12' x 9'). Close all doors and windows. Spray should be directed where flow will carry the particles through out the closed area. Factors such as air current, temperature, humidity and conformation of treated area govern number of units required for effective control.

For Smoke and Odor Control: Automatic dispenser will spray automatically at regular intervals. If possible, remove the source of odor

**Storage and Disposal Statements**

STORAGE: Store away from heat, sparks and open flame, in an area inaccessible to children. DISPOSAL: This container may be recycled in the few but growing number of communities where aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in trash.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:**

Avoid contact with food and food utensils. Avoid contact with eyes.

STATEMENT OF PRACTICAL TREATMENT: If sprayed into eyes immediately flush with water. Get medical attention if irritation persists.

PHYSICAL/CHEMICAL HAZARDS: EXTREMELY FLAMMABLE! Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120° F may cause bursting.

EPA Reg. No. 4822-293

EPA Est. No. 4822-WI-1

Glade® Reg. U.S. Pat. & TM Office

Questions? Comments? Call 800-558-5252 or Write Helen Johnson

© 1998 S.C. Johnson & Son, Inc. Racine, WI 53403-2236 All Rights Reserved

