

PM 33

4822-293

8/17/99

Page 124

UNIT STATES ENVIRONMENTAL PROTECTION AGENCY

AUG 17 1999

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, WI. 53403

Subject: Johnson Wax Glade Air Sanitizer and Deodorizer
EPA Registration No. 4822-293
Notification Per PR-Notice 98-10
Your Notification Dated July 15, 1999

Dear Ms. Gervers:

This will acknowledge receipt of your notification to remove the claim "Antibacterial" and substitute "Antimicrobial", move the term "Antimicrobial" so that it does not appear to be part of the brand name of the product and to modify the statement, "Kills 99.9% of household germs" to read "Kills 99.9% of airborne household bacteria" submitted under the provisions of FIFRA section 3(c)9. Based on a review of the submitted material, the following comments apply.

The application is acceptable and the notification has been made a part of the records for this file.

Sincerely,



Marshall Swindell
Notification Coordinator
Regulatory Management Branch I
Antimicrobial Division (7510C)

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

294



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number
4822-293

Application for Pesticide - Section I

1. Company/Product Number 4822-293	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Johnson Wax Glade® Air Sanitizer and Deodorizer	PM# 33	
5. Name and Address of Application (Include ZIP Code) S. C. Johnson & Son, Inc 1525 Howe Street Racine, WI 53403 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. ____ Product Name ____

Section II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated ____
<input type="checkbox"/> Resubmission in response to Agency letter dated <u>5/28/99</u>	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(2) if necessary. (For Section I and Section II.)
Notification of minor labeling text as allowed per PR Notice 98-10.

Section III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. Per container	If "Yes" Package wgt.	No. Per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 2-20 ounces		5. Location of Label Directions Yes, On Label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Other <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Charla E. Gervers	Title Registration Specialist	Telephone No. (Include Area Code) (414) 260-6246
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Charla E. Gervers	5. Date 7/15/99	

Johnson Wax Glade® Air Sanitizer and Deodorizer

- TEMPORARILY REDUCES GERMS IN THE AIR
- FRESH, CLEAN SCENT
- KILLS 99.9% OF AIRBORNE HOUSEHOLD BACTERIA
- ANTIMICROBIAL

ACTIVE INGREDIENT:

Triethylene Glycol.....	6.0%
INERT INGREDIENT	94.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN.

CAUTION:

See Back Panel for Additional Precautionary Statements.

NET CONTENTS: (7-32oz)

Glade® Air Sanitizer helps reduce the number of airborne bacteria in any room. Glade® Air Sanitizer makes your home a fresher place to be.

To activate unit: see Automatic dispenser instructions on back of box.

For use in (Hospitals) (Nursing Homes) (Schools) (Factories) (Offices) (Hotels) (Public Buildings) (Retail Stores) (Theaters) (Boats) (Campers) (Homes) (and) (Automobiles):

Sanitizes, deodorizes and freshens the air. Temporarily reduces the number of airborne bacteria. The dispenser automatically actuates the special metered valve every fifteen minutes, treating the air against odors and providing effective air sanitization.

DIRECTIONS FOR USE.

It is a violation of the Federal law to use this product in a manner inconsistent with its labeling.

TO TEMPORARILY REDUCE AIRBORNE BACTERIA And eliminate odors in an average room (12' x 12' x 9'), close all doors, windows and air vents and spray product upward in center of room for 10 seconds. For maximum effectiveness relative humidity should be between 45% and 70%. Resume normal room ventilation after spray has settled.

TO DEODORIZE ONLY, spray into the air as needed.

AUTOMATIC DISPENSER OPERATION:


1. Open the front door of the unit. Place thumb in front of arrow on the right side of the front door, and press firmly. Pull Front door open to reveal air sanitizer can.
2. Keep aerosol can pointed away from your face. Do not spray in eyes.
3. "ON/OFF" switch is located inside the dispenser, just above the air sanitizer can. Turn switch to "ON," again while pointed away from face and eyes. Dispenser should release a measured amount of spray approximately 5 seconds after turning the unit "on" and then every 15 minutes for the next 3 weeks.
4. Close the front door.
5. Dispenser should be placed on a flat surface and directed where air flow will carry the air sanitizer spray throughout the room. Keep pointed away from face and eyes.

To Temporarily Reduce the Number of Airborne Bacteria: A measured amount of product will spray into the room at intervals to temporarily reduce the number of airborne bacteria. Within 24 hours of continued use, this air sanitizer will prove to be effective in temporarily reducing odor-causing bacteria. One unit should be installed for each average sized room (12' x 12' x 9'). Close all doors and windows. Spray should be directed where flow will carry the particles through out the closed area. Factors such as air current, temperature, humidity and conformation of treated area govern number of units required for effective control.

For Smoke and Odor Control: Automatic dispenser will spray automatically at regular intervals. If possible, remove the source of odor.

Storage and Disposal Statements

STORAGE: Store away from heat, sparks and open flame, in an area inaccessible to children. **DISPOSAL:** This container may be recycled in the few but growing number of communities where aerosol can recycling is available. Before offering for recycling,



4 of 4

empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION:

Avoid contact with food and food utensils. Avoid contact with eyes.

STATEMENT OF PRACTICAL TREATMENT: If sprayed into eyes immediately flush with water. Get medical attention if irritation persists.

PHYSICAL/CHEMICAL HAZARDS: EXTREMELY FLAMMABLE! Keep away from fire, sparks and heated surfaces. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120° F may cause bursting.

EPA Reg. No. 4822-293

EPA Est. No. 4822-WI-1

Glade® Reg. U.S. Pat. & TM Office Questions? Comments? Call 800-558-5252 or Write Helen Johnson

© 1998 S.C. Johnson & Son, Inc. Racine, WI 53403-2236 All Rights Reserved

