

FEB 09 1993

S.C. Johnson & Son, Inc.
1525 Howe Street
Racine, WI 53403

Attn: Martine Albritton
Senior Registration Specialist

Subject: Virex II 128
EPA Registration No. 4822-357
Amendment Dated September 1, 1992


The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

Refer to the enclosed "Efficacy Evaluation and Technical Management Section Efficacy Review" for comments and recommendations regarding the submitted proposed revised labeling and virucidal data.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Delaney at (703) 305-6982.

Sincerely,

John H. Lee 
Product Manager 31
Antimicrobial Program Branch
Registration Division H7505C

Enclosure

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

VIREX II/128
One Step Germicidal Cleaner and Deodorant

Pseudomonacidal Staphylocidal Salmonellacidal
Fungicidal *Virucidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride	4.352%
n-Alkyl [C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%] dimethyl benzyl ammonium chloride	4.095%
INERT INGREDIENTS	91.553%

KEEP OUT OF REACH OF CHILDREN
DANGER

See additional precautionary statements on back

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 09 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
4822-357

3 of 7

VIREX II/128 is a germicidal cleaner and deodorant that is effective in hard water up to 400 ppm (calculated as CaCO₃) plus 5% organic blood serum. VIREX II/128 is labor saving, providing broad spectrum disinfection, mold and mildew control, and odor elimination with mild cleaning.

VIREX II/128 is recommended for use on non-food contact surfaces, in hospitals, nursing homes, schools and colleges, veterinary clinics, animal life science laboratories, hotels, and [redacted]

VIREX II/128 is specially formulated to be non-dulling to floor finishes. It eliminates the time and labor normally required for rinsing.

VIREX II/128 is bactericidal at 1:128 (1 ounce per gallon) against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Staphylococcus aureus* (methicillin resistant MRSA), *Escherichia coli*, *Klebsiella pneumoniae*, *Listeria monocytogenes*, *Proteus mirabilis*, *Proteus vulgaris*, *Salmonella enteritidis*, *Salmonella pullorum*, *Salmonella typhi*, *Serratia marcescens*, *Streptococcus agalactiae*, *Streptococcus faecalis*, and *Streptococcus pyogenes* according to the AOAC Use Dilution Test Method modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum.

VIREX II/128 is fungicidal at 1:128 dilution against *Trichophyton mentagrophytes*, *Candida albicans* and *Aspergillus niger* according to the AOAC Use Dilution Test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

VIREX II/128 is virucidal at 1:128 dilution against *HIV-1 (AIDS virus), Influenza A2/J305, Herpes Simplex Type 1, Herpes Simplex Type 2, Adenovirus Type 2, [redacted] New Castle disease virus, Avian influenza, and Pseudorabies virus according to the virucidal qualification test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS FOR DISINFECTING

For use on hard inanimate non-porous surfaces such as floors, walls, metal surfaces, porcelain, and plastic surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces as required. Use 1 ounce per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as spraying or soaking. The recommended use solution is prepared fresh for each use, then discarded. Rinsing is not necessary unless floors are to be waxed or polished. Prepare a fresh solution daily or when use solution becomes visibly dirty.

* Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

with COMMENTS
in EPA Letter Dated:

FEB 09 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, VIREX II/128 is registered for the pesticide registered under EPA Reg. No.

4822-357

BEST AVAILABLE COPY

4017

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute contact time.

Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses listed on labeling.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if inhaled. Do not breathe mist. Corrosive: causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If inhaled: Remove to fresh air and ventilate treated area. If symptoms persist, call a physician. If on skin: Immediately flush with plenty of water. If in eyes: Immediately rinse with plenty of water for 15 minutes and call a physician. If swallowed: Drink one glass of water and get medical attention. Do not induce vomiting. Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

* ACCEPTED
with COMMENTS
in EPA Letter Detail
FEB 09 1993

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4822-357

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Plastic Containers

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Fiber Drums with Liners

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

Metal Containers

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(If container is 1 gallon or less, use this container disposal statement.)
Do not reuse empty container. Wrap container and put in trash.

BEST AVAILABLE COPY

5071

General

Consult Federal, State, or local disposal authorities for approval of alternative procedures such as limited open burning.

EPA Registration No. 4822-357

EPA Est. No. 4822-WI-1

Net Contents 32 oz - 55 gallons

1992 S. C. Johnson Wax, Inc. Racine, WI 53403-5011, U.S.A.
All Rights Reserved

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB 09 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4822-357

60711

REFERENCE SHEET

VIREX II/128

ONE STEP GERMICIDAL CLEANER AND DEODORANT

VIREX II/128 is a germicidal cleaner and deodorant that is effective in hard water up to 400 ppm (calculated as CaCO₃) plus 5% organic blood serum. VIREX II/128 is labor saving, providing broad spectrum disinfection, mold and mildew control, and odor elimination with mild cleaning.

Effective at 1:128 dilution (1 ounce per gallon) against the following pathogenic bacteria according to the AOAC Use Dilution Test, 15th edition, 1990, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum:

- Pseudomonas aeruginosa ATCC# 15442
- Salmonella choleraesuis ATCC# 10708
- Staphylococcus aureus ATCC# 6538
- 4 Escherichia coli 0157:H7
- Klebsiella pneumoniae ATCC# 4352
- 4 Listeria monocytogenes 20A OHIO
- 1 Proteus mirabilis PI# 366
- Proteus vulgaris ATCC# 13315
- Salmonella enteritidis ATCC# 13076
- 4 Salmonella enteritidis E40
- 1 Salmonella pullorum PI# 3751
- Salmonella typhi ATCC# 6539
- Serratia marcescens ATCC# 14756
- 3 Staphylococcus aureus SCJ# 226 (methicillin resistant - MRSA)
- 2 Staphylococcus aureus SCJ# 225
- 1 Streptococcus agalactiae PI# 517
- 1 Streptococcus faecalis PI# 523
- Streptococcus pyogenes ATCC# 9342

Fungicidal at 1:128 dilution against Trichophyton metagrophytes ATCC# 9533, Candida albicans ATCC# 10231, and Aspergillus niger ATCC# 6275 according to the AOAC Use Dilution test, 15th edition, 1990, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

Virucidal at 1:128 dilution against *HIV-1 (AIDS virus), Adenovirus Type 2 ATCC# VR-2, Herpes Simplex Type 1 ATCC# VR-735, Herpes Simplex Type 2 ATCC# VR-734, Influenza A₂/J305 ATCC# VR-100, New Castle disease virus ATCC# VR623, Avian influenza ATCC# VR797 and Pseudorabies virus ATCC# VR135 according to the Virucidal Qualification test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

Note: Clinical isolates of organisms designated by footnotes.

- 1 Presque Isle Associates
- 2 St. Mary's Hospital, Racine, Wisconsin
- 3 Park West Hospital, Knoxville, Tennessee
- 4 Food Research Institute, Madison, Wisconsin

ACCEPTED
with COMMENTS
in EPA Letter Dated

FEB 09 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4822-357

707

* Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute contact time.

Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses listed on labeling.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

ACCEPTED
 with COMMENTS
 EPA Letter Dated:

FEB 09 1993

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
4822-357