MM S1 11202-359

10f"/

VIREX II 64 One Step Germicidal Cleaner and Deodorant

Pseudomonacidal Staphylocidal Salmonellacidal Fungicidal *Virucidal

ACTIVE INGREDIENTS:	
Didecyl dimethyl ammonium chloride	2.1760%
n-Alkyl [C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%] dimethyl	
benzyl ammonium chloride	2.0475%
INERT INGREDIENTS	95.7765%

)

l

KEEP OUT OF REACH OF CHILDREN **DANGER**

See additional precautionary statements on back

1.COSTED

20/1/

VIREX II 64 is a germicidal cleaner and deodorant that is effective in hard water up to 400 ppm (calculated as CaCO₃) plus 5% organic blood serum. VIREX II 64 is labor saving, providing broad spectrum disinfection, mold and mildew control, and odor elimination with mild cleaning.

VIREX II 64 is recommended for use on non-food contact surfaces in hospitals, nursing homes, schools and colleges, veterinary clinics, animal life science laboratories, hotels and federally inspected meat and poultry establishments.

VIREX II 64 is specially formulated to be non-dulling to floor finishes. VIREX II 64 eliminates the time and labor normally required for rinsing.

VIREX II 64 is bactericidal at 1:64 (2 ounces per gallon) against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, Staphylococcus aureus (methicillin resistant - MRSA), Escherichia coli, Klebsiella pneumoniae, Listeria monocytogenes, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella pullorum, Salmonella typhi, Serratia marcescens, Streptococcus agalactiae, Streptococcus faecalis, and Streptococcus pyogenes according to the AOAC Use Dilution Test Method modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum.

VIREX II 64 is fungicidal at 1:64 dilution against Trichophyton mentagrophytes, Candida albicans and Aspergillus niger according to the AOAC Use Dilution Test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

VIREX II 64 is virucidal at 1:64 dilution against *HIV-1 (AIDS virus), Influenza A2/J305, Herpes Simplex Type 1, Herpes Simplex Type 2, Adenovirus Type 2, New Castle disease virus, Avian influenza, and Pseudorabies virus according to the virucidal qualification test, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

GENERAL USE DIRECTIONS FOR DISINFECTING:

For use on hard inanimate non-porous surfaces such as floors, walls, metal surfaces, porcelain, and plastic surfaces. Remove gross filth and heavy soil deposits then thoroughly wet surfaces as required. Use 2 ounces per gallon of water for a minimum contact time of 10 minutes in a single application. Can be applied with a mop, sponge, or cloth as well as coarse spraying or soaking. The recommended use solution is prepared fresh for each use, then discarded. Rinsing is not necessary unless floors are to be waxed or polished. Prepare a fresh solution daily or when use solution becomes visibly dirty.

* Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Typh C(HVE) PTET)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Under the Federal Insecticids. Fungici is, and Redenticide act as amended, for the pesticide testistered under EPA Reg. No. 1/42 2 - 354

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

ACCEPTED

JUL 2 4 1995

Under the Federal Insut cide, Fungicide, and Rodonticide Act, as amended, for the pest cide registered under EPA Reg. No. 4122-357

40/17

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute contact time.

Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses listed on labeling.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive: causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

In case of skin or eye contact, flush thoroughly with plenty of water at least 15 minutes. If irritation persists, get medical attention. Remove and wash contaminated clothing before reuse. If swallowed drink promptly a large quantity of egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CONTAINER DISPOSAL

Plastic Containers

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Fiber Drums with Liners

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

ACCEPTED

Metal Containers

Under the Foderal Insecticity.

What is the Foderal Insecticity of the Fode

ł

5047

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

(If container is I gallon or less, use this container disposal statement.) Do not reuse empty container. Wrap container and put in trash.

General

Consult Federal, State, or local disposal authorities for approval of alternative procedures such as limited open burning.

EPA Registration No. 4822-359

EPA Est. No. 4822-WI-1

Net Contents 32 oz. - 55 gallons

1992 S. C. Johnson & Son, Inc. Racine, WI 53403-5011, U.S.A. All Rights Reserved

ACCEPTED

JUL 2 4 1395

Under the Federal Instriction. Fungicide, and Rouentickie Act, as amended, for the pesticide registered under EPA Reg. No. 4822 -359

REFERENCE SHEET

VIREX II 64

ONE STEP GERMICIDAL CLEANER AND DEODORANT

VIREX II 64 is a germicidal cleaner and deodorant that is effective in hard water up to 400 ppm (calculated as CaCO₃) plus 5% organic blood serum. VIREX II 64 is labor saving, providing broad spectrum disinfection, mold and mildew control, and odor elimination with mild cleaning.

Effective at 1:64 dilution (2 ounces per gallon) against the following pathogenic bacteria according to the AOAC Use Dilution Test, 15th edition, 1990, modified in the presence of 400 ppm synthetic hard water (calculated as CaCO₃) plus 5% organic serum:

Pseudomonas aeruginosa ATCC# 15442 Salmonella choleraesuis ATCC# 10708 Staphylococcus aureus ATCC# 6538

- 4 Escherichia coli 0157:H7 Klebsiella pneumoniae ATCC# 4352
- ⁴ Listeria monocytogenes 20A OHIO
- Proteus mirabilis PI# 366
 Proteus vulgaris ATCC# 13315
 Salmonella enteritidis ATCC# 13076
- ⁴ Salmonella enteritidis E40

)

- Salmonella pullorum PI# 3751
 Salmonella typhi ATCC# 6539
 Serratia marcescens ATCC# 14756
- 3 Staphylococcus aureus SCJ# 226 (methicillin resistant - MRSA)
- ² Staphylococcus aureus SCJ# 225
- 1 Streptococcus agalactiae PI# 517
- 1 Streptococcus faecalis PI# 523 Streptococcus pyogenes ATCC# 9342

Fungicidal at 1:64 dilution against Trichophyton metagrophytes ATCC# 9533, Candida albicans ATCC# 10231, and Aspergillus niger ATCC# 6275 according to the AOAC Use Dilution test, 15th edition, 1990, modified in the presence of 400 ppm hard water (calculated as CaCO₃) plus 5% organic serum.

Virucidal at 1:64 dilution against *HIV-1 (AIDS virus), Adenovirus Type 2 ATCC# VR-2, Herpes Simplex Type 1 ATCC# VR-735, Herpes Simplex Type 2 ATCC# VR-734, Influenza A2/J305 ATCC# VR-100, New Castle disease virus ATCC# VR623, Avian influenza ATCC# VR797 and Pseudorabies virus ATCC# VR135 according to the Virucidal Qualification test, modified in the presence of 400 ppm hard water (calculated as CaCO3) plus 5% organic serum.

Note: Clinical isolates of organisms designated by footnotes.

- 1 Presque Isle Associates
- ² St. Mary's Hospital, Racine, Wisconsin
- ³ Park West Hospital, Knoxville, Tennessee
- ⁴ Food Research Institute, Madison, Wisconsin

ACCEPTED

JUL 2 4 1995

Under the Federal Insecticide. Fungicide, and Rosenhoide Act, as amended, for the preside registered under EPA Reg. No. 42 34

* Kills HIV-I (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

CONTACT TIME: HIV-1 (AIDS virus) is inactivated after one (1) minute contact time.

Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses listed on labeling.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

ACCEPTED

JUL 2 4 1991

Under the Pederal In ectivite.
Pungleide, and Redentirede Act,
as amended, for the passible
tegistered under
EPA Reg. No. 4912-359