9/17/1996 4822 - 425

VANISH LIQUID DISINFECTANT TOILET BOWL CLEANER

Pope 18

FOR INSTITUTIONAL (HOSPITAL) AND COMMERCIAL (INDUSTRIAL) USE (ONLY)

OFFICE BUILDINGS • NURSING HOMES • SCHOOLS • FOOD SERVICE • HOTELS • MOTELS • HOSPITALS • RESTAURANTS

ONE STEP CLEANER / DISINFECTANT • DISINFECTS IN 1 MINUTE • DEODORANT • VIRUCIDAL * BACTERICIDAL • GERMIDICAL • PSEUDOMONACIDAL • STAPHYLOCIDAL • CLEANS • DISINFECTS • DEODORIZES • REMOVES STAINS • KILLS DANGEROUS (TROUBLESOME) BACTERIA IN 1 MINUTE • KILLS HIV-1• KILLS HAV• KILLS HSV-1• KILLS HSV-2 • KILLS MRSA • KILLS E. coli. (0157:H7)

Recommended for use in commercial and industrial buildings, schools, hospitals, nursing homes, manufacturing plants, office buildings, day care centers, hotels and motels. Vanish Liquid Disinfectant Toilet Bowl Cleaner quickly eliminates rust, lime & uric acid deposits and will not harm the bacterial action of septic tanks. Dissolves porous lime deposits and urine stains. Used as directed, this is a powerful cleaner, deodorizer and killer of dangerous (troublesome) bacteria. Kills these bacteria: Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, Escherichia coli (0157:H7) (E. coli 0157:H7), Methicillin Resistant Staphylococcus aureus (MRSA), HIV-1 (AIDS virus)*. Hepatitis A virus (HAV), Herpes Simplex 1 (and 2) ((HSV-1) and HSV-2), Herpes Simplex 2 (HSV-2).

ACTIVE INGREDIENTS:9.25%Hydrogen Chloride9.25%n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride0.30%n-Alkyl (50% C12, 30% C14, 17% C16, 3% C18) dimethyl ethylbenzyl ammonium chloride0.30%INERT INGREDIENTS:90.15%

KEEP OUT OF REACH OF CHILDREN **DANGER:**

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON BACK PANEL.

NET -- FL. OZ. (-- U.S. QUART(S)) -- ML.

EPA Reg. No. 4822-425 EPA Est. No.

TO OPEN CHILD RESISTANT CAP: (Use fingernail or coin to) Pull back and push down rearmost ridge of spout. Push spout down following use.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

URINALS: 1. Apply directly to vertical surfaces. 2. Apply 1 ounce to applicator. Scrub all surfaces there gay and into drain. 3. Remove screen trap to deodorize drain, and apply 1 ounce 4. Wait 1 minute, then flush. Rinse applicator. . . . Rodenticide Act, as amended, for the esticide registered under EPA Rog. No.

TOILET BOWLS

- 1. Remove water from bowl (by forcing water over the trap with applicator).
- 2. Remove excess water from applicator by pressing it against side of bowl.
- 3. Apply under rim.

1

- 4. Apply 1 ounce to applicator, scrub all areas thoroughly.
- 5. Wait 1 minute, then flush. Rinse applicator.

*Kills HIV-1 (AIDS virus) on toilets previously soiled with blood/body fluids in settings mentioned on this label in which there is an expected likelihood of soiling of toilets with blood or body fluids, and in which the toilets likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant.

Contact Time: Allow surface to remain wet for 1 minute.

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

TO REMOVE STUBBORN STAINS (URINE STAINS), (POROUS LIME DEPOSITS), (OR SCALE) ON TOILETS: Apply directly on stain, let sit 15 minutes. Scrub and flush. Repeat if necessary.

IF SPILLED, WIPE UP AT ONCE. Rinse well. Never use on enameled surfaces, in wash sinks or bathtubs. Read the precautionary statements carefully.

STORAGE AND DISPOSAL: Store out of reach of children. Clean up spills right away. Do not reuse empty container. Rinse empty container thoroughly with water and place in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE.

MAY BE FATAL IF SWALLOWED. DO NOT BREATHE VAPOR OR FUMES. MAY PRODUCE CHEMICAL BURNS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. PROJECT EYES AND SKIN WHEN HANDLING. CHEMICAL HAZARDS: NEVER USE WITH CHLORINE PRODUCTS ..., can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half hour ventilate if possible. Never use or mix with other cleaners or chemicals.

FIRST AID: IMMEDIATELY:

IF IN EYES: Rinse immediately with water. Quickly remove contact lenses, then flush eyes with water for 20 minutes.

IF SWALLOWED: Rinse mouth. Drink a glassful of milk or water. Do not induce vomiting. IF ON SKIN: Remove affected clothing. Flush skin with water for 20 minutes.

3

ι

3

THEN CALL POISON CONTROL CENTER OR PHYSICIAN AT ONCE.

Questions? Comments? Write: Customer Service Department S.C. Johnson Professional or call 1-800-558-2332 For more information call 1-800-242-1677 Sold by: © 1995 S.C. Johnson & Son, Inc. (Drackett Professional Division,) Racine, WI 53403-2236 Made in U.S.A.